

---

## CBDPP I&M Committee Meeting Minutes

April 12, 2012

825 Jadwin / CR 341-A

---

### **ATTENDEES:**

Scott Seydel  
Echo Smasne  
Emily Millikin  
Randy Phenneger  
Tom Morris  
Mark Fisher  
Calin Tebay  
Josh Artzer  
Michael Butts  
Sam Murff

Darrell Riffe  
Karen Phillips  
Lisa Hart  
Larry Sherman  
Chuck Wildman  
Shad Smith  
Silvette Boyajian  
Alison Gjefle  
Mario Moreno  
Michele Solano

### **INTRODUCTIONS:**

- No new introductions.

### **SAFETY TOPIC:**

- City of Richland is doing cross-walk emphasis. Police Officers will be watching the following crosswalks:
  - By Sterling's on G-Way
  - Jadwin in front of the federal building
  - Swift near Kadlec
  - G-Way and McMurray
  - Leslie and Gage by Albertsons.
- The Law says the pedestrian has to be across the street before you can drive past them.

### **NEW BUSINESS:**

- **Quorum Verification:**
  - Scott Seydel has Susan Mowbray's vote
  - No quorum as Kirk Domina was not present, and his vote was not delegated
- **Beryllium Workplace Notification**
  - The Beryllium Workplace Monitoring Quarterly Report was given to the Committee (January, February and March 2012).
    - All contractors provided notifications

- **Beryllium Inbox:**
  - Subcommittee is working on releasing items to universities and museums.
  - With the new beryllium products coming out, the subcommittee is drafting a response to send to inquiries made on BeCAP products.
  - Scott Seydel met with Pete Garcia (DOE-RL) on the process of forwarding inquiries on to him that come in to the ^beryllium inbox, and it was agreed that sending him the questions is fine. There is a very clear process on how to deal with releasing items that are contaminated to the public, but if it is an article, that is more confusing. The expectation is not clear as to how to proceed forward, but we are continually releasing items that contain beryllium components to the public. A process was created that looks at what is the type of article to be released and who is it going to be released to, and put together a matrix to determine the action needed. Drivers of this are CMUs with beryllium springs released to CHREST. This new process will be coming to the committee on a resolution form.
    - For the CMUs, they have been sampled and no contamination was found.
  
- **Training Report:**
  - BWP preparation for IH/IHTs is about 50% done. More sessions are being added to accommodate the demand of more students from MSA/CHPRC.
  - Training for assessment/characterization of buildings and structures/Conex boxes will be merged into one course.
  - Feedback on both GAP and IH/IHT training courses are receiving more positive feedback.
  
- **Resolution Forms:**
  - **Intrusive Activity**
    - No changes were made from last week. Any comments are to be sent to Larry Sherman. The resolution form will be brought back to the next CBDPP Meeting.
      - A comment was made during the meeting that in the fourth bullet, the term 'readily inaccessible' doesn't make sense.
  - BWP continues to need to be tweaked, but there will come a time when we need to lock down the procedure. Resolution forms could be used to interpret the language not change the language.
    - A team has come up with a three part test to define 'job specific' and it has been sent to HAMMER trainers. The three part test is:
      - Is all the work contained in a BCA/BRA?
      - Does the hazard assessment explicitly describe the work that is to be done
      - You have to have a single beryllium control set
  - A resolution form will be coming through as an interpretation for defining who can do a pre-job brief.

- **BeCAP Implementation:**
  - A question was asked about version changes after signature, because workers are being told in training that changes are being made to the procedure.
    - WCH needs the forms sent to them electronically, because they can't access Site Forms. When will the forms be released?
      1. Procedures are going through document clearance and once DOE approves the 7/30/12 implementation date proposal, then everything can be published for use.
      2. The BWP Form has to be renumbered, because right now it has the same number as the old BWP.
    - Darrell Riffe explained the process he's using to publish/implement the document. Discussion by the committee on regulatory compliance in the implementation period. Emily Millikin wants to go back and review the issue within her company.
  - Larry Sherman asked for clarification on language sent to DOE, or out from DOE, to ensure that workers won't be punished for violating any process when both BWPs are out in the field.
    - Darrell Riffe will include that language in the letter sent to DOE.
  
- **New Regulations/Interpretations:**
  - Doe-ORP reported that questionnaires were sent to the field office to fill out, and the field offices were told they are allowed to get contractor input on the questionnaire. RL/ORP will send the questionnaires out to the contractors for economic analysis of the revision of 10CFR850, and will have a due date of return of 6/01/12 to DOE.
  
- **CBDPP Subcommittee (Company Level) discussion**
  - CHPRC cancelled the meeting last week due to the BHSC. Next meeting is scheduled for next Friday.
  - WRPS met, and an update on the BeCAP status was presented.
  - MSA met last Thursday.
    - Subcommittee members requested cards on the HSS beryllium website.
    - Subcommittee discussed an issue of opening a panel and using compressed air to clean it at WRPS. WRPS was contacted on the issue. A stop work was issued. WRPS is looking at possibly sampling prior to work. WRPS has started crafting a communication to go out to workers, and that is being reviewed by WRPS management. Of samples taken, no positive results have been found.
    - WSCF is under a different regulation, so MSA has taken steps to put in protection from 10 CFR 850. WSCF has written a beryllium portion to their chemical hygiene plan to put in specific language on how to control samples that come in to the lab. WSCF would like to know what the

expectation is of the Site CBDPP Committee for being briefed on the chemical hygiene plan.

- CSC has not met since the last report, but a beryllium presentation to all hands was given.
- WCH has not met since the last meeting. Previous meetings have been focused on training.

**AROUND THE TABLE:**

**Scott Seydel**

- BHSC wants to do a survey of both sampling analytical methods for beryllium. Joseph Samuels will be the contact for sampling, John Kon for analysis. Colby Smith for WRPS and Colby will provide a contact name for ATL to Scott Seydel. Jerry Simiele is the contact for WCH. Scott Seydel is the contact for CHPRC.

**Chuck Wildman**

- Asked for an update on the PermaFix presentation.
  - Scott Seydel will meet with Chuck Wildman and will call to find out what is going on, and determine if there is another contact that can be called to see if a presentation can be done.

**Joseph Samuels**

- No beryllium inbox subcommittee meeting today.