

**AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT**

1. CONTRACT ID CODE  
PAGE OF PAGES  
1 22

2. AMENDMENT/MODIFICATION NO. 052  
3. EFFECTIVE DATE See Block 16C  
4. REQUISITION/PURCHASE REQ. NO. 10EM002753  
5. PROJECT NO. (If applicable)

6. ISSUED BY CODE 00601  
7. ADMINISTERED BY (If other than Item 6) CODE 00601

Richland Operations Office  
U.S. Department of Energy  
Richland Operations Office  
P.O. Box 550, MSIN A7-80  
Richland WA 99352

8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)

MISSION SUPPORT ALLIANCE, LLC  
Attn: Mr. J. Frank Armijo  
2490 Garlick Boulevard  
RICHLAND WA 99354

(X) 9A. AMENDMENT OF SOLICITATION NO.

9B. DATED (SEE ITEM 11)

X 10A. MODIFICATION OF CONTRACT/ORDER NO. DE-AC06-09RL14728

10B. DATED (SEE ITEM 13) 04/28/2009

CODE 800095031 FACILITY CODE

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers  is extended,  is not extended.  
Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning \_\_\_\_\_ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGEMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

Not Applicable

13. THIS ITEM ONLY APPLIES TO MODIFICATION OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
X	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: I-103, FAR 52.243-2 Changes - Cost Reimbursement
X	D. OTHER (Specify type of modification and authority) Mutual Agreement

E. IMPORTANT: Contractor  is not,  is required to sign this document and return 1 copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

A) This modification replaces Section J-4, Performance Evaluation and Measurement Plan (PEMP) in its entirety. Specific changes to the PEMP are: 1) updated the Fee Distribution Table, 2) reallocated EVMS fee under Performance Measure 4.3 to the new Performance Measures 4.1d, 4.2d, 4.2e, and, 3) incorporated changes to Performance Measure 4.2c requested in letter number MSA-1000250.

B) This modification renumbers the following attachments in Section J for consistency with other DOE-RL contracts:  
Section J-11 to Section J-13, Hanford Site Structures List  
Section J-12 to Section J-14, Hanford Site Waste Sites List  
Section J-13 to Section J-11, Contract Deliverables  
Continued ...

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print) Elizabeth C. Lupo  
16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) Alan E. Hopko  
15B. CONTRACTOR/OFFEROR  
15C. DATE SIGNED 7/21/2010  
16B. UNITED STATES OF AMERICA  
16C. DATE SIGNED 07/27/2010  
(Signature of person authorized to sign) (Signature of Contracting Officer)

**CONTINUATION SHEET**

REFERENCE NO. OF DOCUMENT BEING CONTINUED  
DE-AC06-09RL14728/052

PAGE OF  
2 22

NAME OF OFFEROR OR CONTRACTOR  
MISSION SUPPORT ALLIANCE, LLC

ITEM NO. (A)	SUPPLIES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	<p>Section J-14 to Section J-12, Government Furnished Services and Information. Section J Table of Contents is added to the contract to reflect all attachments in Section J by number and title.</p> <p>C) There is no change in the total contract amount as a result of this modification. This modification does not add additional funds to the contract. Accordingly, work under the Contract, such as described herein, must be performed within the amount of funds which have been allotted to the contract in accordance with Clause I.82 - FAR 52.232.22 - Limitation of Funds (Apr 1984).</p> <p>D) By signature on this modification, the Contractor agrees to the following Contractor's Statement of Release:</p> <p>In consideration of this Modification 052 agreed to herein as complete equitable adjustments, the Contractor hereby releases the Government from any and all liability under this contract for further equitable adjustments attributable to such facts or circumstances giving rise to this modification.</p> <p>There are no other changes to the terms and conditions of the contract. Period of Performance: 04/28/2009 to 04/28/2014</p>				

**PART III – LIST OF DOCUMENTS, EXHIBITS, AND OTHER ATTACHMENTS**  
**SECTION J -- LIST OF ATTACHMENTS**  
**TABLE OF CONTENTS**

<b>Attachment Number</b>	<b>Title of Attachment</b>	<b>Revision Number</b>	<b>Pages</b>
J-1.	ABBREVIATIONS AND ACRONYM LIST	0	4
J-2.	REQUIREMENT SOURCES AND IMPLEMENTING DOCUMENTS	010	8
J-3.	HANFORD SITE SERVICES AND INTERFACE REQUIREMENTS MATRIX	044	69
J-4.	PERFORMANCE EVALUATION AND MEASUREMENT PLAN	052	19
J-5.	PERFORMANCE GUARANTEE AGREEMENT	0	15
J-6.	SMALL BUSINESS SUBCONTRACTING PLAN	0	15
J-7.	SMALL DISADVANTAGED BUSINESS PARTICIPATION PROGRAM TARGETS	0	2
J-8.	ADVANCE UNDERSTANDING OF COSTS	0	1
J-9.	SPECIAL FINANCIAL INSTITUTION ACCOUNT AGREEMENT	005	5
J-10.	WAGE DETERMINATIONS – SERVICE CONTRACT ACT AND DAVIS-BACON ACT	044	20
J-11.	CONTRACT DELIVERABLES	044	18
J-12.	GOVERNMENT FURNISHED SERVICES AND INFORMATION	044	4
J-13.	HANFORD SITE STRUCTURES LIST	039	63
J-14.	HANFORD WASTE SITE ASSIGNMENT LIST	030	76

## ATTACHMENT J-4

### Mission Support Contract Performance Evaluation and Measurement Plan

The Performance Evaluation and Measurement Plan (PEMP) details the administration of performance incentives and allocation of total available fee as defined in Section B, Supplies or Services and Prices/Costs.

#### 1. PERFORMANCE MEASURES

Each performance measure will set forth the specific requirements, criteria and/or specifications for acceptable performance of an outcome and the amount of fee assigned to the individual performance measure.

#### 2. ALLOCATION OF AVAILABLE FEE

Because the services to be determined under this contract directly support the mission contractors and because such services are integral to the environmental cleanup mission at Hanford, DOE will heavily weight the assignment of fee toward efficient and effective provision of Hanford Site services and infrastructure; right-sizing to meet the mission needs over the life cycle of Hanford cleanup; and sustained excellence and enhanced effectiveness of integrated safety, security, health, and environmental protection.

#### 3. PERFORMANCE MEASURE FEE STRUCTURE METHODS

Each performance measure may have a distinct fee structure to incentivize maximum performance and resource utilization by the contractor. Individual performance measures may require the contractor to exceed approved baseline performance to earn 100 percent (%) of the fee allocated to that performance measure. DOE is not limited to the following list of fee structure methods and may combine elements of multiple fee structures. Regardless of the fee structure method used, payment of fee is subject to the fee reduction terms of this contract, and fee determining official (FDO) approval that the contractor has achieved the stated outcome for the specific performance measure.

- (a) Straight-line Method: This method provides a 100% incremental fee for completion of the performance measure prior to the expiration of the contract period.
- (b) Declining Method: This method provides 100% incremental fee for completion of the performance measure by a specific date and/or milestone, but the percentage is reduced incrementally beyond that event. The specific percentage of reduction and corresponding time or specific milestones triggering the reductions are defined within the performance measure.
- (c) Terminal Method: This method provides 100% incremental fee for completion of the performance measure prior to a specific date and/or milestone; however, the contractor will forfeit 100% of the fee allocated to the performance measure for completion of the performance measure after the passing of the specific date and/or milestone as defined within the performance measure.

- (d) Performance Measure Provisional Dependent Method: This method provides the contractor the opportunity to earn only provisional fee until completion of a specific milestone, a separate performance measure or multiple performance measures, upon which the fee becomes progress or final. For example, the contractor may complete performance measure 1, earn 90% of the fee as provisional, then complete performance measure 2 and earn the associated fee for performance measure 2, as well as convert the provisional fee earned for performance measure 1 to an incremental fee.
  - (e) Subjective Method: This method provides the contractor the opportunity to earn up to 100% fee for performance of contract requirements based on subjective criteria as determined by DOE.
  - (f) Target Method: This method provides for the initially negotiated fee to be adjusted later by a formula based on the relationship of performance measures against the baseline. This method specifies a target baseline performance, a target fee, minimum and maximum fees, and a fee adjustment formula. After performance, the fee payable is determined in accordance with the formula. The formula provides, within limits, for increases in fee above target fee when baseline performance is exceeded, and decreases in fee below target fee when baseline performance is not achieved. This increase or decrease is intended to provide an incentive for the contractor to manage the contract effectively.
4. The following tables summarize the contract work requirements that may become fee-bearing via performance measures.

**Table 4.1, Fee Distribution Table**

Performance Incentive			Maximum Available Fee Percentage
<b>1.0</b>	<b>Meet First-Year Performance Commitments (20%)</b>		
	<b>1.1</b>	<b>Complete Commitments by September 2010</b>	
	1.1a	Portfolio Analysis Center	4%
	1.1b	Redundant MSA IT Systems	4%
	1.1c	WiMax	4%
	1.1d	Emergency Telecommunications	4%
	1.1e	Protective Strategy for Interim Storage Area	4%
<b>2.0</b>	<b>Productivity Improvement and Reinvestment (20%)</b>		
	<b>2.1</b>	<b>FY 2010 Savings Wedge</b>	10%
	<b>2.2</b>	<b>Multiyear Project Delivery</b>	
	2.2a	Supporting the 2015 Vision	2%
	2.2b	Green Energy	2%
	2.2c	Hanford Road System	2%
	2.2d	Crane and Rigging	2%
	2.2e	HAMMER Training and Education Center	2%
<b>3.0</b>	<b>Infrastructure Services and Alignment Plan (15%)</b>		
	<b>3.1</b>	<b>Infrastructure Services and Alignment Plan</b>	15%
<b>4.0</b>	<b>Sustain Performance Excellence (30%)</b>		
	<b>4.1</b>	<b>Sustain Performance Excellence</b>	
	4.1a	Performance Excellence	15%
	4.1b	Portfolio Management	2.5%
	4.1c	Unclassified Cyber Security	1%
	4.1d	Contract Modification Proposals	1.5%
	<b>4.2</b>	<b>Safe Operations</b>	
	4.2a	EMS	1%
	4.2b	ISM	5%
	4.2c	Common Safety Processes	3%
	4.2d	Site-wide Programs	.5

Performance Incentive				Maximum Available Fee Percentage
		4.2e	Hanford Site Chronic Beryllium Disease Prevention Program	.5
5.0	Establish and Meet Service Level Requirements (15%)			
	5.1	Service Delivery Bases		
		5.1a	Service Delivery Plans Alignment	5%
		5.1b	Service Level Agreements Performance	10%

**Table 4.2, Fee-Bearing Performance Measures**

OBJECTIVE	OUTCOMES	PERFORMANCE MEASURES	INTERIM MILESTONES (No fee will be paid for achievement of interim milestones; fee is dependent upon completion and acceptance criteria)	COMPLETION CRITERIA	ACCEPTANCE CRITERIA/ EVALUATION CONSIDERATIONS	TOTAL AVAILABLE FEE
<p><i>Fee determination and payment will be made in accordance with the Section B clause entitled Fee Determination and Payment. The completion criteria for objective measures consist of the completion of specified activities. The completion criteria for subjective measures are focused on the achievement of high-level strategies, outcomes, and envisioned end states. The evaluation of all measures will include a subjective determination regarding quality and effectiveness.</i></p>						
<p><b>1.0: Meet FY 2010 Performance Initiatives</b></p>	<p>Complete FY 2010 performance initiatives<sup>1</sup> selected by DOE in accordance with Section B, Supplies or Services and Prices/Costs, or as directed by the contracting officer.</p>	<p><b>Performance Measure 1.1: Evaluation Criteria, Complete Initiatives by September 2010 [no individual weighting]</b></p>				<p>20%</p>
		<p>a. Stand up a portfolio analysis center and implement the OMEGA framework, tools, and methods to assist in Hanford sitewide strategic planning and performance documentation through visualization that demonstrates actual completed work, progress milestones, issues and risk management, and regulatory progress.</p>	<ul style="list-style-type: none"> <li>• Complete development of the Integrated Hanford Life Cycle Cleanup Plan (utilizing the OMEGA framework) and installation of a portfolio analysis center by April 15, 2010.</li> <li>• Utilize the plan and a portfolio analysis center to support federal performance analysis and sitewide budget simulation process to visualize actual work completed, milestones achieved, issue resolution, risk management, and regulatory progress from April 15, 2010 to September 30, 2010.</li> <li>• Utilize Hanford Life Cycle Cleanup Plan tools to perform strategic planning for scope, schedule, and cost optimization using phased approach from October 15, 2009 to</li> </ul>	<ul style="list-style-type: none"> <li>• Demonstrated complete operational capabilities of a portfolio analysis center by September 30, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>• Stood up a portfolio analysis center that supported the development of each of the following:                             <ul style="list-style-type: none"> <li>○ An Integrated Hanford Life Cycle Cleanup Plan.</li> <li>○ A mission needs analysis that identified strategic or project integration gaps in mission execution capabilities.</li> <li>○ A sitewide budget simulation process that analyzes the impact of changes in scope and budget.</li> <li>○ Sitewide presentations and reports for RL, ORP, HQ, and the public.</li> <li>○ Documents that require regulatory and stakeholder approval.</li> <li>○ Tools and techniques for performing simulations, optimization, and visualization to support life cycle baseline planning that enables DOE to respond to dynamic and frequent changes in scope, schedule, cost, budget, contractor performance, technical direction, and regulatory requirements.</li> </ul> </li> </ul>	

<sup>1</sup> A number of the performance initiatives were derived from MSA's final proposal received on May 12, 2008.

OBJECTIVE	OUTCOMES	PERFORMANCE MEASURES	INTERIM MILESTONES (No fee will be paid for achievement of interim milestones; fee is dependent upon completion and acceptance criteria)	COMPLETION CRITERIA	ACCEPTANCE CRITERIA/ EVALUATION CONSIDERATIONS	TOTAL AVAILABLE FEE
		<p>b. Identify and eliminate 20% of redundant MSA IT systems in the first year based on the Hanford Information System inventory; migrate data from Hanford Document Control System, Engineering Drawing Maintenance System, data tracking and accountability, and site drawing file to the new Document Management and Control System (DMCS) application, and configure DMCS to transmit engineering drawings to Integrated Document Management System (IDMS) for retention as the electronic records copy.</p> <p>c. Extend the WiMax capabilities to implement a scalable and distributed wireless phone/computer network system with coverage in the Central Plateau.</p>	<p>September 30, 2010.</p> <ul style="list-style-type: none"> <li>Provide monthly status progress.</li> <li>Provide quarterly reports on the progress of the system elimination and the DMCS project status by January 15, April 15, July 15, and October 15, 2010.</li> <li>Prepare and provide a WiMax implementation plan by December 31, 2009. Provide progress reports by January 15, April 15, July 15, and October 15, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>Reported the 20% reduction of redundant systems.</li> <li>Demonstrated operations of the DMCS application.</li> <li>Demonstrated operations of the IDMS-hosted engineering drawings system by September 30, 2010.</li> <li>Demonstrated that there is extended WiMax coverage in the Central Plateau by September 30, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>Eliminated 20% of the redundant MSA IT systems.</li> <li>Eliminated all data systems referenced in the performance measure through implementation of the DMCS.</li> <li>Validated that all site drawing files were migrated to the new DMCS application, and that the DMCS was configured to transmit engineering drawings to IDMS.</li> <li>Implemented the WiMax schedule implementation plan in the Central Plateau.</li> <li>Provided 95% HLAN accessibility in the Central Plateau.</li> <li>Validated the extent of WiMax coverage through propagation mapping and RL field strength testing.</li> </ul>	

OBJECTIVE	OUTCOMES	PERFORMANCE MEASURES	INTERIM MILESTONES (No fee will be paid for achievement of interim milestones; fee is dependent upon completion and acceptance criteria)	COMPLETION CRITERIA	ACCEPTANCE CRITERIA/ EVALUATION CONSIDERATIONS	TOTAL AVAILABLE FEE
		<p>d. Implement fully redundant emergency telecommunications to the Patrol Operations Center 911, federal telephone system, and the local telephone companies to mitigate the risk identified in the telecommunications service section of the Documented Residual Risk and Plan of Action and Milestone Report, Attachment 6, Common Control System Security Plan for Richland Hanford HLAN Richland, WA.</p>	<ul style="list-style-type: none"> <li>• Provide quarterly reports on the project progress by January 15, April 15, July 15, and October 15, 2010.</li> <li>• Document project completion and provide a full report against the Residual Risk Plan, Attachment 6, Common Control System Security Plan.</li> <li>• Complete a readiness review on the redundant emergency telecommunications system, identify and disposition operational issues by September 15, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>• Implemented a fully redundant emergency telecommunications system that is operational by September 30, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>• Designed, fabricated, and tested a fully redundant emergency telecommunications system.</li> <li>• Completed a successful readiness review on the redundant emergency telecommunications system.</li> <li>• Identified and corrected all operational issues.</li> <li>• Commenced operation by the end of the fiscal year.</li> </ul>	
		<p>e. Deploy and demonstrate a compliant and effective protective strategy for the Interim Storage Area (ISA).</p>	<ul style="list-style-type: none"> <li>• Transmittal of the management self-assessment of safeguards and security readiness to assume operations at the ISA by September 17, 2009.</li> <li>• Receipt from DOE prior to September 30, 2009, approval of the ISA as a protected area.</li> <li>• Transmittal to DOE by May 30, 2010, of the ISA vulnerability assessment that documents the protection effectiveness offered to significant</li> </ul>	<ul style="list-style-type: none"> <li>• Completed vulnerability assessment (including JCATS and force-on-force results) and effective protection strategy for the ISA by September 30, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>• Provided a vulnerability assessment on the ISA that validates that the protection effectiveness is at the high category and demonstrates compliance and effectiveness as required in DOE O 470.3B and DOE M 470.4-1 Change 1, Section C.</li> </ul>	

OBJECTIVE	OUTCOMES	PERFORMANCE MEASURES	INTERIM MILESTONES (No fee will be paid for achievement of interim milestones; fee is dependent upon completion and acceptance criteria)	COMPLETION CRITERIA	ACCEPTANCE CRITERIA/ EVALUATION CONSIDERATIONS	TOTAL AVAILABLE FEE																									
			security interest located at the ISA. <ul style="list-style-type: none"> <li>Develop a schedule documenting the preparation of the ISA vulnerability assessment will be provided to DOE SES monthly status.</li> <li>The vulnerability assessment will be provided upon completion of the action.</li> </ul>																												
<b>2.0: Productivity Improvement and Reinvestment</b>	Implement productivity improvements to create a savings wedge to fund additional project deliveries.	<b>Performance Measure 2.1: Evaluation Criteria, FY 2010 Savings Wedge [no individual weighting]</b>				20%																									
		Reduce MSC's total cost by \$9M during FY 2010. By implementing productivity improvements in key service areas, utilizing the contract as awarded as a base, MSA will create a savings wedge to perform additional site infrastructure and services projects per the infrastructure reliability priority project list (IRPPL) that are key to the cleanup mission while meeting requirements of Objective 5.0. MSA is responsible for total performance of Objective 2.0, including selecting the specific approaches and methods to perform these cost savings.	<ul style="list-style-type: none"> <li>Identify top service area projects that will undergo Lean Six Sigma productivity improvement processes or other cost savings initiatives that reduce FY 2010 costs by \$9M for approval by DOE by December 31, 2009.</li> <li>Provide status reports on progress of project improvements and cost savings on a quarterly basis. Report will include documentation of Lean Six Sigma process improvement analysis, implementation plan of suggested projects, results of projects implemented and analysis of actual costs savings by January 15,</li> </ul>	<ul style="list-style-type: none"> <li>Implemented cost reduction/Lean Six Sigma productivity projects to reduce total cost by \$9M by September 30, 2010.</li> <li>Provided documentation demonstrating total cost reduction of \$9M that is easily validated by DOE audit personnel.</li> <li>Provided documentation demonstrating that cost savings have been made available to site infrastructure and services projects.</li> </ul>	<ul style="list-style-type: none"> <li>Identified projects and initiatives supporting cost reduction and provided documentation showing total cost reduction of \$9M that was readily and successfully validated by DOE personnel.</li> </ul> <p>Note: Percentage of fee earned is based on amount of cost savings achieved:</p> <table border="1" data-bbox="1516 1029 1852 1419"> <thead> <tr> <th>Cost Savings</th> <th>Percent of Fee</th> </tr> </thead> <tbody> <tr><td>\$9M</td><td>10%</td></tr> <tr><td>\$8.5M</td><td>9%</td></tr> <tr><td>\$8M</td><td>8%</td></tr> <tr><td>\$7.5M</td><td>7%</td></tr> <tr><td>\$7M</td><td>6%</td></tr> <tr><td>\$6.5M</td><td>5%</td></tr> <tr><td>\$6M</td><td>4%</td></tr> <tr><td>\$5.5M</td><td>3%</td></tr> <tr><td>\$5M</td><td>2.5%</td></tr> <tr><td>\$4.5M</td><td>2%</td></tr> <tr><td>\$4M</td><td>1.5%</td></tr> <tr><td>\$3.5M</td><td>1%</td></tr> <tr><td>\$3M</td><td>.5%</td></tr> </tbody> </table>		Cost Savings	Percent of Fee	\$9M	10%	\$8.5M	9%	\$8M	8%	\$7.5M	7%	\$7M	6%	\$6.5M	5%	\$6M	4%	\$5.5M	3%	\$5M	2.5%	\$4.5M	2%	\$4M	1.5%	\$3.5M
Cost Savings	Percent of Fee																														
\$9M	10%																														
\$8.5M	9%																														
\$8M	8%																														
\$7.5M	7%																														
\$7M	6%																														
\$6.5M	5%																														
\$6M	4%																														
\$5.5M	3%																														
\$5M	2.5%																														
\$4.5M	2%																														
\$4M	1.5%																														
\$3.5M	1%																														
\$3M	.5%																														

OBJECTIVE	OUTCOMES	PERFORMANCE MEASURES	INTERIM MILESTONES (No fee will be paid for achievement of interim milestones; fee is dependent upon completion and acceptance criteria)	COMPLETION CRITERIA	ACCEPTANCE CRITERIA/ EVALUATION CONSIDERATIONS	TOTAL AVAILABLE FEE
			April 15, July 15, and October 15, 2010.			
<b>Performance Measure 2.2: Evaluation Criteria, Multiyear Project Delivery [no individual weighting]</b>						
		a. Develop feasible infrastructure and information technology (IT) projects from the IRPPL that support the 2015 Hanford Site cleanup vision and mission support risk-based strategic plans, and deliver these projects to optimize portfolio life cycle costs.	<ul style="list-style-type: none"> <li>• By December 31, 2009, identify FY 2010 prioritized infrastructure and IT projects from the IRPPL that are commensurate with the ISAP.</li> <li>• Create a draft list of prioritized projects for FY 2011 to FY 2015, aligned with the ISAP by July 1, 2010.</li> <li>• Provide quarterly status reports on progress of prioritized projects by January 15, April 15, July 15, and October 15, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>• Delivered infrastructure and IT projects that support the 2015 Hanford Site cleanup vision by September 30, 2010.</li> <li>• Apply reinvestment savings to IRPPL ready-to-implement projects within 30 calendar days of when savings are realized and reported in the quarterly status report.</li> </ul>	<ul style="list-style-type: none"> <li>• Completed infrastructure and IT projects from the IRPPL that supported the Hanford 2015 cleanup vision for the Central Plateau and River Corridor within schedule and cost.</li> </ul>	
		b. Develop viable green energy, energy management projects, and other initiatives in response to the Secretary's initiatives and Executive Order 13423, Strengthening Federal Environmental, Energy, and Transportation Management, and deliver these projects to optimize portfolio energy use.	<ul style="list-style-type: none"> <li>• Identify FY 2010 prioritized energy management projects and initiatives by December 31, 2009.</li> <li>• Identify a list of prioritized energy management projects/Initiatives for FY11 to FY15 by July 1, 2010.</li> <li>• Provide quarterly status reports on progress of prioritized projects by January 15, April 15, July 15, and October 15, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>• Implemented FY 2010 identified energy management projects and initiatives by September 30, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>• Completed FY 2010 projects and initiatives that met one or more of the goals delineated in EO 13423, Section 2, Goals for Agencies, paragraphs (a) through (h).</li> <li>• Completed FY 2010 identified energy management projects and initiatives per project schedules and costs.</li> </ul>	

OBJECTIVE	OUTCOMES	PERFORMANCE MEASURES	INTERIM MILESTONES (No fee will be paid for achievement of interim milestones; fee is dependent upon completion and acceptance criteria)	COMPLETION CRITERIA	ACCEPTANCE CRITERIA/ EVALUATION CONSIDERATIONS	TOTAL AVAILABLE FEE
		c. Configure and align the Hanford road system for successful completion of 2015 Hanford Site cleanup activities.	<ul style="list-style-type: none"> <li>Submit a Hanford roads project package consisting of preliminary design, project number(s), schedule, and ROM estimates in a risk-based, prioritized spreadsheet demonstrating above- and below-the-line funding allocations by March 18, 2010.</li> <li>Provide quarterly Hanford roads project status reports by April 15, July 15, and October 15, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>Completed approved FY 2010 road system projects by September 30, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>Provided road system configuration decision information by March 18 that supports 2015 cleanup activities.                             <ul style="list-style-type: none"> <li>Developed, coordinated, and reviewed project list with other site contractors.</li> <li>Provided a schedule and ROM estimates for the listed projects.</li> <li>Prioritized the project list and delineated above-the-line projects.</li> </ul> </li> <li>Designed, constructed, and completed above-the-line projects as reflected in the March 18 project schedule on schedule and within cost.</li> <li>Incorporated road system configuration into the ISAP.</li> </ul>	
		d. Demonstrate improved performance of crane and rigging service delivery,	<ul style="list-style-type: none"> <li>Submit quarterly reports by January 15, April 15, July 15, and October 15, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>Demonstrated improvements in crane system and crew availability by September 30, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>Achieved 80% crane system and crew availability.</li> </ul>	
		e. Operate the Volpentest HAMMER Training and Education Center to support training requirements for completion of ARRA work and the 2015 Hanford Site cleanup activities.	<ul style="list-style-type: none"> <li>The facilities, equipment, instructors, and training programs for required standardized training as defined in the J-3 table, are in place to provide 98% of the scheduled training sessions.</li> <li>Submit quarterly reports by January 15, April 15, July 15, and October 15, 2010, documenting the status of the metric.</li> </ul>	<ul style="list-style-type: none"> <li>Demonstrated with a statistical basis that the facility, equipment, instructors, and training programs for required standardized training, as defined in the J-3 table, are in place to provide 98% of the scheduled training sessions, excluding unforeseen weather impacts, utility and infrastructure outages, medical emergencies, cancellations due to low enrollment, or other exigent circumstances.</li> </ul>	<ul style="list-style-type: none"> <li>Executed 98% of standardized scheduled training as defined in the J-3 table.</li> </ul>	

OBJECTIVE	OUTCOMES	PERFORMANCE MEASURES	INTERIM MILESTONES (No fee will be paid for achievement of interim milestones; fee is dependent upon completion and acceptance criteria)	COMPLETION CRITERIA	ACCEPTANCE CRITERIA/ EVALUATION CONSIDERATIONS	TOTAL AVAILABLE FEE
3.0: Infrastructure Services and Alignment Plan	Deliver an Infrastructure Services and Alignment Plan (ISAP) that provides for a convincing and credible roadmap to achieve transformational change, and net annual and life cycle cost reductions, in performing contract requirements.	Performance Measure 3.1: Evaluation Criteria, Infrastructure Services and Alignment Plan [no individual weighting]				10%
		Deliver an ISAP that: <ul style="list-style-type: none"> <li>• Establishes a framework for management, operational, technical, and safety excellence</li> <li>• Identifies gaps in current and future infrastructure needs and develops solutions to close these gaps, including implementation plans.</li> <li>• Identifies innovations to deliver on proposal and meets Statement of Work requirements with a credible schedule for successful implementation and demonstration.</li> <li>• Creates a forward-thinking business model for operating, maintaining, and investing that meets contract requirements and enables cost savings and reinvestments.</li> <li>• Implements a service delivery model that creates a scalable approach to operate and optimize infrastructure and service delivery,</li> </ul>	<ul style="list-style-type: none"> <li>• Draft framework developed and reviewed with DOE by October 29, 2009.</li> <li>• Identify solutions to address service level gaps by December 15, 2009.</li> <li>• Submit final framework to DOE by December 15, 2009.</li> <li>• Identify technological and performance innovations that right-size the infrastructure and services with an activity-based, logic-linked schedule for implementation by January 7, 2010.</li> <li>• Develop draft business model and review with DOE by January 15, 2010.</li> <li>• Develop required implementation plan(s) to close gaps, including opportunities for Lean Six Sigma evaluations by January 29, 2010.</li> <li>• Draft ISAP developed and reviewed with DOE by January 29, 2010.</li> <li>• Update service delivery documents (SDDs) (as required) to further define J-3 services by May 13, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>• Submitted ISAP to DOE by March 1, 2010, that included the following:                             <ul style="list-style-type: none"> <li>○ Identified gaps in current and projected future infrastructure needs including strategies to close these gaps with implementation plans.</li> <li>○ Innovations.</li> <li>○ Business model.</li> <li>○ Service delivery model.</li> </ul> </li> <li>• Implemented service delivery model by September 30, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>• Developed, maintained, and updated a master ISAP that incorporates the Hanford Site strategic vision and describes the activities necessary to integrate MSC responsibilities with those of other Hanford Site (mission) contractors, to right-size the infrastructure and services, and to maintain the capacity of infrastructure systems provided for the Hanford Site over its life cycle.</li> <li>• Provided tactical-level information to successfully achieve MSC outcomes while minimizing the Hanford Site's life cycle costs.</li> <li>• Included an approach for taking advantage of new technologies and business practices that make good business sense from a safety, compliance, cost-effectiveness and energy-efficiency perspective.</li> <li>• Incorporated the annual forecast of services and infrastructures of needed utilities, services and infrastructure from other site contractors.</li> <li>• Developed and submitted to DOE-RL a 300 Area facility disposition business case analysis for the most effective means to transfer functions and evacuate buildings 3790, 339A, 3220, 3507, 3506C, 3709A, 3709B, and three emergency sirens.</li> <li>• Submitted an IR/CM infrastructure scalability solution and implementation plan for DOE approval that complied with the Clinger-Cohen Act, OMB A-11, A-300 and all applicable Federal IT requirements, and was aligned with the annual Capital Investment Plan.</li> <li>• Identified a schedule for implementing all innovations that identifies logic-linked activities, basis of estimate-derived durations, is</li> </ul>	

OBJECTIVE	OUTCOMES	PERFORMANCE MEASURES	INTERIM MILESTONES (No fee will be paid for achievement of interim milestones; fee is dependent upon completion and acceptance criteria)	COMPLETION CRITERIA	ACCEPTANCE CRITERIA/ EVALUATION CONSIDERATIONS	TOTAL AVAILABLE FEE
		including rapid realignment to right-size infrastructure and services.	<ul style="list-style-type: none"> <li>Develop required service level agreements by July 30, 2010.</li> <li>Develop metrics to assess service delivery performance by August 27, 2010.</li> </ul>		resource-loaded, with risks identified, and associated contingencies. <ul style="list-style-type: none"> <li>Provided cost-benefit analysis for innovations.</li> <li>Provided a business model.</li> <li>Completed all signed SDDs for J-3 services, including all aspects stated in the Interface Management Plan, in particular, scalable service delivery, SLAs, and capability to readily right-size infrastructure and services.</li> <li>Identified and documented gaps between November 5, 2009, performance measurement baseline (PMB) and ISAP and developed a path forward strategy to bridge the gaps.</li> </ul>	
4.0: Sustain Performance Excellence	Demonstrate management, operational, technical, and safety excellence and continuous improvement through effective planning, organization, leadership, coordination, integration, and control of the required resources, activities, and interfaces.	<b>Performance Measure 4.1: Evaluation Criteria, Sustain Performance Excellence [no individual weighting]</b>				30%
		a. Demonstrate performance excellence through service delivery by: <ul style="list-style-type: none"> <li>Developing solutions that provide for optimal delivery of services across the Hanford Site.</li> <li>Coordinating and integrate resources, activities, and interfaces to maximize benefit to the Hanford Site.</li> <li>Controlling scope, schedule, cost, quality, and risk to manage</li> </ul>	<ul style="list-style-type: none"> <li>Review and provide updated performance metrics/service levels in each of the five (5) functional areas used to evaluate performance of services delivered and the physical condition of infrastructure and utilities, including systems and equipment necessary for the life cycle of Hanford cleanup by April 15, 2010.<sup>2</sup></li> <li>Develop the MSA parent organization customer survey that addresses each component of 4.1a-d as it relates to the desired outcomes by January 31,</li> </ul>	<ul style="list-style-type: none"> <li>Developed updated performance metrics by April 15, 2010.</li> <li>Met 95% of established performance goals from MSA parent organization survey improvement plan on time by September 30, 2010.</li> <li>Passed an RL independent review by October 15, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>Developed updated performance metrics/ service levels in each of the five functional areas and the mission support general performance requirements used to evaluate performance of services delivered and the physical condition of infrastructure and utilities, including systems and equipment necessary for the life cycle of Hanford cleanup. These metrics addressed requirements necessary for safe, compliant, cost-effective, and energy-efficient operations.</li> <li>Passed an RL independent assessment to determine the sufficiency of MSA parent survey and MSA performance metrics. The RL assessment was conducted to verify the extent to which MSA accomplished the following:                             <ul style="list-style-type: none"> <li>Documented the performance measurement system (e.g., performance metrics, service level metrics, and safety</li> </ul> </li> </ul>	

<sup>2</sup> Initial set of metrics was provided in a letter from MSA dated October 15, 2009.

OBJECTIVE	OUTCOMES	PERFORMANCE MEASURES	INTERIM MILESTONES (No fee will be paid for achievement of interim milestones; fee is dependent upon completion and acceptance criteria)	COMPLETION CRITERIA	ACCEPTANCE CRITERIA/ EVALUATION CONSIDERATIONS	TOTAL AVAILABLE FEE
		infrastructure and service delivery. <ul style="list-style-type: none"> <li>Maintaining relationships with DOE, customers, and stakeholders based on open, honest, and effective communication.</li> </ul>	2010. <ul style="list-style-type: none"> <li>Document, analyze, and publish the results of the MSA parent organization survey; develop an improvement plan for areas of lower than desired response; and establish performance goals by April 15, 2010.</li> <li>Measure against performance goals and report on a quarterly basis by July 15 and October 15, 2010.</li> <li>Submit a quarterly report that details the Lean Six Sigma quality events, training and staff improvement measures, outreach and communications efforts, service delivery aspects, and coordination activities by January 15, April 15, July 15, and October 15, 2010.</li> </ul>		metrics), baseline performance data, and operational performance that demonstrated management, operational, technical, and safety excellence. <ul style="list-style-type: none"> <li>Reported an analysis of performance, improvement targets, and strategies.</li> <li>Reported performance trend data.</li> <li>Documented achievement of performance metrics along with associated performance goals.</li> </ul> <ul style="list-style-type: none"> <li>Demonstrated effective communications through DOE customer feedback of DOE, customers, and stakeholders.</li> </ul>	
		b. Provide timely and quality products to DOE under Portfolio Management.	<ul style="list-style-type: none"> <li>Develop performance metrics and establish performance goals for Portfolio Management by December 31, 2009.</li> <li>Review Portfolio Management performance monthly with DOE.</li> </ul>	<ul style="list-style-type: none"> <li>Met requirements of task orders from December 31, 2009 to September 30, 2010.</li> <li>Met established performance goals by September 30, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>Provided timely and quality products per task order in areas such as value engineering studies, project management, project controls, cost estimating and scheduling, ESH&amp;Q compliance, verification of cleanup and radiological clearance, and conducted independent analysis and generated technical assessment reports. Met 95% of performance goals established between DOE and MSA in Portfolio Management.</li> </ul>	

OBJECTIVE	OUTCOMES	PERFORMANCE MEASURES	INTERIM MILESTONES (No fee will be paid for achievement of interim milestones; fee is dependent upon completion and acceptance criteria)	COMPLETION CRITERIA	ACCEPTANCE CRITERIA/ EVALUATION CONSIDERATIONS	TOTAL AVAILABLE FEE
		c. Evaluate and affirm effective unclassified cyber security performance metrics.	<ul style="list-style-type: none"> <li>Outline the key cyber security metrics for FY 2010 by December 15, 2009.</li> <li>Conduct management self-assessment to ensure cyber security metrics are effective and meet requirements by February 28, 2010.</li> <li>Provided a briefing on the results of the management self-assessment and improvement actions by March 15, 2010.</li> <li>Provide quarterly reports against FY 2010 cyber security metrics by April 15, July 15, and October 15, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>Established effective cyber security performance metrics.</li> </ul>	<ul style="list-style-type: none"> <li>Established key cyber security metrics.</li> <li>Provided briefing and documentation of improvement actions.</li> <li>Provided quarterly reports including trend data, demonstrating performance against the established metrics.</li> <li>Developed performance metrics that reflected the requirements of the Program Cyber Security Plan.</li> </ul>	
		d. Develop the internal capability to deliver future contract modification proposals within the agreed upon contract modification schedule.		<ul style="list-style-type: none"> <li>Provided a logic linked schedule by August 15, 2010 that was reviewed and accepted by DOE that provides for submission of all currently identified contract modifications/proposals by July 31, 2011.</li> <li>By September 30, 2010, all contract modification proposals due in FY2010 have been delivered and met quality standards identified in the contract and FAR.</li> </ul>	<ul style="list-style-type: none"> <li>Demonstrated success in delivering FY2010 contract modification proposals on schedule and in accordance with the contract and FAR requirements.</li> <li>Demonstrated success in developing the internal capability to deliver the currently identified contract modification proposals within the agreed upon schedule. Provided a logic linked schedule that was reviewed and accepted by DOE based on a review of MSA's internal procedures, personnel, training and systems to be a realistic and achievable approach for completing all identified contract modification proposals by July 2011.</li> </ul>	

OBJECTIVE	OUTCOMES	PERFORMANCE MEASURES	INTERIM MILESTONES (No fee will be paid for achievement of interim milestones; fee is dependent upon completion and acceptance criteria)	COMPLETION CRITERIA	ACCEPTANCE CRITERIA/ EVALUATION CONSIDERATIONS	TOTAL AVAILABLE FEE	
		<b>Performance Measure 4.2: Evaluation Criteria, Safe Operations [individual weighting]</b>					
		a. Accelerate the development of the MSA Environmental Management System (EMS) with external audit and conformance declaration in accordance with DOE O 450.1A.	<ul style="list-style-type: none"> <li>Conduct external audit by December 15, 2009.</li> </ul>	<ul style="list-style-type: none"> <li>Provided MSA EMS conformance declaration to RL by December 31, 2009.</li> </ul>	<ul style="list-style-type: none"> <li>Provided accelerated declaration that provided evidence of compliance with DOE O 450.1A.</li> <li>Successfully passed independent verification of MSA EMS compliance with DOE Order.</li> </ul>		
		b. Declare Phase I/Phase II readiness leading to DOE approval of MSA's ISM system.  Note: Fee will be considered provisional fee that is paid contingently and may be determined to be earned fee upon DOE's final verification of Phase II of MSA's ISM system. Determination of earned fee will be completed by December 15, 2010.	<ul style="list-style-type: none"> <li>Complete corporate review of Phase I readiness by February 6, 2010.</li> <li>Complete corporate review of Phase I/Phase II readiness by July 31, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>Declared Phase I/Phase II ISMS readiness by September 30, 2010, leading to successful verification of MSA's ISM system.</li> </ul>	<ul style="list-style-type: none"> <li>Provided timely declaration that demonstrated evidence of successful independent verification of MSA's ISM system in accordance DOE M 450.4-1.</li> <li>Successfully passed DOE's final verification of MSA ISM system.</li> </ul>		
		c. Develop 13 of the 14 required standardized training and/or common safety processes established in Section C, Table C.2.1.2-1 and described in Section C, C.2.1.5 by September	<ul style="list-style-type: none"> <li>Develop a strategy to accelerate the standardized training and common safety processes by December 15, 2009.</li> <li>Track and report progress and status monthly.</li> <li>In collaboration with other</li> </ul>	<ul style="list-style-type: none"> <li>Developed 13 of the 14 or all 14 required standardized training and common safety processes in Section C, Table C.2.1.2-1:  Stop Work, Excavation, CDBPP, Respiratory Protection, Fall Protection, IH Database, Hazard</li> </ul>	<ul style="list-style-type: none"> <li>Developed 13 of the 14 or all 14 required standardized training and/or common safety processes consistent with applicable DOE orders, regulations, and site-driven requirements.</li> <li>Completed development of training materials for those processes in Section C, Table C.2.1.2-1 that required standardized training.</li> </ul>		

OBJECTIVE	OUTCOMES	PERFORMANCE MEASURES	INTERIM MILESTONES (No fee will be paid for achievement of interim milestones; fee is dependent upon completion and acceptance criteria)	COMPLETION CRITERIA	ACCEPTANCE CRITERIA/ EVALUATION CONSIDERATIONS	TOTAL AVAILABLE FEE
		30, 2010.  Note: Can earn 1% fee based on developing 13 of the standardized training and common safety processes and additional 2% fee for developing all 14 standardized safety processes for a maximum of 3% fee.	Hanford contractors, propose the next standardized sitewide safety processes by March 31, 2010.	Chemical Reporting, Electrical Safety, Confined Space Entry, Hoisting and Rigging, and Lock Out/Tag Out.  <ul style="list-style-type: none"> <li>Completed development of training materials, and made training available for the following: CDBPP, Respiratory Protection, Fall Protection, Electrical Safety, Confined Space Entry, Hoisting and Rigging, Lock Out/Tag Out, HAZWOPER, Rad Safety, and HGET</li> </ul>	<ul style="list-style-type: none"> <li>Made training available to site contractors for those processes in Section C, Table C.2.1.2-1 that required standardized training.</li> </ul>	
		d. Develop an integrated master schedule for multiple site-wide programs implementation with the other Hanford site contractors. Revise the Site Wide Safety Program Plan (MSC-MP-41080) to include a section on implementation that will describe the process and activities used to develop individual integrated safety program implementation plans within 30 days of receipt of individual	<ul style="list-style-type: none"> <li>Produce an Integrated Master Schedule by August 15, 2010</li> </ul>	<ul style="list-style-type: none"> <li>Submit to DOE a completed Integrated Master Schedule by August 15, 2010.</li> <li>Submit the contractor-approved revised Site Wide Safety Program Plan (MSC-MP-41080) to DOE by September 30, 2010.</li> <li>Provide to DOE the Milestone Tracking Process and format that will be used to status DOE and the SMT on program implementation on a monthly basis, by September 30, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>Included the first issuance of the master schedule with the following Site Wide Programs: fall protection, electrical, respiratory protection, IH exposure records, hazardous chemicals, and confined space.</li> <li>Obtained approvals of the affected Hanford contractors for the revised Site Wide Safety Program Plan.</li> </ul>	

OBJECTIVE	OUTCOMES	PERFORMANCE MEASURES	INTERIM MILESTONES (No fee will be paid for achievement of interim milestones; fee is dependent upon completion and acceptance criteria)	COMPLETION CRITERIA	ACCEPTANCE CRITERIA/ EVALUATION CONSIDERATIONS	TOTAL AVAILABLE FEE
		contractors' implementation plans. Obtain the approval of the OHC on the revised plan. Establish a milestone tracking system for each individual safety program plan and obtain and provide monthly updates of each contractor's status and assist DOE in implementation solutions. Within 45 days of the development of each individual integrated safety program plan, begin reporting the status of each contractor's milestones to DOE and the SMT				
		e. Implementation plan and procedures supporting Federal oversight and health advocate functions, and an integrated Corrective Action Plan (CAP) and tracking system of the Hanford Site Chronic			<ul style="list-style-type: none"> <li>Successfully passed an MSA readiness review with oversight by DOE to implement the beryllium oversight and health advocate functions.</li> </ul>	

OBJECTIVE	OUTCOMES	PERFORMANCE MEASURES	INTERIM MILESTONES (No fee will be paid for achievement of interim milestones; fee is dependent upon completion and acceptance criteria)	COMPLETION CRITERIA	ACCEPTANCE CRITERIA/ EVALUATION CONSIDERATIONS	TOTAL AVAILABLE FEE
		Beryllium Disease Prevention Program (CBDPP).				
5.0: Establish and Meet Service Level Requirements	Develop and implement an approach that proactively identifies customer service delivery needs and delivers the right service to the right place at the right time, avoiding costs to the customer due to inadequate service delivery and demonstrates customer satisfaction.	<b>Performance Measure 5.1: Evaluation Criteria, Service Delivery Bases [no individual weighting]</b>				20%
		a. Align MSA service delivery to customer key milestones.	<ul style="list-style-type: none"> <li>Provide quarterly reports on the progress of this incentive by January 15, April 15, July 15, and October 15, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>Implemented an approach that proactively identified customer key milestones and requirements by December 15, 2009.</li> <li>Reported issues, process improvements and lessons learned for activities through September 30, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>Provided documentation quarterly that service delivery supported customer key milestones.</li> <li>Provided documentation for issue resolutions and process improvements.</li> </ul>	
		b. Complete all service level agreements (SLAs) identified in the service delivery documents (SDDs) and provide excellent customer satisfaction, and update the Hanford Site Services Requirements Matrix (J-3) with written concurrence of all prime contractors.	<ul style="list-style-type: none"> <li>Document historical service level performance for all service level delivery where data exists by March 31, 2010.</li> <li>Develop a draft survey to assess the MSA service delivery model and review with DOE by December 15, 2009.</li> <li>Develop a final customer satisfaction survey and process by January 1, 2010.</li> <li>Establish a customer satisfaction baseline for evaluating and measuring survey baseline results by April 15, 2010.</li> <li>Provide quarterly reports against service level metrics, SLAs, and</li> </ul>	<ul style="list-style-type: none"> <li>Provided historical service level performance for all service level delivery and completed all SLAs by May 31, 2010, and achieved SLA performance criteria on all SLAs by September 30, 2010.</li> <li>Provided a signed Hanford Site Services Requirements Matrix in accordance with Clause H.44(h) by February 28, 2010.</li> <li>Conducted surveys and demonstrated improvement over the customer satisfaction baseline by September 30, 2010.</li> </ul>	<ul style="list-style-type: none"> <li>Documented timely completion of SLAs.</li> <li>Demonstrated effectiveness of the SLAs as validated by Hanford Site customers and alignment of SLAs to customers' changing needs over time.</li> <li>Achieved all SLA performance criteria as documented in periodic reports and validated by Hanford Site customers.</li> <li>Updated J-3 matrix supported by rationale for changes, reflecting concurrence of all prime contractors.</li> <li>Measured customer satisfaction of Hanford clients, documented analysis of customer satisfaction, identified opportunities for improvement, and achieved improvements in customer satisfaction.</li> </ul>	

OBJECTIVE	OUTCOMES	PERFORMANCE MEASURES	<b>INTERIM MILESTONES</b> (No fee will be paid for achievement of interim milestones; fee is dependent upon completion and acceptance criteria)	COMPLETION CRITERIA	ACCEPTANCE CRITERIA/ EVALUATION CONSIDERATIONS	TOTAL AVAILABLE FEE																
			customer surveys by April 15, July 15, and October 15, 2010.		Note: The table below shows the desired improvements relative to the baseline rating. <table border="1" data-bbox="1476 488 1896 703"> <thead> <tr> <th colspan="2">Customer Survey Improvement Goals</th> </tr> <tr> <th>Baseline Rating</th> <th>Improvement Goal</th> </tr> </thead> <tbody> <tr> <td>&lt; 2.0</td> <td>Improve by 25%</td> </tr> <tr> <td>2.0 – 2.5</td> <td>Improve by 20%</td> </tr> <tr> <td>2.51 – 3.0</td> <td>Improve by 15%</td> </tr> <tr> <td>3.01 – 3.5</td> <td>Improve by 10%</td> </tr> <tr> <td>3.51 – 4.0</td> <td>Improve by 5%</td> </tr> <tr> <td>4.01 – 4.5</td> <td>Maintain rating</td> </tr> </tbody> </table>	Customer Survey Improvement Goals		Baseline Rating	Improvement Goal	< 2.0	Improve by 25%	2.0 – 2.5	Improve by 20%	2.51 – 3.0	Improve by 15%	3.01 – 3.5	Improve by 10%	3.51 – 4.0	Improve by 5%	4.01 – 4.5	Maintain rating	
Customer Survey Improvement Goals																						
Baseline Rating	Improvement Goal																					
< 2.0	Improve by 25%																					
2.0 – 2.5	Improve by 20%																					
2.51 – 3.0	Improve by 15%																					
3.01 – 3.5	Improve by 10%																					
3.51 – 4.0	Improve by 5%																					
4.01 – 4.5	Maintain rating																					

**ATTACHMENT J-11**

**CONTRACT DELIVERABLES**

**TABLE J-13.1 DELIVERABLE LIST FROM SECTION C (SOW)**

ID	Deliverable	DOE		Contract Deliverable Due	Contract Section
		Action	Response Time <sup>a</sup>		
CD0001	Hanford Site Services and Interface Requirements Matrix	Approve	30 days	July 24, 2009; annually thereafter by August 1	C.1.3
CD0002	Annual Forecast of Services and Infrastructure	Approve	30 days	November 21, 2009; annually thereafter by June 30	C.1.3
CD0003	Infrastructure and Services Alignment Plan (ISAP)	Approve	30 days	March 1, 2010; annually thereafter by August 1	C.1.3
CD0004	Government-Furnished Services and Information Request	Review	30 days	Annually by September 30	C.1.3
CD0005	Government-Furnished Services and Information Request -- Update	Review	30 days	Quarterly	C.1.3
CD0006	Performance Metrics	Approve	30 days	August 24, 2009; annually thereafter by June 30	C.1.3
CD0007	Patrol Training Plan	Approve	45 days	October 22, 2009; updated annually thereafter by October 31	C.2.1.1.1
CD0008	Force-on-Force Test Results	Review	45 days	Within 30 days subsequent to completion of Force-on-Force test, to include corrective actions, where applicable	C.2.1.1.1
CD0009	Patrol Sensitive Equipment/Items Report	Review	45 days	October 22, 2009; updated annually thereafter by September 30	C.2.1.1.1
CD0010	Patrol Security Incident Response Plan	Approve	45 days	October 22, 2009; updated annually thereafter by October 31	C.2.1.1.1
CD0178	Quarterly Manpower Reports and Budget Forecasts	N/A	N/A	October 15, 2009; 10 working days after quarter end thereafter	C.2.1.1.1
CD0011	Arrangements/ changes in configuration of existing systems	Approve	60 days	As required by DOE	C.2.1.1.2
CD0012	Nomination of Classification Officer	Approve	60 days	June 4, 2009 and any subsequent nominations	C.2.1.1.3
CD0013	Nomination of Derivative Declassifiers	Approve	60 days	October 22, 2009, and any subsequent nominations	C.2.1.1.3

ID	Deliverable	DOE		Contract Deliverable Due	Contract Section
		Action	Response Time <sup>a</sup>		
CD0014	Operations Security (OPSEC) Plan	Approve	60 days	October 22, 2009; updated annually thereafter by October 31	C.2.1.1.3
CD0185	Accountable Matter Inventory	N/A	N/A	Annually by October 31	C.2.1.1.3
CD0186	Classification Officers Report	N/A	N/A	Quarterly; within 30 days of quarter end	C.2.1.1.3
CD0015	Foreign National Visits and Assignments (FNVA) Implementation Plan	Approve	30 days	October 22, 2009	C.2.1.1.4
CD0016	Badging Implementation Plan	Approve	30 days	October 22, 2009	C.2.1.1.4
CD0017	Human Reliability Program (HRP) Management/Implementation Plan	Approve	30 days	October 22, 2009; updated biennially thereafter by October 31	C.2.1.1.4
CD0018	Workplace Substance Abuse Programs (WSAP) Implementation Plan	Approve	30 days	October 22, 2009; updated biennially thereafter by October 31	C.2.1.1.4
CD0019	Materials Control and Accountability Plan	Approve	45 days	July 9, 2009	C.2.1.1.5
CD0020	Transmitter Review	Approve	60 days	Annually, by March 31	C.2.1.1.6
CD0021	Hanford System Security Plan (SSP)	Approve	45 days	September 22, 2009; once every two (2) years, thereafter by September 30	C.2.1.1.6
CD0022	Deleted				
CD0023	Classified Information System Security Plan (ISSP), one for each classified system or network	Approve	45 days	September 22, 2009; once every three (3) years, thereafter by September 30	C.2.1.1.6
CD0024	Certification packages (ref: US PCSP)	Approve	90 days	120 days; once every three (3) years, thereafter	C.2.1.1.6
CD0025	Nomination of Communications Security (COMSEC) Control Officer, COMSEC Custodian and alternates, TEMPEST/Transmission Security Coordinator	Approve	60 days	June 4, 2009; and any subsequent nominations	C.2.1.1.6
CD0026	Site Safeguards and Security Plan (SSSP)	Approve	120 days	August 30, 2010; updated annually thereafter by August 30	C.2.1.1.7
CD0027	Graded Security Protection (GSP) Implementation Plan	Approve	60 days	December 31, 2009	C.2.1.1.7
CD0028	Industrial Security Plan	Review	60 days	Phase I May 21, 2010 and Phase II June 1, 2011; updated annually thereafter by June 1	C.2.1.1.7
CD0029	Deleted				

ID	Deliverable	DOE		Contract Deliverable Due	Contract Section
		Action	Response Time <sup>a</sup>		
CD0030	HAMMER Strategic Plan	Approve	30 days	Annually, by April 30	C2.1.2
CD0031	HAMMER Facility Upgrade Plan	Approve	30 days	Annually, by April 30	C2.1.2
CD0032	Hanford Training Program Top-to-Bottom Assessment	Review	60 days	April 1, 2010	C2.1.2
CD0033	Deleted				
CD0034	Annual Training Needs Forecast and Plan	Review	30 days	Annually, by July 31	C2.1.2
CD0035	Hanford Site Wild Land Fire Plan	Approve	30 days	Annually, by May 15	C.2.1.3
CD0036	Hanford Site Prescribed Fire Plan	Approve	30 days	Annually, by March 30	C.2.1.3
CD0037	Hanford Fire Needs Assessment	Approve	45 days	Every third year, by March 30 (starting in 2010)	C.2.1.3
CD0038	Summary of Fire and Other Property Damage Experienced	Review	30 days	Annually, by February 15	C.2.1.3
CD0039	Mutual Aid Agreements	Review	None	October 23, 2009; annually thereafter by January 31	C.2.1.3
CD0040	Deleted				
CD0041	Emergency Readiness Assurance Plan (ERAP)	Approve	45 days	Annually, by October 15	C.2.1.4
CD0042	Annual Field Emergency Preparedness Evaluation Exercise Report	Approve	45 days	25 days following the exercise	C.2.1.4
CD0043	Limited Emergency Preparedness Evaluation/Training Exercise Reports	Approve	45 days	25 days following the exercise	C.2.1.4
CD0044	Prioritized list of Common Safety processes	Approve	45 days	September 22, 2009, and subsequent revisions thereafter	C.2.1.5
CD0045	Chronic Beryllium Disease Prevention Program (CBDPP)	Approve	90 days	January 1, 2010	C.2.1.5
CD0046	Self-Assessment and Corrective Actions	Review	30 days	Annually, by November 15	C.2.1.6
CD0047	Radiological Assistance Program Response Plan for RAP Region 8	Approve	60 days	October 22, 2009; review and revise annually thereafter by June 1, and submitted to NA-42 every three (3) years.	C.2.1.6
CD0048	Annual plan and schedule for environmental reports to be submitted to DOE during the upcoming year (e.g., NEPA Policy Act Annual Planning Summary for the Site, Environmental Release Report etc.)	Approve	30 days	July 24, 2009; annually thereafter by November 1	C.2.1.7

ID	Deliverable	DOE		Contract Deliverable Due	Contract Section
		Action	Response Time <sup>a</sup>		
CD0049	Deleted				
CD0050	Report of TPA milestone status and performance statistics	Review	30 days	Monthly, by 15th	C.2.1.7
CD0051	Milestone Review and IAMIT Meeting Minutes	Review	30 days	Monthly, by 5 <sup>th</sup> of second month after meeting	C.2.1.7
CD0052	Annual Hanford Administrative Record (AR) Index Report	Approve	30 days	Annually, by September 30	C.2.1.7
CD0053	Annual AR Certification Report	Approve	30 days	Annually, by September 30	C.2.1.7
CD0054	Licenses, Permit Applications, Permit related documents	Approve	30 days	As required	C.2.1.7
CD0055	Environmental Protection and Compliance Plan	Approve	30 days	As required	C.2.1.7
CD0056	Site-Wide EMS Program Management Plan	Approve	30 days	November 21, 2009	C.2.1.7
CD0057	Hanford Site EMS Goals and Metrics	Approve	30 days	Annually, by December 15	C.2.1.7
CD0058	Public Safety & Resource Protection (PSRP) Business Case Analysis	Approve	90 days	May 25, 2010	C.2.1.8
CD0059	Hanford Site National Environmental Policy Act (NEPA) Characterization Report	Approve	45 days	Annually, by September 30	C.2.1.8.1
CD0060	Optimization assessment and plan for the PSRP program	Review	30 days	180 days, and annual thereafter by June 30	C.2.1.8.1
CD0061	PSRP Data System Plan	Approve	45 days	9 months	C.2.1.8.1
CD0062	Hanford Site Climatological Data Summary	Approve	60 days	Annually, by May 31	C.2.1.8.2
CD0063	Hanford Site Annual Environmental Report	Approve	90 days	Annually, by September 30	C.2.1.8.3
CD0064	Hanford Site Environmental Surveillance Master Sampling Schedule	Approve	30 days	Annually, by January 31	C.2.1.8.3
CD0065	Hanford Environmental Monitoring Plan	Approve	60 days	Every third year, by September 30	C.2.1.8.3
CD0066	Schedule of Updates to the existing plans listed below	Approve	30 days	180 days	C.2.1.8.4
CD0067	Hanford Site Biological Resources Management Plan	Approve	45 days	Once every 3 years on a staggered schedule review and update	C.2.1.8.4
CD0068	Hanford Site Biological Resources Mitigation Strategy	Approve	45 days	Once every 3 years on a staggered schedule review and update	C.2.1.8.4

ID	Deliverable	DOE		Contract Deliverable Due	Contract Section
		Action	Response Time <sup>a</sup>		
CD0069	Hanford Ecological Compliance Assessment Management Plan	Approve	45 days	Once every 3 years on a staggered schedule review and update	C.2.1.8.4
CD0070	Bald Eagle Site Management Plan for the Hanford Site in South Central Washington	Approve	45 days	Once every 3 years on a staggered schedule review and update	C.2.1.8.4
CD0071	Threatened and Endangered Species Management Plan: Salmon and Steelhead	Approve	45 days	Once every 3 years on a staggered schedule review and update	C.2.1.8.4
CD0072	Input to the Report to Congress on the Federal Archeology Program	Approve	30 days	Annually, by March 1	C.2.1.8.5
CD0073	Section 106 Review Recommendations	Approve	30 days	Within 30 days of Hanford Site contractor request to perform review	C.2.1.8.5
CD0074	Update of Hanford Cultural Resource Management Plan	Approve	45 days	Once every 3 years, as required	C.2.1.8.5
CD0075	Quarterly Reports	Information	N/A	Quarterly, by April 1, July 1, October 1, and January 1	C.2.1.8.6
CD0076	Annual Catalog	Review	30 days	Annually by September 30	C.2.1.8.6
CD0183	Curation Inventory Reports	Information	N/A	Annually by March 31	C.2.1.8.7
CD0184	Curation Quarterly Report	Information	N/A	Quarterly; 15 <sup>th</sup> of month following quarter end	C.2.1.8.7
CD0077	RSS Business Case Analysis	Approve	90 days	May 25, 2010	C.2.1.9
CD0078	Analytical Services Master Plan	Approve	90 days	February 19, 2010; every two (2) years, thereafter	C.2.2.1
CD0079	Replacement of DOE Owned Vehicles Report	Review	30 days	Annually, by June 7	C.2.2.6
CD0080	Replacement of GSA Leased Vehicles Report	Review	30 days	Annually, by December 7	C.2.2.6
CD0081	Fleet Portion of Balanced Scorecard Report	Review	10 days	Annually, by December 15	C.2.2.6
CD0082	Rail Operations Strategy	Approve	30 days	February 25, 2010	C.2.2.7
CD0083	Annual Electrical Load Forecasts	Review	30 days	Annually, by September 15	C.2.2.9.1
CD0084	Bonneville Power Administration (BPA) Power and Transmission Service invoice verification and breakdown of site contractor costs	Review	30 days	30th of the second month following receipt of invoice	C.2.2.9.1
CD0085	Deleted				
CD0086	Contractor Energy Conservation Performance Report	Review	30 days	November 7, 2009	C.2.2.9.1
CD0087	Deleted				

ID	Deliverable	DOE		Contract Deliverable Due	Contract Section
		Action	Response Time <sup>a</sup>		
CD0088	Electrical Metering Plan Progress Report	Review	30 days	Annually, by July 1	C.2.2.9.1
CD0179	Energy Management Executable Plan	N/A	N/A	December 1, 2010; update annually thereafter by December 1	C.2.2.9.1
CD0180	Quarterly Energy Conservation Performance Report	N/A	N/A	No later than 40 days after end of each fiscal year quarter	C.2.2.9.1
CD0089	Water System Master Plan	Approve	90 days	August 12, 2010; every two (2) years thereafter by July 1	C.2.2.9.2
CD0090	Sewer System Master Plan	Approve	90 days	August 12, 2010; every two (2) years thereafter by July 1	C.2.2.10
CD0091	Contractor Plan to Stop discharges to 100N Sanitary Sewage Lagoon	Approve	60 days	January 13, 2010	C.2.2.10
CD0092	Ten-Year Site Plan	Review	None	30 days prior to DOE HQ annual call letter dates	C.2.3.1.1
CD0093	Web site for Real Property Asset Management	Review	None	August 24, 2010	C.2.3.1.1
CD0094	Assess Area Management Plans and Resource Management Plans for Implementation of the Comprehensive Land Use Plan (CLUP)	Review	None	January 21, 2010	C.2.3.1.1
CD0095	National Environmental Policy Act (NEPA) 5-Year Supplemental Analysis of the CLUP	Approve	45 days	March 31, 2012	C.2.3.1.1
CD0096	Land Management Tracking and Documentation System	Review	None	May 24, 2010	C.2.3.1.1
CD0097	Draft Hanford Long Term Stewardship Program Plan	Approve	45 days	May 21, 2010	C.2.3.1.2
CD0098	Draft Hanford Long Term Surveillance and Maintenance Plan	Approve	45 days	August 16, 2010	C.2.3.1.2
CD0099	Delete				C.2.3.1.2
CD0100	Site-wide Institutional Controls Plan	Review	30 days	No later than 150 days after DOE decision document is signed, update the Hanford Site-wide Institutional Controls Plan to include the institutional controls required by the decision document	C.2.3.1.2

ID	Deliverable	DOE		Contract Deliverable Due	Contract Section
		Action	Response Time <sup>a</sup>		
CD0101	Draft CERCLA 5-Year Review Report for the Hanford Site	Approve	45 days	45 days prior to submittal due date as determined by the DOE-RL CERCLA 5-Year Review Schedule	C.2.3.1.2
CD0102	FIMS (Source)/Data Validation	Review	None	In accordance with DOE HQ annual guidance for reporting requirements	C.2.3.1.3
CD0103	Deferred Maintenance Report	Review	None	In accordance with DOE HQ annual guidance for reporting requirements	C.2.3.1.3
CD0104	Annual Maintenance Report	Review	None	In accordance with DOE HQ annual guidance for reporting requirements	C.2.3.1.3
CD0105	Required Maintenance Report	Review	None	In accordance with DOE HQ annual guidance for reporting requirements	C.2.3.1.3
CD0106	List of Facilities to be CAS Inspected	Review	30 days	Annually, by November 15	C.2.3.1.4
CD0107	List of Facilities that have been CAS Inspected	Review	30 days	Annually, by October 31	C.2.3.1.4
CD0108	List of Facilities that no Longer meet the Useful Life Inspection Criteria	Review	30 days	Annually, by March 31	C.2.3.1.4
CD0109	Hanford Geospatial Information Strategy and Implementation Plan	Approve	60 days	March 24, 2010	C.2.3.1.5
CD0110	Contractor Personal Property Management Balanced Scorecard Plan	Review	10 days	10 days prior to DOE HQ annual call letter dates	C.2.3.2
CD0111	Contractor Personal Property Management Balanced Scorecard Report	Review	10 days	10 days prior to DOE HQ annual call letter dates	C.2.3.2
CD0112	GSA Non-Federal Recipients and Exchange Sale Reports	Review	10 days	10 days prior to DOE HQ annual call letter dates	C.2.3.2
CD0113	Inventory Accuracy Reports	Review	10 days	Annually, by November 1	C.2.3.2
CD0114	Disposal of Excess and Surplus Personal Property Report	Review	10 days	Annually, by November 1	C.2.3.2
CD0115	Workers' Compensation Information Web site (Note: this deliverable shall be identified in the Transition Plan)	Approve	45 days	July 9, 2009	C2.3.5
CD0116	Correspondence Processing Report	Review	None	Monthly, within 10 days after the end of each month	C.2.3.10
CD0117	Multi-Media Management Standard/Procedure	Approve	60 days	February 19, 2010	C.2.3.12

ID	Deliverable	DOE		Contract Deliverable Due	Contract Section
		Action	Response Time <sup>a</sup>		
CD0118	Annual Mail Management Report	Approve	30 days	Annually, date dependent on General Services Administration	C.2.3.13
CD0119	Mail Services Security Plan	Approve	45 days	November 21, 2009	C.2.3.13
CD0120	Form 53 and/or 300 Exhibits for all systems (as defined by OMB A-11)	Review	None	Annually or as required by DOE-HQ	C.2.4.1
CD0121	Infrastructure Scalability Solution and Implementation Plan (included in the ISAP)	Approve	60 days	May 24, 2010	C.2.4.1
CD0122	Capital Investment Plan	Approve	45 days	Annually by June 1	C.2.4.1
CD0123	Monthly Billing Reports for DOE Services	Review	None	Monthly, five (5) days following month end	C.2.4.2.3
CD0124	Quarterly Service Level Report	Review	None	Quarterly, ten days following quarter end	C.2.4.3.2 1
CD0125	Comprehensive Records Management Plan	Approve	60 days	November 23, 2009	C.2.4.5.3
CD0126	Records Disposition Contingency Plan	Approve	60 days	August 21, 2009	C.2.4.5.3
CD0127	Recommendation for Cost-effective Long- term Storage (2008 - 2035)	Review	60 days	May 25, 2010	C.2.4.5.3
CD0128	Assessment of Records Storage Compliance	Review	45 days	May 25, 2010	C.2.4.5.3
CD0129	Content (Records) Management Security Plan	Approve	45 days	February 19, 2010; updated annually thereafter by June 30	C.2.4.5.3
CD0130	Integration Issues Management Plan	Review	45 days	August 23, 2009; updated quarterly thereafter starting January 1, 2010 with Site-wide review of the plan annually, by April 1	C.2.5.1
CD0131	Integrated Primavera Project Planner Version 6 (or latest version as directed by RL) Schedule for DOE Integrated Planning Update	Approve	30 days	April 15, 2010	C.2.5.1
CD0132	Programmatic Risk Management Plan	Approve	30 days	180 days after MSC baseline provisional validation by DOE	C.2.5.1
CD0133	Integrated Hanford Life-Cycle Cleanup Plan	Approve	60 days	180 days after MSC baseline provisional validation by DOE, and semiannually by January 30 and July 30, thereafter	C.2.5.1

ID	Deliverable	DOE		Contract Deliverable Due	Contract Section
		Action	Response Time <sup>a</sup>		
CD0134	Project baseline corrections/ improvement plans and actions	Approve	Dependent upon nature of activity	As required by DOE (dependent on complexity of baseline and other factors)	C.2.5.1
CD0135	Presentations/reports as required, including: Year-end and Quarterly Site-wide Progress Report for DOE-HQ and public; and, Year-end summary and quarterly updates for site-wide attributes of the corporate performance measures.	Approve	15 days	30 days after close of quarter and/or fiscal year	C.2.5.1
CD0136	Mission analyses (CD-0) for capital and/or operating projects	Review	45 days	As required by DOE	C.2.5.2
CD0137	Project planning (CD-1/2) or DOE directly-contracted capital and/or operating projects	Review	45 days	As required by DOE	C.2.5.2
CD0138	CD-3 and CD-4 packages for DOE directly contracted capital and/or operating projects	Approve	45 days	As required by DOE	C.2.5.2
CD0139	Technical Assessment Reports	Approve	30 days	As required by DOE	C.2.5.3
CD0140	Project Execution Plan	Approve	30 days	July 24, 2009	C.3.1.1
CD0141	Performance Measurement Baseline	Approve	30 days	August 24, 2009; annually thereafter by August 1	C.3.1.2.2
CD0142	Risk Management Plan	Approve	30 days	July 24, 2009	C.3.1.4
CD0143	Baseline Change Control Process	Approve	30 days	July 24, 2009	C.3.1.2.3
CD0144	Monthly Performance Report	Review	None	October 12, 2009; Draft by the last Tuesday of the month, and final update to HANDI within 10 days after end of month thereafter	C.3.1.3
CD0145	Infrastructure Reliability Project Priority List	Approve	30 days	November 21, 2009; annually thereafter by July 31	C.3.1.2.1
CD0146	Earned Value Management System (EVMS) that has been validated by a qualified independent third party	Approve	180 days	November 21, 2009	C.3.1.1
CD0147	Deleted				
CD0148	Deleted				
CD0149	Deleted				
CD0150	Procurement, Construction and Acceptance Testing Plan	Approve	30 days	September 22, 2009; with updates as required	C.3.1.5.2

ID	Deliverable	DOE		Contract Deliverable Due	Contract Section
		Action	Response Time <sup>a</sup>		
CD0151	Purchasing System	Approve	30 days	September 22, 2009; with updates as required	C.3.1.5.2
CD0152	Construction and Acceptance Testing	Approve	30 days	September 22, 2009 with updates as required	C.3.1.5.2
CD0153	As-built Program Description	Approve	30 days	September 22, 2009 with updates as required	C.3.1.5.2
CD0154	Adapted Integrated Safety Management System (ISMS)	Approve	20 days	July 31, 2009	C.3.2
CD0155	Contractor Integrated Safety Management System (ISMS) (Phase I)	Approve	120 days	February 19, 2010	C.3.2
CD0156	Declaration of Readiness for Phase II	Approve	120 days	270 days after approval of Phase I	C.3.2
CD0157	Nuclear Safety Protocol(s)	Approve	20 days	As required	C.3.2
CD0158	Determination whether to self-perform or to obtain Radiation Protection Program services	Approve	30 days	July 24, 2009	C.3.3
CD0159	Adapted Radiation Protection Program, if applicable	Approve	20 days	June 26, 2009	C.3.3
CD0160	Contractor Radiation Protection Program, if applicable	Approve	180 days	February 19, 2010	C.3.3
CD0161	Worker Safety and Health Program	Approve	90 days	Prior to performing work or May 25, 2007	C.3.4
CD0162	List of Closure Facility Hazards	Approve	90 days	90 days after identification of hazards.	C.3.4
CD0163	Adapted Quality Assurance Program Description (QAPD)	Approve	20 days	July 24, 2009	C.3.5
CD0164	Contractor Quality Assurance Program	Approve	90 days	February 19, 2010	C.3.5
CD0165	Adapted CBDPP	Approve	20 days	July 1, 2009	C.3.6
CD0166	Deleted				
CD0167	Work-for-Others Program	Approve	30 days	July 24, 2009	C.3.8
CD0168	Deleted				
CD0169	Hanford Site Interface Management Plan	Approve	30 days	August 23, 2009; annually thereafter by June 30 (if necessary)	C.3.9
CD0170	Interface Agreements (pending revised Plan)	Review	None	Upon revision	C.3.9
CD0171	Transition Agreement(s)	Approve	15 days	August 3, 2009	C.3.10
CD0172	Transition Plan	Approve	5 days	June 4, 2009	C.3.10
CD0173	Readiness Review for Completion of Transition Activities	Approve	10 days	August 8, 2009	C.3.10
CD0174	Statement of Material Differences	Approve	15 days	August 23, 2009	C.3.10

ID	Deliverable	DOE		Contract Deliverable Due	Contract Section
		Action	Response Time <sup>a</sup>		
CD0175	Weekly Transition Status Reports	Information	N/A	Weekly starting June 5, 2009 ending August 21, 2009	C.3.10
CD0176	Nuclear Safety Protocol(s)	Approve	10 days	July 24, 2009	C.3.10
CD0177	Legal Management Plan	Review	30 days	July 24, 2009	C.3.12

- a. Number of calendar days for DOE to execute its GFS/I responsibilities to provide review, approval, and/or certification action of the deliverable following Contractor submission of an acceptable product; or DOE comments on the deliverable following Contractor submission of an unacceptable product that will require revision and re-submission for DOE review, approval, and/or certification action. Exceptions to the number of days listed may occur, subject to the need for deliverables to be externally reviewed (e.g., by DOE-Headquarters, regulators, etc.).

**TABLE J-13.2 OTHER DELIVERABLES NOT SPECIFICALLY LISTED IN SECTION C**

ID	Deliverable	DOE		Contract Deliverable Due	Section/ Driver
		Action	Response Time <sup>a</sup>		
CD1001	NEPA Annual National Environmental Policy Act Planning Summary	N/A	N/A	December 31, 2010; annually thereafter	J-2.8 (CRD O 451.1B)
CD1002	Annual Hanford Air Operating Permit (AOP) Compliance Certification Report	N/A	N/A	June 30, 2010; annually thereafter	J-2.5 (WAC 173-401)
CD1003	Semi-Annual Hanford AOP Report	N/A	N/A	February 15, 2010; semi-annual thereafter	J-2.1 (40 CFR 61)
CD1004	Annual Criteria and Toxic Air Pollutants Air Emissions Inventory Report	N/A	N/A	March 15, 2010; annually thereafter	J-2.5 (WAC 173-400-105)
CD1005	Quarterly High-Efficiency Particulate Air (HEPA) Vacuum Usage Report	N/A	N/A	October 30, 2009; quarterly thereafter	J-2.6 (AOP 00-05-006)
CD1006	Annual PTRAEU and HEPA Filtered Vacuum Radioactive Air Emission Units Report	N/A	N/A	March 15, 2010; annually thereafter	J-2.1 (40 CFR 61), J-2.5 (WAC 246-247)
CD1007	Annual Radionuclide Air Emissions Report	N/A	N/A	June 15, 2010; annually thereafter	J-2.1 (40 CFR 61 H), J-2.5 (WAC 246-247)
CD1008	Annual Notification of Intent to Remove Asbestos at the Hanford Site	N/A	N/A	December 10, 2009; annually thereafter	J-2.1 (40 CFR 61)
CD1009	Green House Gas Emissions Report	N/A	N/A	September 30, 2010	J-2.3 (EO 13514)
CD1010	Annual RCRA Pipe Mapping and Marking Report	N/A	N/A	August 30, 2010; annually thereafter	J-2.6 (WA780008 967)
CD1011	Quarterly RCRA Permit Class I Modification Notification Report	N/A	N/A	October 1, 2009; quarterly thereafter	J-2.5 (WAC 173-303), J-2.6 (WA780008 967)
CD1012	Annual RCRA Permit Noncompliance Report	N/A	N/A	January 29, 2010; annually thereafter	J-2.6 (WA780008 967)
CD1013	Annual Dangerous Waste Report (ADWR) & Annual Waste Treatability Studies Report for the Hanford Site	N/A	N/A	February 19, 2010; annually thereafter	J-2.5 (WAC 173-303)
CD1014	Biennial RCRA Section 3016 Report (even years)	N/A	N/A	January 15, 2010; as required	J-2.1 (40 CFR 264)
CD1015	Annual Emergency Planning & Community Right-To-Know Act (EPCRA) Section 312 Tier Two Emergency & Hazardous Chemical Inventory Report	N/A	N/A	February 19, 2010; annually thereafter	J-2.1 (40 CFR 170, Part 372.25)

ID	Deliverable	DOE		Contract Deliverable Due	Section/ Driver
		Action	Response Time <sup>a</sup>		
CD1016	Annual Hanford Facility RCRA Permit Inspection Schedule	N/A	N/A	October 30, 2009; annually thereafter	J-2.6 (WA780008 967)
CD1017	Annual Hanford Facility RCRA Permit Inspection Report	N/A	N/A	September 30, 2009; annually thereafter	J-2.6 (WA780008 967)
CD1018	MSA and Others Pollution Prevention (P2) Fiscal Year Roll-up Report	N/A	N/A	December 1, 2009	J-2.8 (CRD O 450.1A)
CD1019	Hanford Site Federal Electronics Challenge Report	N/A	N/A	January 31, 2010	J-2.3 (EO 13423)
CD1020	Pollution Prevention Award Nominations	N/A	N/A	September 30, 2010	J-2.8 (CRD M 231.1-1A)
CD1021	Hanford Land Disposal Restrictions (LDR) Full Report	N/A	N/A	March 30, 2010; every 5 years thereafter	J-2.1 (40 CFR 268), TPA M-026-01
CD1022	Annual Hanford Land Disposal Restrictions (LDR) Summary Report	N/A	N/A	March 30, 2011; annually (except 5th year thereafter)	J-2.1 (40 CFR 268), TPA M-026-01
CD1023	Hanford Site Annual PCB Report	N/A	N/A	June 15, 2010; annually thereafter	J-2.1 (40 CFR 761 K)
CD1024	Annual Hanford Site PCB Document Log	N/A	N/A	June 15, 2010; annually thereafter	J-2.1 (40 CFR 761 J)
CD1025	Annual Hanford Site Toxic Chemical Release Inventory Emergency Planning and Community Right-To-Know Act Section 313 Report	N/A	N/A	June 18, 2010; annually thereafter	J-2.1 (40 CFR 372)
CD1026	Annual Hanford Site Solid Waste Landfill Monitoring Report	N/A	N/A	March 1, 2010; annually thereafter	J-2.5 (WAC 173-304)
CD1027	Annual Environmental Monitoring Schedule	N/A	N/A	December 15, 2009; annually thereafter	
CD1028	Quarterly Environmental Radiological Survey Summary	N/A	N/A	October 31, 2009; quarterly thereafter	J-2.8 (CRD O 435.1, CRD O 231.1A)
CD1029	Annual Environmental Release Report (Calendar Year)	N/A	N/A	August 31, 2009; annually thereafter	J-2.8 (CRD O 450.1A)
CD1030	Annual Calendar Year Quarterly Milestone Review and IAMIT Schedule	N/A	N/A	December 31, 2009; annually thereafter	TPA
CD1031	MSA Environmental Management System (EMS) Program Management Plan	N/A	N/A	December 31, 2009	J-2.8 (CRD O 450.1A)
CD1032	Annual Log of Significant Discharges (SWDP ST-4511)	N/A	N/A	February 15, 2010; annually thereafter	J-2.5 (WAC 173-216), J-2.6 (SWDP ST-4511)

ID	Deliverable	DOE		Contract Deliverable Due	Section/ Driver
		Action	Response Time <sup>a</sup>		
CD1033	Annual Class V Underground Injection Control (UIC) Wells Update	N/A	N/A	January 27, 2010; annually thereafter	J-2.5 (WAC 173-218)
CD1034	Annual Underground Storage Tank Master License Renewal	N/A	N/A	April 15, 2010; annually thereafter	J-2.5 (WAC 173-360)
CD1035	Annual Safe Drinking Water Act (SDWA) Water Facility Inventory Form Report	N/A	N/A	May 1, 2010; annually thereafter	J-2.5 (WAC 246-290)
CD1036	Annual 200 East Area Epichlorohydrin and Acrylamide Usage Certification	N/A	N/A	January 31, 2010; annually thereafter	J-2.5 (WAC 173-200)
CD1037	MSA and Others Environmental Preferable Purchasing Fiscal Year Roll-up Report	N/A	N/A	December 31, 2009	J-2.8 (CRD O 450.1A)
CD1038	Small Water Systems Management Plan	N/A	N/A	September 30, 2009; annually thereafter	J-2.5 (WAC 246-290)
CD1039	Hanford Site Group A Public Water Systems Drinking Water Lead and Copper Report	N/A	N/A	September 10, 2009; every 3 years thereafter	J-2.5 (WAC 246-290)
CD1040	200E, 200W, and 400 Area Drinking Water Reports	N/A	N/A	October 10, 2009; monthly by the 10th thereafter	J-2.5 (WAC 246-290)
CD1041	Quarterly Total Organic Carbon (TOC) Report	N/A	N/A	October 10, 2009; quarterly thereafter	J-2.5 (WAC 246-290-480(2))
CD1042	Annual Operations and Maintenance Record Forms for Hanford Site Large Onsite Sewage Systems	N/A	N/A	August 1, 2010; annually thereafter	J-2.5 (WAC 246-272)
CD1043	Freight Charge report in accordance with Contract Clause I.113	N/A	N/A	TBD	I.113 (FAR 52.247-67)
CD1044	Water Facility Inventory Report Forms	N/A	N/A	Annually by May 31	J-2.5 (WAC 246-290)
CD1045	Inspection Record Reports (Sewer System O&M Activities to DOH)	N/A	N/A	Annually by January 31	J-2.5 (WAC 246-272)
CD1046	Site-Wide (Draft) Respiratory Protection Program	Approve	TBD	September 30, 2009	J-2.1 (10 CFR 851)
CD1047	Updated Radiation Protection Program Plan	N/A	N/A	Annually by September 30	J-2.1 (10 CFR 835)
CD1048	Fiscal Year (FY)200X Contractor Assurance on the Adequacy of the Internal Management Control Program	N/A	N/A	Annually every August	J-2.8 (CRD O 413.3A)
CD1049	Annual Experience Report of Claims for Automobile and Commercial General Liability	N/A	N/A	October 1, 2010; annually thereafter	J-2.8 (CRD O 350.1)

ID	Deliverable	DOE		Contract Deliverable Due	Section/ Driver
		Action	Response Time <sup>a</sup>		
CD1050	Functional Support Cost Reporting (FSCR)	N/A	N/A	Annually by December 31	H.23.a.8
CD1051	Cost Submittal - HANDI Reports	N/A	N/A	Monthly by the 15th	H.23.b.1
CD1052	Estimated Property Valuation Report	N/A	N/A	Annually by January 15	H.23.d.1
CD1053	Contract Funds Status Report	N/A	N/A	Monthly, 20 working days after final cost processing	H.23.d.2
CD1054	Depreciation Charges	N/A	N/A	Monthly by the 15th	H.23.d.3
CD1055	Erroneous Payment Report	N/A	N/A	Quarterly; 15th of month following quarter end	H.23.d.4
CD1056	FIS/STARS - Electronic Cost Feed	N/A	N/A	Monthly by the 15th	H.23.d.5
CD1057	Fiscal Year 200X Year-End Requirements and FY200X Planning Requirements	N/A	N/A	Annually; dates given in RL call letter	H.23.d.6
CD1058	Fiscal Year 200X Travel Target Report	N/A	N/A	Semi-Annual by 30th of April and October	H.23.d.7
CD1059	Quarterly International Transactions Report	N/A	N/A	As requested	H.23.d.8
CD1060	Employee Supplemental Compensation Expenditure Report	N/A	N/A	Annually, prior to March 1	H.2.g.3
CD1061	Establish a Parent Org Support Plan (POSP)	N/A	N/A	90 days prior to next year	H.39.d
CD1062	Planned Conference Activity January - March	N/A	N/A	Annually by January 15	J-2.8 (CRD O 110.3A Sup R0)
CD1063	Small Business Subcontracting Plan	N/A	N/A	Annually by December 31	B.10.a
CD1064	Procurement Balanced Scorecard	N/A	N/A	Annually	I.105 (FAR 52.244-2)
CD1065	Incurred Cost	N/A	N/A	Annually by March 31	H.24.k
CD1066	Disclosure Statement	N/A	N/A	As requested	I.76 (FAR 52.230-2)
CD1067	Salary Guidance	N/A	N/A	Annually by February 15	H.2.h.2.i
CD1068	Compensation Increase Plan	N/A	N/A	Annually by end of February	H.2.h.2.iii
CD1069	Wage Increase Expenditure Report, DOE-F-3220.8 and Recruitment and Retention Report	N/A	N/A	Annually by January 15	H.2.g.1
CD1070	Human Resources Compensation Plan	N/A	N/A	September 24, 2009	H.2.d
CD1071	Report of Compensation (Forms DOE-F-3230.6a and DOE-F-3230.6b)	N/A	N/A	Annually by October 31	J-2.8 (CRD O 350.1)

ID	Deliverable	DOE		Contract Deliverable Due	Section/ Driver
		Action	Response Time <sup>a</sup>		
CD1072	Minority and Female Personnel Inventory and Evaluation for Promotional Opportunities Report	N/A	N/A	Annually by end of February	I.51 (FAR 52.222-27)
CD1073	Recruitment and Retention Pool Amount Update	N/A	N/A	Annually by end of February	I.50 (FAR 52.222-26)
CD1074	Hanford Site Pension Plans and Savings and Investment Plans - Investment Performance Review Report	N/A	N/A	60 days following the end of each quarter	H.2.i.16
CD1075	August Update to Fiscal Year 200X Contractor Pension Data for DOE Financial Statement Disclosures (FAS 87) - Hanford	N/A	N/A	Annually by August 31	H.2.k.2
CD1076	August Update to FY 200X Contractor Post Retirement Benefits Other Than Pension (PRB) for DOE Financial Statement Disclosures (FAS 106) - Hanford	N/A	N/A	Annually by August 31	H.2.l.2
CD1077	October Update to FY 200X Contractor Pension Data for DOE Financial Statement Disclosures (FAS 87) - Hanford	N/A	N/A	Annually by October 31	H.2.k.2
CD1078	October Update to FY 200X Contractor Post Retirement Benefits Other Than Pension (PRB) for DOE Financial Statement Disclosures (FAS 106) - Hanford	N/A	N/A	Annually by October 31	H.2.l.2
CD1079	Fiscal Year 200X Contractor Pension Data for DOE Financial Statement Disclosures (FAS 87) - Hanford	N/A	N/A	Annually by June 30	H.2.k.2
CD1080	Fiscal Year 200X Contractor Post Retirement Benefits Other Than Pension (PRB) for DOE Financial Statement Disclosures (FAS 106) - Hanford	N/A	N/A	Annually by June 30	H.2.l.2
CD1081	U.S. Department of Labor Forms 5500 - Annual Return Hanford Site Pension and Savings Plans	N/A	N/A	Annually by September 30	H.2.j.5.i, J-2.8 (CRD O 350.1, Chg2)
CD1082	Multi Employer Pension Plan Actuarial Valuation Report - Hanford	N/A	N/A	Annually by October 31	J-2.8 (CRD O 350.1, Chg2)
CD1083	Pension Management Plan - Hanford	N/A	N/A	January 29, 2010; updated annually by January 30 thereafter	RL Ltr 10-AMA-0031, 1/13/10

ID	Deliverable	DOE		Contract Deliverable Due	Section/ Driver
		Action	Response Time <sup>a</sup>		
CD1084	August Update to Fiscal Year 200X Contractor Pension Data for DOE Financial Statement Disclosures (FAS 87) - Fernald Legacy	N/A	N/A	Annually by September 30	H.2.n
CD1085	August Update to FY 200X Contractor Post Retirement Benefits Other Than Pension (PRB) for DOE Financial Statement Disclosures (FAS 106) - Fernald Legacy	N/A	N/A	Annually by September 30	H.2.n
CD1086	October Update to FY 200X Contractor Pension Data for DOE Financial Statement Disclosures (FAS 87) - Fernald Legacy	N/A	N/A	Annually by October 31	H.2.n
CD1087	October Update to FY 200X Contractor Post Retirement Benefits Other Than Pension (PRB) for DOE Financial Statement Disclosures (FAS 106) - Fernald Legacy	N/A	N/A	Annually by October 31	H.2.n
CD1088	Fiscal Year 200X Contractor Pension Data for DOE Financial Statement Disclosures (FAS 87) - Fernald Legacy	N/A	N/A	Annually by June 30	H.2.n
CD1089	Fiscal Year 200X Contractor Post Retirement Benefits Other Than Pension (PRB) for DOE Financial Statement Disclosures (FAS 106) - Fernald Legacy	N/A	N/A	Annually by June 30	H.2.n
CD1090	U.S. Department of Labor Form 5500s - Fernald Pension Plan	N/A	N/A	Annually by September 30	H.2.j.5.i
CD1091	Pension Plan Actuarial Valuation Report for Fernald Legacy Plans	N/A	N/A	Annually by October 31	H.2.n
CD1092	Itemization of Cost Incurred for Administration of Fernald Legacy Plans, Hanford Pension and Savings Plans, HEWT	N/A	N/A	Within 60 days of the end of each plan year	H.2.i.15
CD1093	Pension Management Plan - Fernald	N/A	N/A	January 29, 2010; updated annually by January 30 thereafter	RL Ltr 10-AMA-0033, 1/13/10
CD1094	Cost Management and Status Report for Fernald Legacy Plan	N/A	N/A	Quarterly; 45 days following quarter end	H.2.n
CD1095	Pension Trust Statement for Fernald Legacy Plans	N/A	N/A	Quarterly; 45 days following quarter end	H.2.i.16
CD1096	Fernald Quarterly Committee Meetings	N/A	N/A	Quarterly; 45 days following quarter end	H.2.n

ID	Deliverable	DOE		Contract Deliverable Due	Section/ Driver
		Action	Response Time <sup>a</sup>		
CD1097	Equal Employment Opportunity (EEO)1 Report - Required by and sent to the U.S. Department of Labor	N/A	N/A	Quarterly on last day of quarter	I.50 (FAR 52.222-26)
CD1098	VETS-100 Report - Required by and sent to the U.S. Department of Labor	N/A	N/A	Annually by end of September	I.55 (FAR 52.222-37)
CD1099	Annual Report on Contractor Workforce Restructuring	N/A	N/A	Annually by November 15	J-2.8 (CRD O 350.1)
CD1100	Contractor Employment and Separation Data	N/A	N/A	Annually by October 31	J-2.8 (CRD O 350.1)
CD1101	Davis-Bacon Semi-Annual Enforcement Report	N/A	N/A	Semi-Annually by the 1st Friday of April and October	I.36 (FAR 52.222-6)
CD1102	Updated Labor Relations Module in the Work Force Information System	N/A	N/A	Annually by January 15	J-2.8 (CRD O 350.1)
CD1103	100N Sewage Lagoon Annual Biosolids Report	N/A	N/A	March 1, 2010; annually thereafter by March 1	WAC173-308
CD1104	Quarterly 100N Sewage Lagoon Discharge Monitoring Report	N/A	N/A	Within 60 days after quarter end	ST 4507
CD1105	Annual Notification of Intent to Operate Hanford Site Non-Road Engine Sources	N/A	N/A	April 5, 2010; annually thereafter	WAC 173-400-035
CD1106	Annual Report for the Pit 9 Inert Waste Landfill	N/A	N/A	March 1, 2010; annually thereafter	WAC 173-350-990 (2)
CD1107	Hanford Site Pension Plan 4 <sup>th</sup> Quarter meeting minutes (self assessments)	N/A	N/A	Annually by April 30	H.2.i.16
CD1108	U.S. Department of Labor Forms 5500 – HEWT	N/A	N/A	Annually by September 30	H.2.i.2
CD1109	U.S. Department of Labor Forms 5500 – MSA Market Based Welfare Plan	N/A	N/A	Annually by September 30	H.2.m.2
CD1110	U.S. Department of Labor Form 5500s – Fernald Retiree Welfare Plan	N/A	N/A	Annually by September 30	H.2.n
CD1111	Employee Benefits Cost Study comparisons for employee benefits – Hanford Plans	N/A	N/A	Annually by September 30	H.2.i.6.ii

**ATTACHMENT J-12**

**GOVERNMENT FURNISHED SERVICES AND INFORMATION**

**TABLE J-12.1 GFS/I LIST FROM SECTION C (SOW)**

ID	GFS/I	GFS/I Due	Contract Section
GF0001	DOE will administer MOUs with other law enforcement agencies or other Federal agencies (e.g., U.S. Department of Defense [Yakima Training Center]). DOE will provide copies of MOUs and/or contracts to the MSC.	As required	C.2.1.1.1
GF0002	DOE will provide Federal Commissions for Hanford Patrol personnel.	As required	C.2.1.1.1
GF0003	DOE will arbitrate all security or law enforcement jurisdictional issues.	As required	C.2.1.1.1
GF0004	DOE will provide technical and administrative support expertise, including clearance and special access processing, adjudication of investigative reports or other security-related information, HRP oversight/administration, and Administrative Review processing. DOE will monitor and provide reporting on the various stages of clearance actions, when necessary.	As required	C.2.1.1.4
GF0005	DOE will provide the Local Area Network Material Accountability System program software and periodic updates.	As required	C.2.1.1.5
GF0006	The DOE will provide the US PCSP and RAMS (including training in its use), and any updates to these.	As required	C.2.1.1.6
GF0007	DOE will provide up-to-date projections of future site-wide employment numbers, in order to base training and funding needs on an annual basis.	As required	C.2.1.2
GF0008	DOE will provide approval/disapproval of facility use by non-Hanford Site customers, and authorize facility use without charge, when appropriate and applicable.	As required	C.2.1.2
GF0009	DOE will provide all active MOAs/MOUs with other Federal, state, tribal, and local agencies or officials affecting the use of HAMMER facilities by these agencies, including Mutual Aid Agreements.	As required	C.2.1.2
GF0010	DOE-issued standards, including but not limited to, the Crane and Rigging Manual and the Radiological Control (RADCON) Manual will be provided to establish appropriate training programs in accordance with those standards.	As required	C.2.1.2
GF0011	DOE will provide the contract for emergency, fire, medical, and confined space rescue/retrieval for Energy Northwest.	As required	C.2.1.3
GF0012	DOE will provide an MOU between the DOE and USFWS for the operation of designated portions of the Hanford Reach National Monument regarding any fire notification responsibilities.	As required	C.2.1.3
GF0013	DOE will provide the "Cooperative Fire Protection Agreement" with the USFWS regarding the commitment of both the USFWS and DOE, in fire suppression emergency response activities for land managed by the USFWS.	As required	C.2.1.3

ID	GFS/I	GFS/I Due	Contract Section
GF0014	DOE will provide access to all active permits, license, databases, MOAs, MOUs, agreements with other Federal, state, and local agencies and the Tribal Nations for the protection of environmental, cultural, and historical resources.	As required	C.2.1.7
GF0015	DOE will coordinate with the regulators to reach agreement on Contractor-prepared regulatory and supporting documentation, and on innovations that require changes to the regulatory approach. The Contractor shall not assume that each innovation will result in a change to the regulatory approach.	As required	C.2.1.7
GF0016	DOE will review, approve, and/or certify as required, all regulatory and supporting documentation.	As required	C.2.1.7
GF0017	DOE-RL will provide assistance as necessary to aid in the gathering information and data necessary to prepare the PSRP Business Case Analysis for direct MSC performance of PSRP workscope.	As required	C.2.1.8
GF0018	DOE will provide guidance for the content of the NEPA Characterization Report and the PSRP Data System Plan.	As required	C.2.1.8.1
GF0019	DOE will provide access to the Hanford Reach National Monument, which is managed by the USFWS under a permit with DOE.	As required	C.2.1.8.2
GF0020	DOE will provide access to the Hanford Reach National Monument, which is under permit management for DOE by the USFWS.	As required	C.2.1.8.3
GF0047	DOE will provide guidance for the preparation of the Annual Site Environmental Report.	As required	C.2.1.8.3
GF0021	DOE will provide access to the Hanford Reach National Monument, which is under permit management for DOE by the USFWS.	As required	C.2.1.8.4
GF0022	All active MOAs, Programmatic Agreements with other Federal, state, local and tribal nations/agencies or officials regarding the protection of cultural and historic resources.	As required	C.2.1.8.5
GF0023	DOE-RL will provide assistance as necessary to aid in the gathering information and data necessary to prepare the RSS Business Case Analysis for direct MSC performance of RSS workscope.	As required	C.2.1.9
GF0024	DOE will provide the Cross-Service Agreement with GSA that addresses preventive maintenance and repair services and reimbursement rates for GSA Fleet vehicles.	As required	C.2.2.6
GF0025	Deleted		
GF0026	DOE-RL will provide the MSC with copies of agreements with BPA, BPUD, BREA and City of Richland including revisions and amendments thereto. RL will provide the MSC with any guidance from BPA on the implementation of agreements. RL will provide the MSC with guidance from DOE-HQ for implementing the 2005 Energy Policy Act, annual guidance for developing the Energy Conservation Report, and guidance for energy cost and consumption data entry into EMS4.	As required	C.2.2.9.1

ID	GFS/I	GFS/I Due	Contract Section
GF0027	DOE-RL will provide directions as to when program missions or portions of a real property asset are no longer needed in support of DOE missions.	As required	C.2.3.1.1
GF0028	DOE-RL will approve and execute all real estate actions to acquire, utilize, and dispose of real property assets.	As required	C.2.3.1.1
GF0029	DOE-RL will approve real estate reports as identified in the 41 CFR 102, Property Management Regulations, for the Stewart M. McKenny – Vento Homeless Assistance Act Title V – Identification and Use of Surplus Federal Property, (300 and 400 Areas complete).	As required	C.2.3.1.1
GF0030	DOE-RL will approve any non-DOE-RL activities that require the use of any Hanford Site real property to conduct work or other activities. This requirement applies to activities not included in the scope of DOE-RL prime contracts, or proposed by non-DOE-RL entities such as other DOE area offices and their contractors, non-profit organizations, non-DOE governmental agencies, and private parties.	As required	C.2.3.1.1
GF0031	DOE-RL will approve original and/or updates to the Draft Hanford Long-Term Stewardship Program Plan, the Draft Long Term Surveillance and Maintenance Plan, the Draft Hanford Long-Term Stewardship Information Management Plan, the Site Wide Institutional Control Plan, the Draft CERCLA 5-year reviews including comment responses, and the LTS web site content.	As required	C.2.3.1.2
GF0048	DOE will provide a CERCLA 5-Year schedule to establish an applicable deliverable due date for submittal of the final CERCLA 5-Year Review Report for the Hanford Site.	As required	C.2.3.1.2
GF0032	MOA between DOE and TARC for establishing the Community Reuse Organization, as required by DOE Personal Property Guidance Letter No. 970.1.	As required	C.2.3.2
GF0033	The FCPA electronic reporting system will be provided to the Contractor.	As required	C.2.3.4
GF0034	The DAVID Renaissance electronic database will be provided to the Contractor.	As required	C.2.3.5
GF0035	Direction pertinent to the distribution and records schedule information for correspondence.	As required	C.2.3.10
GF0036	Access to personnel locator information and other systems, as appropriate for various contractors/companies, will be provided.	As required	C.2.3.13
GF0037	Forms design software (Adobe), form templates for all existing and superseded forms, forms database, etc. will all be provided to the incoming contractor.	As required	C.2.3.14
GF0038	Access to the RIDS database and all content (records) management databases and all records whether paper or electronic.	As required	C.2.4.5.3
GF0039	Provide Baseline Updating Guidance (BUG) and the RL Project Summary Data.	As required	C.2.5.1
GF0040	Design requirements as applicable.	As required	C.2.5.2
GF0041	Deleted		

ID	GFS/I	GFS/I Due	Contract Section
GF0042	Deleted		
GF0043	Deleted		
GF0044	Deleted		
GF0045	Deleted		
GF0046	Deleted		

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1	100-B (A) Riverlines	100-B (A) \ Riverlines (1904B1)	100B			WCH	RCCC	Disposition
2	100-B (B) Riverlines	100-B (B) \ Riverlines (1904B2)	100B			WCH	RCCC	Disposition
3	100-C (A) Riverlines	100-C (A) \ Riverlines (1904B3)	100B			WCH	RCCC	Disposition
4	100-C (B) Riverlines	100-C (B) \ Riverlines (1904B3)	100B			WCH	RCCC	Disposition
5	100-D (A) Riverlines	100-D (A) \ Riverlines (1904D)	100D			WCH	RCCC	Disposition
6	100-D (B) Riverlines	100-D (B) \ Riverlines 1904D)	100D			WCH	RCCC	Disposition
7	100-DR Riverlines	100-DR \ Riverlines (1904DR)	100D			WCH	RCCC	Disposition
8	100-F (A) Riverlines	100-F (A) \ Riverlines (1904F)	100F			WCH	RCCC	Disposition
9	100-F (B) Riverlines	100-F (B) \ Riverlines (1904F)	100F			WCH	RCCC	Disposition
10	100-H (A) Riverlines	100-H (A) \ Riverlines (1904H)	100H			WCH	RCCC	Disposition
11	100-H (B) Riverlines	100-H (B) \ Riverlines (1904H)	100H			WCH	RCCC	Disposition
12	100-K (A) Riverlines	100-K (A) \ Riverlines (1904K)	100K			WCH	RCCC	Disposition
13	100-K (B) Riverlines	100-K (B) \ Riverlines(1904K)	100K			WCH	RCCC	Disposition
14	100-N Riverlines	100-N \ Riverlines (1908N)	100N			WCH	RCCC	Disposition
15	105B	Reactor Building and Fuel Storage Basin	100B			FH	MSC	Disposition
16	105C	Reactor Building and Fuel Storage Basin	100B			WCH	RCCC	Disposition
17	105D	Reactor Building and Fuel Storage Basin	100D			WCH	RCCC	Disposition
18	105DR	Reactor Building and Fuel Storage Basin	100D			WCH	RCCC	Disposition
19	105DR Water tunnels	105-DR \ Water tunnels	100D			WCH	RCCC	Disposition
20	105F	Reactor Building and Fuel Storage Basin	100F			WCH	RCCC	Disposition
21	105H	Reactor Building and Fuel Storage Basin	100H			WCH	RCCC	Disposition
22	105KE	Reactor Building	100K			WCH	RCCC	Disposition
23	105KE Basin	Spent Fuel Storage Basin	100K			FH	PRC	O&M
24	105KE Water Tunnels	105-KE \ Water tunnels	100K			FH	PRC	O&M
25	105KW	Reactor Building	100K			WCH	RCCC	Disposition
26	105KW Basin	Spent Fuel Storage Basin	100K			FH	PRC	O&M
27	105KW Water tunnels	105-KW \ Water tunnels	100K			WCH	RCCC	Disposition
28	105N	Reactor Building and Fuel Storage Basin	100N			WCH	RCCC	Disposition
29	105NA	Emergency Diesel Enclosure	100N			WCH	RCCC	Disposition
30	105NB	Maintenance Building Addition	100N			WCH	RCCC	Disposition

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
31	105ND	Remote Air Intake	100N			WCH	RCCC	Disposition
32	105NE	Fission Products Trap	100N			WCH	RCCC	Disposition
33	107N	Basin Recirculation Cooling Building	100N			WCH	RCCC	Disposition
34	109N	Heat Exchanger Building	100N			WCH	RCCC	Disposition
35	110KE	Gas Storage Facility	100K			WCH	RCCC	Disposition
36	110KW	Gas Storage Facility	100K			WCH	RCCC	Disposition
37	1112N	Guard Station (Telecommunications)	100N			WCH	RCCC	Disposition
38	1112NA	Microwave Tower Annex	100N			RCCC	RCCC	Disposition
39	1120N	Storage & Training Building	100N			WCH	RCCC	O&M
40	1143N	Carpenter / Paint Shop	100N			WCH	RCCC	O&M
41	115KE	Gas Recirculation Building	100K			WCH	RCCC	Disposition
42	115KW	Gas Recirculation Building	100K			WCH	RCCC	Disposition
43	116B	Reactor Exhaust Air Stack	100B			FH	MSC	Transition
44	116KE	Reactor Exhaust Stack	100K			WCH	RCCC	Disposition
45	116KW	Reactor Exhaust Stack	100K			WCH	RCCC	Disposition
46	116N	Exhaust Stack -105N Reactor	100N			WCH	RCCC	Disposition
47	117KE	Exhaust Air Filter Building	100K			WCH	RCCC	Disposition
48	117KW	Exhaust Air Filter Bldg	100K			WCH	RCCC	Disposition
49	117N	Air Filter Building	100N			WCH	RCCC	Disposition
50	117NVH	Valve Control House	100N			WCH	RCCC	Disposition
51	118KE	Horizontal Control Rod Storage Cave	100K			WCH	RCCC	Disposition
52	118KW	Horizontal Control Rod Storage Cave	100K			WCH	RCCC	Disposition
53	119B	Exhaust Air Sample Building	100B			FH	MSC	Disposition
54	119KE	Exhaust Air Sampling Bldg	100K			FH	PRC	O&M
55	119KW	Exhaust Air Sampling Bldg	100K			WCH	RCCC	Disposition
	1220	Telephone Exchange	RCHN			FH	MSC	O&M
56	1303N	Radioactive Dummy Burial Facility	100N			WCH	RCCC	Disposition
57	1308N	Rupture Waste Processing Pump Pit	100N			WCH	RCCC	Disposition
58	1310N	Chemical Waste Storage Facility	100N			WCH	RCCC	Disposition
59	1312N	Liquid Effluent Retention Facility	100N			WCH	RCCC	Disposition
60	1314N	Liquid Waste Loadout Station	100N			WCH	RCCC	Disposition
61	1315NA	Valve House	100N			WCH	RCCC	Disposition
62	1322N	Waste Treatment Pilot Plant Facility	100N			WCH	RCCC	Disposition
63	1322NA	Effluent Water Pilot Plant	100N			WCH	RCCC	Disposition
64	1322NB	Crib Effluent Iodine Monitoring Facility	100N			WCH	RCCC	Disposition
65	1322NC	Turbine Meter Vault	100N			WCH	RCCC	Disposition
66	1323N	N8 Wells Sampling Station	100N			PNNL	PRC	Transition

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
67	1330N	Waste Storage Building at 100N	100N			WCH	RCCC	Disposition
68	142K	Cold Vacuum Drying Facility	100K			FH	PRC	O&M
69	142KA	CVDF Generator Building	100K			FH	PRC	O&M
70	1506K1	Fiber Optics Computer Hut	100K			FH	MSC	O&M
71	151B	Primary Substation	100B			WCH	RCCC	Disposition
72	151D	Primary Substation Switch House	100D			WCH	RCCC	Disposition
73	151K	Electrical Substation (230 kV)	100K			CHPRC	PRC	Disposition
74	151KE	Electrical Substation (230 kV)	100K			FH	MSC	Disposition
75	151KW	Electrical Substation (230 kV)	100K			FH	MSC	O&M
76	1524N	Hazardous Waste Pad	100N			WCH	RCCC	O&M
77	1525N	Laydown Storage Area	100N			WCH	RCCC	Disposition
78	155N	BPA Switch Yard	100N			ENW/BPA	BPA	O&M
79	1601D	Pump and Treat Transfer Building	100D			FH	PRC	O&M
80	1601H	Transfer Building	100H			FH	PRC	O&M
81	1604K	100-KR-4 Pump & Treat	100K			FH	PRC	O&M
82	1605KE	Guard Tower - East	100K			WCH	RCCC	Transition
83	1605KW	Guard Tower - West	100K			WCH	RCCC	Transition
84	1605NE	East Observation Post	100N			WCH	RCCC	Transition
85	1606K	Transfer Building KR3	100K			FH	PRC	O&M
86	1607K	Transfer Building 1	100K			FH	PRC	O&M
87	1607N1	Sewage Treatment Tank #1	100N			WCH	RCCC	Disposition
88	1607N2	Sewage Treatment Tank #2	100N			WCH	RCCC	Disposition
89	1607N3	Sewage Treatment Tank #3	100N			WCH	RCCC	Disposition
90	1607N9	Sewage Treatment Tank #9	100N			WCH	RCCC	O&M
91	1608B	Vacuum Seal House	100B			FH	MSC	Disposition
92	1614K3	Environmental Monitoring Station	100K			FH	PRC	O&M
93	165KE	KE Power Control Building	100K			FH	PRC	Transition
94	165KW	Power Control Building	100K			WCH	RCCC	Disposition
95	166AKE	Oil Storage Facility	100K			FH	PRC	O&M
96	166KE	Oil Storage Vault	100K			WCH	RCCC	Disposition
97	166KW	Oil Storage Vault	100K			WCH	RCCC	Disposition
98	167K	Cross Tie Tunnel Building	100K			FH	PRC	O&M
99	1705KE	Effluent Water Treatment Pilot Plant	100K			FH	PRC	Disposition
100	1705N	Instrument & Electrical Facility	100N			WCH	RCCC	Disposition
101	1705NA	Motor Shop	100N			WCH	RCCC	Disposition
102	1706KE	Rad Con Count Lab Facility	100K			FH	PRC	O&M
103	1706KEL	Development Laboratory	100K			FH	PRC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
104	1706KER	Water Studies Recirculation Bldg	100K			FH	PRC	O&M
105	1706N	Storage Building / Maintenance Shop	100N			WCH	RCCC	Disposition
106	1706NA	Sewer Lift Station	100N			WCH	RCCC	Disposition
107	1713H	Warehouse	100H			FH	PRC	O&M
108	1713KE	Shop Building	100K			FH	PRC	O&M
109	1713KER	Warehouse	100K			FH	PRC	O&M
110	1713KW	Warehouse	100K			FH	PRC	O&M
111	1714KE	Oil & Paint Storage Shed	100K			FH	PRC	O&M
112	1714KW	Oil & Paint Storage Shed	100K			FH	PRC	O&M
113	1717AKE	Electrical Shed	100K			FH	PRC	O&M
114	1717K	Maintenance Transportation Shop	100K			FH	PRC	O&M
115	1720K	Administrative Office Building	100K			WCH	RCCC	Disposition
116	1722N	Decontamination Shop	100N			WCH	RCCC	Disposition
117	1723NX	Laydown Storage Yard	100N			WCH	RCCC	Disposition
118	1724K	Maintenance Shop	100K			FH	PRC	O&M
119	1724KA	Storage Shed	100K			FH	PRC	O&M
120	1724KB	Gas Bottle Storage Facility	100K			FH	PRC	O&M
121	181B	River Pump House	100B			FH	MSC	O&M
122	181B66	Tank, Petroleum (Replaced Tank 100B1)	100B			FH	MSC	O&M
123	181D	River Pump House	100D			FH	MSC	O&M
124	181KE	River Pump House	100K			FH	PRC	O&M
125	181KW	River Pump House	100K			WCH	RCCC	Disposition
126	181N	River Water Pump House	100N			WCH	RCCC	Disposition
127	181NA	Pump House / Guard Tower	100N			WCH	RCCC	Disposition
128	181NB	#3 Diesel Enclosure	100N			WCH	RCCC	Disposition
129	181NE	HGP River Water Pump House	100N			ENW	RCCC	Disposition
130	182B	Reservoir and Pump House	100B			FH	MSC	O&M
131	182D	Reservoir and Pump House	100D			FH	MSC	O&M
132	182K	Emergency Water Reservoir Pump House	100K			WCH	RCCC	Disposition
133	182N	High Lift Pump House Building	100N			WCH	RCCC	Disposition
134	183.1KE	Headhouse, Cl, Alum & Chem Storage	100K			FH	PRC	O&M
135	183.1KW	Headhouse, Cl, Alum & Chem Storage	100K			WCH	RCCC	Disposition
136	183.2KE	KE Sedimentation Basins	100K			FH	PRC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
137	183.2KW	KW Sedimentation Basins	100K			WCH	RCCC	Disposition
138	183.3KE	KE Filter Basin	100K			FH	PRC	O&M
139	183.3KW	KW Filter Basin	100K			WCH	RCCC	Disposition
140	183.4KE	KE Reservoir & Clearwells	100K			FH	PRC	O&M
141	183.4KW	KW Reservoir & Clearwells	100K			WCH	RCCC	Disposition
142	183.5KE	Lime Feeder Building	100K			FH	PRC	O&M
143	183.5KW	Lime Feeder Building	100K			WCH	RCCC	Disposition
144	183.6KE	Lime Feeder Building	100K			FH	PRC	O&M
145	183.6KW	Lime Feeder Building	100K			WCH	RCCC	Disposition
146	183.7KE	183KE Pipe Tunnel	100K			FH	PRC	O&M
147	183.7KW	183KW Pipe Tunnel	100K			WCH	RCCC	Disposition
148	183D	Filter Plant Power Operation Facility	100D			FH	MSC	Transition
149	183F	West Clearwell	100F			WCH	RCCC	Disposition
150	183H West Clearwell	183H West Clearwell	100H			WCH	RCCC	Disposition
151	183K	Pipe Tunnels	100K			WCH	RCCC	Disposition
152	183KE	Chlorine Vault	100K			FH	PRC	O&M
153	183NB	Water Filter Plant Clearwell	100N			WCH	RCCC	Disposition
154	183NC	Filter Backwash Sump	100N			WCH	RCCC	Disposition
155	184N	Power House	100N			WCH	RCCC	Disposition
156	184NA	Power Annex Building	100N			WCH	RCCC	Disposition
157	184NE	Two Compressor Sheds on 184N	100N			WCH	RCCC	Disposition
158	184NF	Chemical Injection House	100N			WCH	RCCC	Disposition
159	185K	Potable Water Treatment Plant	100K			FH	PRC	O&M
160	186D	100D Pump and Treat DR-5	100D			FH	PRC	O&M
161	186N	100N Alternative Potable Water Plant	100N			WCH	RCCC	O&M
	1901U	Valve Pit	600			FH	MSC	O&M
162	1901Y	Export Water Line Valve House	600			FH	MSC	O&M
163	1901Z	Export Water Line Valve House	600			FH	MSC	O&M
164	1902D	Elevated Water Tank (100,000 gal)	100D			RCCC	RCCC	Disposition
165	1902N	Fire Lines General	100N			WCH	RCCC	Disposition
166	1902N81	Fire Protection Valve House	100N			WCH	RCCC	O&M
167	1903N	Sanitary Sewer Tile Field & Septic Tanks	100N			WCH	RCCC	Disposition
168	1904B1	Outfall Structure	100B			WCH	RCCC	Disposition
169	1904B2	Outfall Structure	100B			WCH	RCCC	Disposition
170	1904D	Outfall Structure	100D			WCH	RCCC	Disposition
171	1904N	Sewage Lagoon	100N			WCH	MSC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
172	1904NA	Sewage Lift Station #1	100N			WCH	MSC	O&M
173	1904NB	Sewage Lift Station #2	100N			WCH	RCCC	O&M
174	1904NC	Sewage Lift Station #3	100N			WCH	RCCC	O&M
175	1908K	Outfall Structure	100K			FH	PRC	O&M
176	1908KE	Effluent Water Monitoring Station	100K			FH	PRC	O&M
177	1908N	Outfall Structure	100N			WCH	RCCC	Disposition
178	1908NE	Outfall Structure, HGS	100N			ENW	RCCC	Disposition
179	1909K	Effluent Junction Boxes	100K			WCH	RCCC	Disposition
180	1909N	Waste Disposal Valve Pit	100N			WCH	RCCC	O&M
181	190KE	Main Pump House	100K			FH	PRC	O&M
182	190KW	Main Pump House	100K			WCH	RCCC	Disposition
183	1926N	Valve Pit	100N			WCH	RCCC	Disposition
184	200CC-BA	Construction Complex Boiler Annex	200W	T Plant Zone	D	JCI	JCI	Transition
185	201C	Hot Shop at Semiworks (Demolished)	200E	Semi-Works Z	B	FH	Remove	Disposition
186	201R	Waste Tank Mockup Facility	200W	U Plant Zone	C	CHG	TOC	Transition
187	201W	Vegetation & Animal Control Shop SE CRN 200W	200W	REDOX Zone	D	FH	MSC	O&M
188	2025E	Effluent Treatment Facility -200E	200E	ETF Zone	C	FH	PRC	O&M
189	2025EA	Effluent Treatment Office Bldg	200E	ETF Zone	C	FH	PRC	O&M
190	2025EC	Containment Pit and Sump	200E	ETF Zone	C	FH	PRC	O&M
191	2025EC71	ETF LCU Building	200E	ETF Zone	D	FH	PRC	O&M
192	2025ED	ETF Truck Load-in Facility	200E	ETF Zone		FH	PRC	O&M
193	202A	PUREX Canyon and Service Facility	200E	PUREX Zone	A	FH	PRC	Disposition
194	202A417	Steam Condensate Pump Pit	200E	PUREX Zone		FH	PRC	Transition
195	202S	REDOX Canyon	200W	REDOX Zone	A	FH	PRC	Disposition
196	203A	Acid Pump House, Tanks, Retention Basin	200E	PUREX Zone	C	FH	PRC	Disposition
197	203UX	Gas Storage Building	200W	U Plant Zone	Cx	FH	PRC	Disposition
198	204A	Acid Storage Vault, U Cell below Grade	200E	PUREX Zone	B	FH	PRC	Disposition
199	204AR	Railcar Unloading Facility	200E	PUREX Zone	R	CHG	TOC	O&M
200	206A	Vacuum Acid Fractionator Building	200E	PUREX Zone	B	FH	PRC	Disposition
201	207B	Cooling Water Retention Basin	200E	Solid Waste Zone		FH	PRC	Disposition
202	207BA	CBC Sampler Building	200E	Solid Waste Z	D	FH	PRC	Disposition
203	207SL	Water Retention Basin	200W	REDOX Zone		CHG	TOC	Disposition
204	207U	Water Retention Basins, Sample Pit & Equip. Enclosure	200W	T Plant Zone		FH	PRC	Transition

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
205	209E	Tank Farm Waste Support Facility	200E	Semi-Works Zone	B	FH	PRC	Transition
206	209EA	Storage Pad with Metal Roof	200E	Semi-Works Zone	D	FH	PRC	O&M
207	2101HV	Construction Warehouse - HWVP	200E	200-E Admin Zone	D	CHG	TOC	O&M
208	2101M	Spare Parts Warehouse, Office Bldg	200E	200-E Admin Zone	D	FH	MSC	O&M
209	2102HV	Material Management Pad	200E	200-E Admin Zone	D	CHG	TOC	O&M
210	2102M	Storage Shed	200E	200-E Admin Zone		FH	MSC	O&M
211	2102N	Storage Shed	200E	200-E Admin Zone		FH	MSC	O&M
212	2103HV	Hazardous Waste Accumulation Area	200E	200-E Admin Zone	D	CHG	TOC	O&M
213	2104M	Utility Truck Shed	200E	200-E Admin Zone	D	FH	MSC	O&M
214	2104N	Breezeway	200E	200-E Admin Zone		FH	PRC	O&M
215	2105HV	Pre-Fabricated Sprung Dome	200E	200-E Admin Zone	D	CHG	TOC	O&M
216	2106HV	HWVP Storage Bldg (Sprung Dome)	200E	200-E Admin Zone		CHG	TOC	O&M
217	2107	Drum Vent Facility for TRU Retrieval	200E	Solid Waste Zone		FH	PRC	O&M
218	210A	Oil Drum Storage (PUREX)	200E	PUREX Zone	D	FH	PRC	Disposition
219	210E	Cement Storage	200E	200-E Admin Zone	D	FH	MSC	O&M
220	211A	Chemical Makeup Tank Farm, Pump House	200E	PUREX Zone	C	FH	PRC	Disposition
221	211B	Chemical Makeup Tank Farm	200E	B Plant Zone	D	FH	PRC	Disposition
222	211BA	BCE Neutralization	200E	B Plant Zone	D	FH	PRC	Transition
223	211BA151	Monitoring Station	200E	B Plant Zone	D	FH	PRC	O&M
224	211BB	Motor Control Center Building	200E	B Plant Zone	D	FH	PRC	Disposition
	211E	Overflow Storage Tank	200E	200-E Admin Zone		FH	MSC	O&M
	211H	Patrol Storage Shed	200E	200-E Admin Zone		FH	MSC	O&M
225	211S	Cold Chemical Makeup Tank Farm	200W	REDOX Zone	D	FH	PRC	Disposition
226	211T	Cold Chemical Makeup Tank Farm	200W	T Plant Zone	D	FH	PRC	O&M
227	211T52	Instrumentation Building	200W	T Plant Zone	D	FH	PRC	O&M
228	211U	Cold Chemical Makeup Tank Farm	200W	U Plant Zone	Cx	FH	PRC	Disposition
229	211UA	Cold Chemical Makeup Tank Farm Addition	200W	U Plant Zone	Cx	FH	PRC	Disposition
230	2120WA	CWC Equipment Storage Building	200W	WM Zone	C	FH	PRC	O&M
231	2120WB	CWC Equipment Storage Building	200W	WM Zone	C	FH	PRC	O&M
232	2125E	ETF North End Storage Facility	200E	ETF Zone	D	FH	PRC	O&M
233	212A	Fission Product Loadout Station	200E	PUREX Zone	B	FH	PRC	Disposition
234	212B	Fission Product Loadout, Cask Transfer Building	200E	B Plant Zone	B	FH	PRC	Disposition
235	212H	Canister Storage Building	200E	CSB Zone	C	FH	PRC	O&M
236	212N	Storage Building	600	200-E Ponds Zone	B	FH	PRC	Disposition

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
237	212P	Electrical Storage & Transformer Shop	600	200-E Ponds Zone	C	FH	PRC	Transition
238	212R	Storage Building	600	200-E Ponds Zone	C	FH	PRC	Disposition
239	212S	Covered Gas Cylinder Storage Dock	200W	REDOX Zone	D	CHG	TOC	O&M
240	212T	T Plant Storage	200W	T Plant Zone		FH	PRC	O&M
241	212W	Storage Sheds Near 272S	200W	200-W Ponds Zone	D	CHG	TOC	O&M
242	213A	Fission Product Load-in Station	200E	PUREX Zone	C	FH	PRC	Disposition
243	213E	Storage Shed	200E	200-E Admin Zone		FH	MSC	O&M
244	213J	Storage Vault	600			WCH	PRC	Disposition
245	213K	Storage Vault	600			WCH	PRC	Disposition
246	213S	Covered Pipe Rack	200W	REDOX Zone	D	CHG	TOC	O&M
247	213W	Waste Compactor Building	200W	WM Zone	C	CHG	TOC	O&M
248	214A	PUREX Warehouse	200E	PUREX Zone	D	FH	PRC	Disposition
249	214E	Storage Facility	200E	200-E Admin Zone		FH	MSC	O&M
250	214T	Metal Chemical Storage Building	200W	T Plant Zone	C	FH	PRC	O&M
251	215C	Gas Preparation Building	200E	Semi-Works Zone	C	FH	PRC	Disposition
252	215E	Storage Facility	200E	200-E Admin Zone		FH	MSC	O&M
253	216A	Valve Control Facility	200E	PUREX Zone		CHG	TOC	Disposition
254	216A1A	Proportional Sampler Pit #3	200E	PUREX Zone		FH	PRC	Disposition
255	216A271	Monitoring Bldg, diversion box & Metering MH's	200E	200-E Ponds Zone	C	CHG	TOC	Disposition
256	216A29A	Ditch Control Structure	200E	200-E Ponds Zone	C	FH	PRC	Disposition
257	216A524	Crib Control Structure	200E	200-E Ponds Zone		FH	PRC	Disposition
258	216A5A	Proportional Sampler Pit #4	200E	PUREX Zone		FH	PRC	Disposition
260	216B59A	Diversion Box	200E	B Plant Zone		FH	PRC	Disposition
261	216B59B	Valve Pit	200E	B Plant Zone		FH	PRC	Disposition
262	216E28A	Contingency Pond Control Structure	600	200-E Ponds Zone	C	CHG	TOC	Disposition
263	216E28B	Contingency Pond Bypass Control Structure	600	200-E Ponds Zone	C	FH	PRC	Disposition
264	216E28C	PUREX Cooling Water Line Flow Meter	600	200-E Ponds Zone	D	FH	PRC	Disposition
265	216E43A	Pond A at 200 Area TEDF	600	200-E Ponds Zone		FH	PRC	O&M
266	216E43B	Pond B at 200 Area TEDF	600	200-E Ponds Zone		FH	PRC	O&M
267	216Z9A	Contaminated Soil Removal Building	200W	PFP Zone	Cx	FH	PRC	Transition
268	216Z9B	Z-9 Mining Facility Operator's Cubicle	200W	PFP Zone	Cx	FH	PRC	Transition
269	216Z9C	216-Z-9 Weather Enclosure	200W	PFP Zone	Cx	FH	PRC	Transition
270	216ZP1	Main Process Facility 200-ZP-1	200W	PFP Zone	C	FH	PRC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
271	216ZP1A	Injection Manifold Building	200W	WM Zone	D	FH	PRC	O&M
272	216ZP1B	Extraction Manifold Building	200W	PFP Zone	C	FH	PRC	O&M
273	216ZP1C	Extraction Manifold Building	200W	PFP Zone	C	FH	PRC	O&M
274	217A	SAMSCONS Surveillance for Deactivating PUREX Bldg	200E	PUREX Zone	C	FH	PRC	Disposition
275	217B	Demineralizer Building	200E	B Plant Zone	D	FH	PRC	Disposition
276	217E	Storage Facility	200E	200-E Admin Zone		FH	MSC	O&M
277	218B	Emergency Equipment Storage Shed	200E	B Plant Zone	D	FH	PRC	O&M
278	218E14	PUREX Plant Storage Tunnel #1	200E	PUREX Zone	A	FH	PRC	Disposition
279	218E15	PUREX Plant Storage Tunnel #2	200E	PUREX Zone	A	FH	PRC	Disposition
280	218E16	Grout Disposal/Treatment Facility Vaults 102-105	200E	WTP/A Farm	R	CHG	TOC	Transition
281	218E16101	Grout Disposal Vault 101	200E	WTP/A Farm	C	CHG	TOC	Transition
282	218E7	Dry Burial Vaults - behind 222B, inactive	200E	B Plant Zone		FH	PRC	Transition
283	218W5-252	Electrical Control Building - Trench 31	200W	WM Zone	D	FH	PRC	O&M
284	218W5-252A	Electrical Control Building - Trench 34	200W	WM Zone	D	FH	PRC	O&M
285	218W5T31T1	Leachate Storage Tank-Trench 31	200W	WM Zone		FH	PRC	O&M
286	218W5T34T1	Leachate Storage Tank-Trench 34	200W	WM Zone		FH	PRC	O&M
287	218W7	Dry Waste Burial Vault-222S	200E	REDOX Zone		FH	PRC	Transition
288	219B	Hazardous Waste Emergency Equipment Storage	200E	B Plant Zone	D		Delete	Post Closure
289	219C	Liquid Waste Processing Storage Unit W of 2025E	200E	ETF Zone	C	FH	PRC	O&M
290	219D	Liquid Waste Processing Storage Unit S of 2025E	200E	ETF Zone	C	FH	PRC	O&M
	219G	Custodial Storage	200W	T Plant Zone		FH	MSC	O&M
	219H	Transportation Equipment Storage	200E	200-E Admin		FH	MSC	O&M
291	219S	Rad Waste Staging & Transfer Facility	200W	REDOX Zone	R	CHG	TOC	O&M
292	2202E	Weather Enclosure for Waste Recovery	200E	Solid Waste Zone		FH	PRC	O&M
293	220A	Steam Condensate Sampler Pit	200E	PUREX Zone	C	FH	PRC	Disposition
294	221A	Former KEH Pipefitter Shop	200E	PUREX Zone	D	FH	PRC	Disposition
295	221B	B Plant Canyon	200E	B Plant Zone	A	FH	PRC	Disposition
296	221BA	Cooling Water Monitoring Station	200E	B Plant Zone	D	FH	PRC	Disposition

**ATTACHMENT J-13**  
**HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
297	221BB	Process Steam and Condensate Building	200E	B Plant Zone	C	FH	PRC	Disposition
298	221BC	SWP Change House	200E	B Plant Zone	C	FH	PRC	Disposition
299	221BD	Laundry Storage Building	200E	B Plant Zone	C	FH	PRC	Disposition
300	221BF	Condensate Effluent Discharge Facility at B Plant	200E	B Plant Zone	C	FH	PRC	Disposition
301	221BG	B Plant Cooling Water Sampling Bldg	200E	B Plant Zone	D	FH	PRC	Disposition
302	221BK	B Plant Canyon Ventilation Instrument Bldg	200E	B Plant Zone	C	FH	PRC	O&M
303	221T	T-Plant Canyon	200W	T Plant Zone	A	FH	PRC	O&M
304	221TA	Fan House	200W	T Plant Zone	C	FH	PRC	Transition
305	221TB	Laundry Storage Skid Shack	200W	T Plant Zone	C	FH	PRC	Disposition
306	221U	U Plant Canyon Building	200W	U Plant Zone	Ax	FH	PRC	Disposition
307	2220E	Telephone Exchange Bldg	200E	200-E Admin 2	D	FH	MSC	O&M
308	2220W	Telephone Exchange	200W	T Plant Zone	D	FH	MSC	O&M
309	222B	Office Building	200E	B Plant Zone	C	FH	PRC	Disposition
310	222S	Central Analytical Laboratory	200W	REDOX Zone	B	CHG	TOC	O&M
311	222SA	Standards/Process Development Laboratory	200W	REDOX Zone	D	CHG	TOC	O&M
312	222SB	South Filter Building	200W	REDOX Zone	C	CHG	TOC	O&M
313	222S-BA	222S Boiler Annex	200W	REDOX Zone	D	JCI	JCI	O&M
314	222SC	North Filter Building	200W	REDOX Zone	C	CHG	TOC	O&M
315	222SD	Solid Waste Storage Pad	200W	REDOX Zone	D	CHG	TOC	O&M
316	222SE	Filter Building	200W	REDOX Zone	C	CHG	TOC	O&M
317	222SF	Equipment Storage	200W	REDOX Zone	D	CHG	TOC	O&M
318	222SH	Office & Change Room	200W	REDOX Zone	D	CHG	TOC	O&M
319	222T	Office Administration Building	200W	T Plant Zone	D	FH	PRC	Transition
320	2230E	Materials Receiving and Distribution Warehouse	200E	200-E Admin 2	D	FH	MSC	O&M
321	2231E	Storage Building	200E	200-E Admin 2	D	FH	PRC	Disposition
322	2232E	Storage Building (Ladders)	200E	200-E Admin 2	D	FH	PRC	Disposition
323	2233E	Storage Building	200E	200-E Admin 2	D	FH	PRC	Disposition
324	2235E	Storage Bldg SW of 244A Lift Station	200E	WTP/A Farm 2	D	CHG	TOC	O&M
325	2236E	Storage Building	200E	PUREX Zone	D	CHG	TOC	O&M
326	2237E	Pipefitter's Shop	200E	PUREX Zone	D	CHG	TOC	O&M
327	223E	105A Mock Tank	200E	Semi-Works Zone		CHG	TOC	O&M
328	224B	Concentration Facility	200E	B Plant Zone	Bx	FH	PRC	Disposition

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
329	224T	Transuranic Storage and Assay Facility	200W	T Plant Zone	Bx	FH	PRC	Transition
330	224U	UO3 Plant Concentration and Loadout Building	200W	U Plant Zone	Bx	FH	PRC	Disposition
331	224UA	UO3 Calcination and Loadout Facility	200W	U Plant Zone	Bx	FH	PRC	Disposition
332	2256WTP	Combination Shop East Of Vitrification Bldg	200E	WTP/A Farm Zone		BNI	WTP	O&M
333	2258E	Storage Building at A Farm	200E	PUREX Zone	D	CHG	TOC	O&M
334	2259W	Pipefitters Storage	200W	T Plant Zone	D	FH	PRC	O&M
335	225B	Waste Encapsulation & Storage Facility	200E	B Plant Zone	A	FH	PRC	O&M
336	225BA	K1 Filter Pit Encapsulation Facility	200E	B Plant Zone	C	FH	PRC	O&M
337	225BB	K3 Filter Pit Encapsulation Facility	200E	B Plant Zone	B	FH	PRC	O&M
338	225B-BA	225B Boiler Annex	200E	B Plant Zone	D	JCI	JCI	O&M
339	225BC	Encapsulation Compressor Facility	200E	B Plant Zone	D	FH	PRC	O&M
340	225BD	Encapsulation Waste Monitoring & Sample Bldg	200E	B Plant Zone	D	FH	PRC	O&M
341	225BE	Encapsulation Maintenance Shop	200E	B Plant Zone	D	FH	PRC	O&M
342	225BF	WESF Tanker Loadout Station	200E	B Plant Zone	B	FH	PRC	O&M
343	225BG	WESF Closed Loop Cooling Equipment Building	200E	B Plant Zone	D	FH	PRC	O&M
344	225BG-GEN1	Backup Generator & Diesel Fuel Tanks	200E	B Plant Zone		FH	PRC	O&M
345	225E	TEDF Pump Station 2	200E	Solid Waste Z	C	FH	PRC	O&M
346	225EC	TEDF - Local Control Unit 55C-13	200E	PUREX Zone	D	FH	PRC	Disposition
347	225W	TEDF Pump Station 1	200W	T Plant Zone	C	FH	PRC	O&M
348	225WA	Treated Effluent Monitoring Bldg at T Plant	200W	T Plant Zone	D	FH	PRC	O&M
349	225WB	Treated Effluent Monitoring Bldg at 222S	200W	REDOX Zone	D	CHG	TOC	O&M
350	225WC	PFP Wastewater Sampling Facility	200W	PFP Zone	Cx	FH	PRC	O&M
351	2262W	Painters Storage Building	200W	T Plant Zone	D	FH	PRC	O&M
352	2263W	Storage Building (Bottles)	200W	T Plant Zone	D	FH	PRC	O&M
353	2265W	Storage Building (Ice Storage)	200W	T Plant Zone	D	FH	PRC	O&M
354	2266E	Closure Support Center	200E	200-E Admin Zone		FH	MSC	O&M
355	2300W	Electrician Shop / Office (Skid Shack)	200W	T Plant Zone	D	FH	PRC	O&M
356	2304W	Pipefitter Shop (Skid Shack)	200W	T Plant Zone	D	FH	PRC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
357	2305W	Ladder Storage Rack	200W	T Plant Zone	D	FH	PRC	O&M
358	2306W	Gas Bottle Storage Skid Shack	200W	T Plant Zone	D	FH	PRC	Disposition
359	2307W	Pipefitter Storage Skid Shack	200W	T Plant Zone	D	FH	PRC	Disposition
360	2308W	Carpenters Shop	200W	T Plant Zone	D	FH	PRC	O&M
361	2309W	Sheetmetal Shop	200W	T Plant Zone	D	FH	PRC	O&M
362	2310W	Material Storage	200W	T Plant Zone	D	FH	PRC	O&M
363	2314W	Bench Stock Storage (Skid Shack)	200W	T Plant Zone	D	FH	PRC	Disposition
364	2315W	Ice House (Skid Shack)	200W	T Plant Zone	D	FH	PRC	Disposition
365	2316W	Heavy Equipment Operator Shack	200W	T Plant Zone	X	FH	PRC	O&M
366	2318W	Painter Shop	200W	T Plant Zone	D	FH	PRC	O&M
367	231W151	Sump Tank and Well	200W	PFP Zone		FH	PRC	Transition
368	231Z	Pu Metallurgy Lab	200W	PFP Zone	B	FH	PRC	Transition
369	232Z	Waste Incinerator Facility	200W	PFP Zone	X	FH	PRC	Post Closure
370	2336W	Waste Receiving & Processing Facility	200W	WM Zone	X	FH	PRC	O&M
371	234-5Z	PFP Pu Processing & Storage	200W	PFP Zone	X	FH	PRC	Transition
372	234-5ZA	PFP Change Room Addition	200W	PFP Zone	X	FH	PRC	O&M
373	234-5Z-BA	PFP Boiler Annex	200W	PFP Zone	X	JCI	JCI	O&M
374	234ZB	Waste Material Storage Building	200W	PFP Zone	X	FH	PRC	Disposition
375	234ZC	Waste Drum Storage and Loading Dock	200W	PFP Zone	X	FH	PRC	Disposition
376	236Z	Plutonium Reclamation Building	200W	PFP Zone	X	FH	PRC	Transition
377	2400E	Dry Material Facility Control Room	200E	200-E Admin	X	CHG	PRC	Transition
378	2401W	Mixed Waste Storage Facility at CWC	200W	WM Zone	X	FH	PRC	O&M
379	2402EA	Dry Material Facility Unloading Pit	200E	200-E Admin	X	CHG	PRC	Transition
380	2402EB	Dry Material Facility Cement Silo	200E	WTP/A Farm	X	CHG	PRC	Transition
381	2402EC	Dry Material Facility Fly Ash Silo	200E	WTP/A Farm	X	CHG	PRC	Transition
382	2402ED	Dry Material Facility Pottery Clay Silo	200E	WTP/A Farm	X	CHG	PRC	Transition
383	2402EF	Dry Material Facility Attapulgate Clay Silo	200E	WTP/A Farm	X	CHG	PRC	Transition
384	2402EG	Dry Material Facility Transfer Pump Pit	200E	WTP/A Farm	X	CHG	PRC	Transition
385	2402W	Mixed Waste Storage Facility at CWC	200W	WM Zone		FH	PRC	O&M
386	2402WB	Mixed Waste Storage Facility at CWC	200W	WM Zone		FH	PRC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
387	2402WC	Mixed Waste Storage Facility at CWC	200W	WM Zone		FH	PRC	O&M
388	2402WD	Mixed Waste Storage Facility at CWC	200W	WM Zone		FH	PRC	O&M
389	2402WE	Mixed Waste Storage Facility at CWC	200W	WM Zone		FH	PRC	O&M
390	2402WF	Mixed Waste Storage Facility at CWC	200W	WM Zone		FH	PRC	O&M
391	2402WG	Mixed Waste Storage Facility at CWC	200W	WM Zone		FH	PRC	O&M
392	2402WH	Mixed Waste Storage Facility at CWC	200W	WM Zone		FH	PRC	O&M
393	2402WI	Mixed Waste Storage Facility at CWC	200W	WM Zone		FH	PRC	O&M
394	2402WJ	Mixed Waste Storage Facility at CWC	200W	WM Zone		FH	PRC	O&M
395	2402WK	Mixed Waste Storage Facility at CWC	200W	WM Zone		FH	PRC	O&M
396	2402WL	Mixed Waste Storage Facility at CWC	200W	WM Zone		FH	PRC	O&M
397	2403E	DMRHF Dry Blended Storage/Truck Loadout Facility	200E	200-E Admin Zone		CHG	PRC	Transition
398	2403EA	Compressor Bldg	200E	WTP/A Farm Zone		CHG	PRC	Transition
399	2403WA	RMW Storage Facility	200W	WM Zone		FH	PRC	O&M
400	2403WB	RMW Storage Facility	200W	WM Zone		FH	PRC	O&M
401	2403WC	RMW Storage Facility	200W	WM Zone		FH	PRC	O&M
402	2403WD	RMW Storage Facility	200W	WM Zone		FH	PRC	O&M
403	2404E	DMRHF Compressor Building	200E	200-E Admin Zone		CHG	PRC	Transition
404	2404WA	Long Term Drum Storage Building	200W	WM Zone		FH	PRC	O&M
405	2404WB	Long Term Drum Storage Building	200W	WM Zone		FH	PRC	O&M
406	2404WC	Long Term Drum Storage Building	200W	WM Zone		FH	PRC	O&M
407	241A152	Diversion Box	200E	WTP/A Farm Zone		CHG	TOC	Disposition
408	241A201	Emergency Cooling Water Storage Tank SE of PUREX	200E	PUREX Zone		FH	PRC	Disposition
409	241A271	Tank Farm Control House	200E	WTP/A Farm Zone		CHG	TOC	O&M
410	241A401	Tank Farm Condenser House	200E	WTP/A Farm Zone		CHG	TOC	O&M
411	241A431	Tank Farm Ventilation House	200E	WTP/A Farm Zone		CHG	TOC	Disposition

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
412	241A701	Tank Farm Compressor House	200E	WTP/A Farm Zone		CHG	TOC	O&M
413	241A702	Tank Farm Fan House	200E	WTP/A Farm Zone		CHG	TOC	O&M
414	241AN271	Instrument Control House	200E	WTP/A Farm Zone		CHG	TOC	O&M
415	241AN273	Compressor Building	200E	WTP/A Farm Zone		CHG	TOC	O&M
416	241AN274	Mixer Pump and Caustic Addition Control Bldg	200E	WTP/A Farm Zone		CHG	TOC	O&M
417	241AN801	Water Service Building	200E	WTP/A Farm Zone		CHG	TOC	O&M
418	241AP271	Tank Farm Instrument Building	200E	WTP/A Farm Zone		CHG	TOC	O&M
419	241AP273	Compressor Building	200E	WTP/A Farm Zone		CHG	TOC	O&M
420	241AP801	Water Service Building	200E	WTP/A Farm Zone		CHG	TOC	O&M
421	241AW271	Tank Farm Control House	200E	WTP/A Farm Zone		CHG	TOC	O&M
422	241AW273	Compressor Building	200E	WTP/A Farm Zone		CHG	TOC	O&M
423	241AW801	Water Service Building	200E	WTP/A Farm Zone		CHG	TOC	O&M
424	241AX801A	Tank Farm Control House, North	200E	WTP/A Farm Zone		CHG	TOC	O&M
425	241AX801B	Tank Farm Control House, South	200E	WTP/A Farm	C	CHG	TOC	O&M
426	241AX801C	Tank Farm Control House (S of A Farm)	200E	WTP/A Farm	C	CHG	TOC	O&M
427	241AY401	Vent Recirculation Equipment Vault	200E	WTP/A Farm Zone		CHG	TOC	O&M
428	241AY402	Vent Recirculation Equipment Vault	200E	WTP/A Farm	C	CHG	TOC	O&M
429	241AY51	Electrical Equipment Enclosure	200E	WTP/A Farm	D	CHG	TOC	O&M
430	241AY51A	Seismic Shutdown System 1A & 1B	200E	WTP/A Farm	D	CHG	TOC	O&M
431	241AY801A	Tank Farm Instrument House	200E	WTP/A Farm	C	CHG	TOC	O&M
432	241AZ156	Mixer Pump Speed Control House	200E	WTP/A Farm	D	CHG	TOC	O&M
433	241AZ271	Change House / Control Building	200E	WTP/A Farm	D	CHG	TOC	O&M
434	241AZ301A	Receiver Tank Vault	200E	WTP/A Farm Zone		CHG	TOC	O&M
435	241AZ401	Vent Recirculation Equipment Vault	200E	WTP/A Farm	C	CHG	TOC	O&M
436	241AZ402	Vent Recirculation Equipment Vault	200E	WTP/A Farm	C	CHG	TOC	O&M
437	241AZ701	Diesel Generator Building	200E	WTP/A Farm	C	CHG	TOC	O&M
438	241AZ702	Waste Tank Ventilation Building	200E	WTP/A Farm	C	CHG	TOC	O&M
439	241AZ801A	Instrument House	200E	WTP/A Farm	C	CHG	TOC	O&M
440	241B361	Underground Waste Settling Tank	200E	B Plant Zone	B	FH	PRC	Transition
441	241B701	Instrument Air Compressor Building	200E	B Farm Zone	D	CHG	TOC	O&M
442	241BY254	Control House and Compressor, ITS2	200E	B Farm Zone	C	CHG	TOC	O&M
443	241BY301	Control House For In-Tank Solidification	200E	B Farm Zone	C	CHG	TOC	O&M
444	241BY302	Compressor House, ITS1	200E	B Farm Zone	C	CHG	TOC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
445	241C51	Electrical Equipment Enclosure at C-Farm	200E	C Farm Zone	D	CHG	TOC	O&M
446	241C51A	Seismic Shutdown System 1A & 1B	200E	C Farm Zone		CHG	TOC	Disposition
447	241C73	C-Farm Service Building	200E	C Farm Zone	D	CHG	TOC	O&M
448	241C801	Cesium Loadout Building	200E	C Farm Zone	B	CHG	TOC	Disposition
449	241C90	Air Compressor Facility	200E	WTP/A Farm	C	CHG	TOC	O&M
450	241C91	241C106 Process Bldg	200E	C Farm Zone	C	CHG	TOC	O&M
451	241CR271	Waste Disposal Control House	200E	C Farm Zone	C	CHG	TOC	O&M
452	241CX40	Grout Removal Building	200E	Semi-Works Zone		FH	PRC	Transition
453	241CX70	Mixed Waste Storage Tank	200E	Semi-Works Zone		FH	PRC	Transition
454	241CX71	Acidic Waste Neutralization Tank	200E	Semi-Works Zone		FH	PRC	Transition
455	241CX72	Self Concentrator Tank	200E	Semi-Works Zone		FH	PRC	Transition
456	241CXV	Self Concentrator Vault	200E	Semi-Works Zone		FH	PRC	Transition
457	241S271A	Electrical/Instrument Control Building	200W	S/U Farm Zone		CHG	TOC	Transition
458	241S271B	Electrical/Instrument Control Building	200W	S/U Farm Zone		CHG	TOC	Transition
459	241SX271	Tank Farm Control House	200W	S/U Farm Zone	C	CHG	TOC	O&M
460	241SX281	Emergency Cooling Water Pump House	200W	S/U Farm Zone	D	CHG	TOC	O&M
461	241SX401	Waste Disposal Condensor House - North	200W	S/U Farm Zone	B	CHG	TOC	Disposition
462	241SX402	Waste Disposal Condensor House - South	200W	S/U Farm Zone	C	CHG	TOC	Disposition
463	241SX701	Waste Disposal Condenser House	200W	S/U Farm Zone	D	CHG	TOC	O&M
464	241SY271	Instrument and Electrical Control House	200W	S/U Farm Zone	C	CHG	TOC	O&M
465	241SY272	Electrical Building	200W	S/U Farm Zone	D	CHG	TOC	O&M
466	241SY274	Gas Monitoring Shelter (GMS-1)	200W	S/U Farm Zone	X	CHG	TOC	O&M
467	241SY275	Gas Monitoring Shelter (GMS-2)	200W	S/U Farm Zone	X	CHG	TOC	O&M
468	241SY276	DACS Uninterruptable Power Supply Skid	200W	S/U Farm Zone	D	CHG	TOC	O&M
469	241T361	Waste Settling Tank Underground	200W	T Plant Zone	B	CHG	TOC	Transition
470	241T701	Instrument Air Compressor House	200W	T Farm Zone	D	CHG	TOC	O&M
471	241TX701	Laundry Storage Facility	200W	T Farm Zone	D	CHG	TOC	O&M
472	241U271	U Farm Control House	200W	S/U Farm Zone	C	CHG	TOC	O&M
473	241U361	Waste Settling Tank Underground	200W	U Plant Zone	Bx	CHG	TOC	Transition
474	241U701	Instrument Air Compressor House	200W	S/U Farm Zone	C	CHG	TOC	O&M
475	241WR	Vault - Thorium Storage	200W	U Plant Zone	B	FH	PRC	Disposition

**ATTACHMENT J-13**  
**HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
476	241Z	Tank Farm Waste Disposal Building	200W	PFP Zone	Bx	FH	PRC	Transition
477	241ZA	Waste Disposal Sample Loadout Building	200W	PFP Zone	Bx	FH	PRC	Transition
478	241ZB	Bulk Chemical Storage Tank & Loadout Slab	200W	PFP Zone	Cx	FH	PRC	Transition
479	241ZG	Change Facility for 241-Z	200W	PFP Zone	Cx	FH	PRC	Post Closure
480	241ZRB	Retention Basin	200W	PFP Zone		FH	PRC	Post Closure
481	2420W	German Logs Storage Pad at CWC	200W	WM Zone	C	FH	PRC	O&M
482	242A	Evaporator	200E	WTP/A Farm	R	CHG	TOC	O&M
483	242A702	Turbine Building	200E	WTP/A Farm	C	CHG	TOC	O&M
484	242A81	Water Service Building	200E	WTP/A Farm	D	CHG	TOC	O&M
485	242AB	Evaporator Control Building	200E	WTP/A Farm	D	CHG	TOC	O&M
486	242A-BA	Boiler Annex	200E	WTP/A Farm	D	JCI	JCI	O&M
487	242AC	Pipefitter's Shop	200E	WTP/A Farm	D	CHG	TOC	O&M
488	242AL11	LERF Storage Building	200E	ETF Zone	D	FH	PRC	O&M
489	242AL42	LERF Basin 42	200E	ETF Zone	C	FH	PRC	O&M
490	242AL43	LERF Basin 43	200E	ETF Zone	C	FH	PRC	O&M
491	242AL44	LERF Basin 44	200E	ETF Zone	C	FH	PRC	O&M
492	242AL71	LERF Instrument Bldg	200E	ETF Zone	D	FH	PRC	O&M
493	242B	Radioactive Particle Research Laboratory	200E	B Farm Zone	B	FH	PRC	Disposition
494	242BL	Cask Loading Building	200E	B Farm Zone	B	FH	PRC	Transition
495	242S	242S Evaporator Facility	200W	S/U Farm Zone	B	CHG	TOC	O&M
496	242S302C	242S Neutralization Tank	200W	S/U Farm Zone		CHG	TOC	Transition
497	242S702	Turbine Building, Ventilation	200W	S/U Farm Zone	C	CHG	TOC	O&M
498	242T	Waste Disposal Evaporator Building	200W	T Farm Zone	B	CHG	TOC	O&M
499	242T271	Dust Control Barrier	200W	T Farm Zone	D	CHG	TOC	O&M
500	242T601	Chemical Makeup Building	200W	T Farm Zone	D	CHG	TOC	O&M
501	242T701	TX/TY Compressed Air Station	200W	T Farm Zone		CHG	TOC	O&M
502	242TB	Vent House	200W	T Farm Zone	B	CHG	TOC	O&M
503	242TC	Tank Farm Microcomputer Equipment Bldg	200W	T Farm Zone	D	CHG	TOC	O&M
504	242Z	Waste Treatment & Americium Extraction Facility	200W	PFP Zone	Bx	FH	PRC	Transition
505	242ZA	Entrance Control Building for 242Z	200W	PFP Zone	C	FH	PRC	O&M
506	243G1	Grout Processing Facility (GPF) Mix-Pump Module	200E	WTP/A Farm	D	CHG	PRC	Transition

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
507	243G12	GPF Mobile Control Room	200E	WTP/A Farm Zone		CHG	PRC	Transition
508	243G1A	Grout Processing Facility Motor Pit	200E	WTP/A Farm	D	CHG	PRC	Transition
509	243G2	GPF Dry Blend Handling & Feed Module	200E	WTP/A Farm	D	CHG	PRC	Transition
510	243G3	GPF Additives Module	200E	WTP/A Farm	D	CHG	PRC	Transition
511	243G4	GPF Control Room Module	200E	WTP/A Farm	D	CHG	PRC	Transition
512	243G6	GPF Electrical Equipment Room	200E	WTP/A Farm	D	CHG	PRC	Transition
513	243G8	Grout Filtration Module	200E	WTP/A Farm	C	CHG	PRC	Transition
514	243G81	Water Service Building	200E	WTP/A Farm	D	CHG	PRC	O&M
515	243G82	GPF Pressure Reducing Valve Pit	200E	WTP/A Farm	D	CHG	PRC	Transition
516	243G9	GPF Electrical Substation - GROUT	200E	WTP/A Farm	D	CHG	PRC	Transition
517	243Z	Low-Level Waste Treatment Facility	200W	PFP Zone	Cx	FH	PRC	O&M
518	243ZA	Low Level Waste Storage Facility	200W	PFP Zone	Cx	FH	PRC	Transition
519	243ZB	Cooling Towers and Concrete Pad	200W	PFP Zone	Cx	FH	PRC	O&M
520	244A	Waste Vault and Instrument House	200E	PUREX Zone		CHG	TOC	O&M
521	244AR	Sludge Vault Storage & Processing	200E	PUREX Zone	R	CHG	TOC	O&M
522	244AR40	Cooling Water Diversion Box	200E	PUREX Zone		CHG	TOC	Transition
523	244AR701	Emergency Generator Building	200E	PUREX Zone	D	CHG	TOC	O&M
524	244AR702	500KW Standby Generator Enclosure	200E	PUREX Zone		CHG	TOC	Transition
525	244AR712	Vault Air Lock and Load Out Bldg	200E	PUREX Zone		CHG	TOC	O&M
526	244AR715	Closed Loop Cooling System	200E	PUREX Zone	D	CHG	TOC	O&M
527	244AR716	South Compressor Bldg	200E	PUREX Zone		CHG	TOC	O&M
528	244AR717	North Compressor Bldg	200E	PUREX Zone		CHG	TOC	O&M
529	244BX271	Electrical Instrument Control House	200E	B Farm Zone	C	CHG	TOC	O&M
530	244CR	Waste Disposal Vault, C Tank Farm	200E	C Farm Zone		CHG	TOC	Disposition
531	244S271	Instrument Control House	200W	S/U Farm Zone	C	CHG	TOC	O&M
532	244S2904	Flush Pit at 244S Tank Farm	200W	S/U Farm Zone	C	CHG	TOC	O&M
533	244TX271	Electrical Instrumentation Control Bldg	200W	T Farm Zone	C	CHG	TOC	O&M
534	244TX2904	Salt Well Receiver Flush Pit Bldg	200W	T Farm Zone		CHG	TOC	O&M
535	244U271	244U Instrument Control House	200W	S/U Farm Zone		CHG	TOC	O&M
536	244U2904	244U Flush Pit	200W	S/U Farm Zone		CHG	TOC	O&M
537	2451E	Dry Material Facility Substation	200E	200-E Admin Zone		CHG	PRC	Transition
538	246S	Interim Storage Area-West of 212H	200E	CSB Zone		FH	PRC	O&M
539	2503Z	13.8kV Switch Yard at 234-5Z	200W	PFP Zone		FH	MSC	O&M
540	2506E1	Telecommunications Hub	200E	200-E Admin Zone		FH	MSC	O&M
541	2506E2	Telecommunications Hub	200E	WTP/A Farm Zone		FH	MSC	O&M
542	2506E3	Telecommunications Hub	200E	200-E Admin Zone		FH	MSC	O&M

**ATTACHMENT J-13**  
**HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
543	2506W1	Telecommunications Hub	200W	T Plant Zone		FH	MSC	O&M
544	251E	Substation A6 Switchgear Bldg at Vit Plant	200E	WTP/A Farm Zone		FH	MSC	Transition
545	251W	Primary 230kV Switching Station	600	200-E Ponds Zone		FH	MSC	O&M
546	251W66	Petroleum Tank (Diesel)	600	200-E Ponds Zone		FH	MSC	O&M
547	2524WTP	LAW Swichgear Building	200E	WTP/A Farm Zone		BNI	WTP	O&M
548	252A	Electrical Switching Structure	200E	PUREX Zone		FH	MSC	Transition
549	252AB	PUREX Electrical Substation	200E	PUREX Zone		CHPRC	PRC	Disposition
550	252AC	PUREX Mini Electrical Substation	200E	PUREX Zone		CHPRC	PRC	Disposition
551	252E	Electrical Switching Station 13.8kV	200E	200-E Admin Zone		CHPRC	PRC	Disposition
552	252S	Electrical Switching Station -13.8kV	200W	S/U Farm Zone		CHG	TOC	O&M
553	252W	Electrical Switching Station -13.8kV	200W	T Plant Zone		CHPRC	PRC	Disposition
	252Z	Electrical Substation	200W	PFP Zone		FH	MSC	O&M
	253E	Laydown Yard for Electrical Utilities	200E	200-E Admin Zone		FH	MSC	O&M
554	2620W	Maintenance Facility at WRAP	200W	WM Zone		FH	PRC	O&M
555	2652WTP	Warehouse at WTP	200E	WTP/A Farm Zone		BNI	WTP	O&M
556	267Z	Fire Riser #9 Valve House	200W	PFP Zone		FH	PRC	O&M
557	2701AB	PUREX Badge House	200E	PUREX Zone		FH	PRC	Disposition
558	2701EC	Guard Station for 209E	200E	Semi-Works Zone		FH	PRC	Disposition
559	2701HV	Office Building	200E	CSB Zone		FH	PRC	O&M
560	2701M	Office Building	200E	200-E Admin Zone		FH	PRC	Disposition
561	2701ZA	Patrol Central Alarm Monitoring Station /Z-Plant	200W	PFP Zone		CHPRC	PRC	O&M
562	2701ZD	PFP Badge House	200W	PFP Zone		CHPRC	PRC	O&M
563	2702Z	Microwave Tower and Support Building	200W	PFP Zone		FH	MSC	O&M
564	2703E	Chemical Engineering Laboratory	200E	200-E Admin Zone		CHG	TOC	O&M
565	2704HV	TWRS Office Building	200E	200-E Admin Zone		CHG	TOC	O&M
566	2704S	Office Building	200W	REDOX Zone		CHG	TOC	O&M
567	2704W	Office Building	200W	T Plant Zone		FH	PRC	Disposition
568	2704Z	Office Administration Building	200W	PFP Zone		FH	PRC	O&M
569	2705Z	PFP Operations Control Facility	200W	PFP Zone		FH	PRC	O&M
570	2706T	Equipment Decontamination Building	200W	T Plant Zone		FH	PRC	O&M
571	2706TA	Equipment Decontamination Annex	200W	T Plant Zone		FH	PRC	O&M
572	2706TB	Holding Tanks Building	200W	T Plant Zone		FH	PRC	O&M
573	2707AR	Sludge Vault Change House	200E	PUREX Zone		CHG	TOC	O&M
574	2707AX	Change House AX Farm	200E	WTP/A Farm Zone		CHG	TOC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
575	2707SX	Carpenter Shop	200W	S/U Farm Zone		CHG	TOC	O&M
576	2707W	Change House	200W	T Plant Zone		FH	PRC	O&M
577	2708S	Insulator Shop / Storage Building	200W	REDOX Zone		FH	PRC	Disposition
578	270A	Neutralization Tank	200E	PUREX Zone		FH	PRC	Disposition
579	270E	Underground Condensate Neutralization Tank	200E	B Plant Zone		FH	PRC	Disposition
580	270W	Underground Condensate Neutralization Tank	200W	U Plant Zone		FH	PRC	Disposition
581	270Z	PFP Operations Support Bldg	200W	PFP Zone		FH	PRC	O&M
582	2710E	Coal Handlers Shelter	200E	200-E Admin Zone		FH	PRC	Disposition
583	2710S	Inert Gas Generator Building	200W	REDOX Zone		FH	PRC	Disposition
584	2710W	Coal Handlers Shelter	200W	T Plant Zone		FH	PRC	Disposition
585	2711A	Air Compressor Building	200E	PUREX Zone		FH	PRC	Disposition
586	2711B	Breathing Air Compressor Bldg	200E	B Plant Zone		FH	PRC	Disposition
587	2711E	Fleet Equipment Maintenance Shop & Administration	200E	200-E Admin Zone		FH	MSC	O&M
588	2711E66	Petroleum Tank (Waste Oil)	200E	200-E Admin Zone		FH	MSC	O&M
589	2711E66A	Petroleum Tank (Waste Oil)	200E	200-E Admin Zone		FH	MSC	O&M
590	2711EA	Regulated Equipment Maintenance Shop	200E	200-E Admin Zone		FH	MSC	O&M
591	2711EB	Heavy Mobile Equipment Maintenance Shop	200E	200-E Admin Zone		FH	MSC	O&M
592	2711EC	Equipment Shed for 200E Garage	200E	200-E Admin Zone		FH	MSC	O&M
593	2711ED	Heavy Equipment Washdown Carport	200E	200-E Admin Zone		FH	MSC	O&M
594	2711EF	Heavy Equipment Washdown Supply Bldg w/Catch Tk	200E	200-E Admin Zone		FH	MSC	O&M
595	2711S	Stack Gas Monitoring Station	200W	REDOX Zone		FH	PRC	Disposition
596	2712A	Pump House	200E	PUREX Zone		FH	PRC	Disposition
597	2712B	Electrical/Instrumentation Building	200E	B Plant Zone		CHG	TOC	O&M
598	2712S	Electrical/Instrumentation Building	200W	REDOX Zone		CHG	TOC	Disposition
599	2712T	Electrical/Instrumentation Building	200W	T Plant Zone		CHG	TOC	O&M
600	2712U	Electrical/Instrumentation Building	200W	U Plant Zone		CHG	TOC	Disposition
601	2712Z	Stack Sampling & Monitoring Station	200W	PFP Zone		FH	PRC	O&M
602	2713W	2W Carpenter Shop	200W	T Plant Zone		FH	PRC	O&M
603	2713WB	Regulated Garage and Heavy Equipment Repair	200W	T Plant Zone		CHG	TOC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
604	2713WC	Pesticide Washwater Recovery Facility	200W	T Plant Zone		FH	MSC	O&M
605	2714A	Dry Chemical Warehouse	200E	PUREX Zone		FH	PRC	Disposition
606	2714S	Contaminated Equipment Maintenance	200W	S/U Farm Zone		CHG	TOC	O&M
607	2715AW	Tank Farm Storage / Staging Facility	200E	PUREX Zone		CHG	TOC	O&M
608	2715B	Paint Storage Building	200E	B Plant Zone		FH	PRC	Disposition
609	2715EC	Paint Shop	200E	200-E Admin Zone		FH	MSC	O&M
610	2715ED	Paint Storage Facility	200E	200-E Admin Zone		FH	MSC	O&M
611	2715M	Paint Storage Building	200E	200-E Admin Zone		FH	PRC	Disposition
612	2715S	Oil Storage Building	200W	200-W Ponds Zone		FH	PRC	Disposition
613	2715T	CAM Shop	200W	T Plant Zone		FH	PRC	O&M
614	2715WA	Tank Farm Storage and Staging Facility	200W	WM Zone		CHG	TOC	O&M
615	2715Z	Oil & Solvent Storage Building	200W	PFP Zone		FH	PRC	Disposition
616	2715ZL	Oil Storage Building	200W	PFP Zone		FH	PRC	O&M
617	2716B	RM Checkout Station, RR Tunnel	200E	B Plant Zone		FH	PRC	Disposition
618	2716E	Power Maintenance Storage Building	200E	200-E Admin Zone		FH	PRC	Disposition
619	2716S	Laboratory Storage	200W	REDOX Zone		CHG	TOC	O&M
620	2716T	RM Checkout Station Near Tunnel	200W	T Plant Zone		FH	PRC	O&M
621	2718E	Critical Mass Laboratory Fissile Storage Building	200E	Semi-Works Zone		FH	PRC	Transition
622	2718S	Sand Filter Sampler Monitoring Station	200W	REDOX Zone		FH	PRC	Disposition
623	2719EA	Transportation Services	200E	200-E Admin Zone		FH	MSC	O&M
624	2719WB	Modular First Aid Station	200W	T Plant Zone		FH	MSC	O&M
625	271AB	PUREX Maintenance Support Facility	200E	PUREX Zone		FH	PRC	Disposition
626	271B	B Plant Support Building	200E	B Plant Zone		FH	PRC	Disposition
627	271BA	Laundry Storage Bldg	200E	B Plant Zone		FH	PRC	Disposition
628	271CR	Service and Office Building	200E	C Farm Zone		CHG	TOC	O&M
629	271T	Office/Main Building	200W	T Plant Zone		FH	PRC	O&M
630	271U	U Plant Admin Bldg	200W	U Plant Zone		FH	PRC	Disposition
631	2721E	Patrol Headquarters (Central Alarm Facility)	200E	200-E Admin Zone		FH	MSC	O&M
632	2721EA	Fire Systems Maintenance North	200E	200-E Admin Zone		FH	MSC	O&M
633	2721Z	Emergency Generator Service Building	200W	PFP Zone	Cx	FH	PRC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
634	2722W	Welding Laboratory Building	200W	T Plant Zone	D	FH	PRC	Disposition
635	2723W	Mask Laundry and Office Building	200W	T Plant Zone	D	FH	PRC	Disposition
636	2724A	Rad Monitoring & Protective Clothing Bldg	200E	WTP/A Farm	C	CHG	TOC	Transition
637	2724AB	Rad Monitoring & Protective Clothing Bldg	200E	WTP/A Farm	C	CHG	TOC	Transition
638	2724AY	Rad Monitoring & Protective Clothing Bldg	200E	WTP/A Farm	C	CHG	TOC	Transition
639	2724AZ	Rad Monitoring & Protective Clothing Bldg	200E	WTP/A Farm	C	CHG	TOC	Transition
640	2724B	Rad Monitoring & Protective Clothing Bldg	200E	B Farm Zone	C	CHG	TOC	Transition
641	2724BX	Rad Monitoring & Protective Clothing Bldg	200E	B Farm Zone	C	CHG	TOC	Transition
642	2724BY	Rad Monitoring & Protective Clothing Bldg	200E	B Farm Zone	C	CHG	TOC	Transition
643	2724BYA	Rad Monitoring & Protective Clothing Bldg	200E	B Farm Zone	C	CHG	TOC	Transition
644	2724CA	Rad Monitoring & Protective Clothing Bldg	200E	C Farm Zone	B	CHG	TOC	Transition
645	2724SX	Rad Monitoring & Protective Clothing Bldg	200W	S/U Farm Zone	C	CHG	TOC	Transition
646	2724SY	Rad Monitoring & Protective Clothing Bldg	200W	S/U Farm Zone	C	CHG	TOC	Transition
647	2724T	Rad Monitoring & Protective Clothing Bldg	200W	T Farm Zone	C	CHG	TOC	Transition
648	2724TX	Rad Monitoring & Protective Clothing Bldg	200W	T Farm Zone	C	CHG	TOC	Transition
649	2724TXA	Rad Monitoring & Protective Clothing Bldg	200W	T Farm Zone	C	CHG	TOC	Transition
650	2724TXB	Rad Monitoring & Protective Clothing Bldg	200W	T Farm Zone	C	CHG	TOC	Transition
651	2724U	Rad Monitoring & Protective Clothing Bldg	200W	S/U Farm Zone	C	CHG	TOC	Transition
652	2724WB	Storage Building	200W	T Plant Zone	C	FH	MSC	O&M
653	2726S	Propane Storage Yard	200W	REDOX Zone		FH	PRC	Disposition
654	2727E	Safeguards and Security Offices	200E	200-E Admin	D	FH	MSC	O&M

**ATTACHMENT J-13**  
**HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
655	2727W	Sodium Storage Building	200W	T Plant Zone	D	FH	PRC	O&M
656	2727WA	Sodium Storage Building	200W	T Plant Zone	D	CHG	TOC	O&M
657	2727Z	Supply Storage Building	200W	PFP Zone	Cx	FH	PRC	O&M
658	2728W	Dimensional Inspection Building	200W	T Plant Zone	D	FH	PRC	Transition
659	2729Z	Storage Building	200W	PFP Zone	Cx	FH	PRC	O&M
660	272AW	Tank Farm Operations Support Facility	200E	WTP/A Farm	D	CHG	TOC	O&M
661	272B	Electrical Maintenance Shop	200E	B Plant Zone	D	CHPRC	PRC	O&M
662	272BA	Dry Material Storage Building	200E	B Plant Zone	D	CHPRC	PRC	O&M
663	272BB	Insulation Shop	200E	B Plant Zone	D	CHPRC	PRC	O&M
664	272E	Fabrication, Mockup Shop Building	200E	200-E Admin	D	FH	PRC	Disposition
665	272EA	SWP Change Shelters - Two	200E	WTP/A Farm	D	CHG	TOC	O&M
666	272HV	CSB Change Room Facility & Office Bldg	200E	CSB Zone	D	FH	PRC	O&M
667	272S	Maintenance Shop	200W	200-W Ponds	D	CHG	TOC	O&M
668	272W	Machine Shop Building	200W	T Plant Zone	D	CHPRC	PRC	Post Closure
669	272WA	Tank Farm Support Facility	200W	WM Zone	D	CHG	TOC	O&M
670	272W-BA	272W Boiler Annex	200W	T Plant Zone	D	JCI	JCI	O&M
671	2731Z	PR Can Storage Building	200W	PFP Zone	Cx	FH	PRC	Post Closure
672	2731ZA	Container Storage Building	200W	PFP Zone	Cx	FH	PRC	O&M
673	2734EA	Gas Cylinder Storage Building	200E	200-E Admin Zone		FH	PRC	Disposition
674	2734S	Liquid Nitrogen Storage Facility	200W	REDOX Zone	D	CHG	TOC	O&M
675	2734SX	Gas Cylinder Storage Enclosure	200W	S/U Farm Zone		CHG	TOC	Disposition
676	2734Z	Gas Cylinder Storage Building	200W	PFP Zone		FH	PRC	Disposition
677	2734ZA	Gas Storage	200W	PFP Zone	Cx	FH	PRC	Transition
678	2734ZB	Gas Storage	200W	PFP Zone	Cx	FH	PRC	Transition
679	2734ZC	Gas Storage	200W	PFP Zone	Cx	FH	PRC	Disposition
680	2734ZD	Process Gas Storage	200W	PFP Zone	Cx	FH	PRC	Transition
681	2734ZF	Gas Storage	200W	PFP Zone	Cx	FH	PRC	Post Closure
682	2734ZG	Gas Storage	200W	PFP Zone	Cx	FH	PRC	Post Closure
683	2734ZH	Gas Storage	200W	PFP Zone	X	FH	PRC	Post Closure
684	2734ZJ	Liquid Nitrogen Storage Pad & Tank	200W	PFP Zone	Cx	FH	PRC	Transition
685	2734ZK	Gas Cylinder Storage	200W	PFP Zone	Cx	FH	PRC	Transition
686	2734ZL	Hydrogen Fluoride Facility	200W	PFP Zone	Cx	FH	PRC	Transition
687	2735Z	Chemical Storage Tanks and Catch Basin	200W	PFP Zone	Cx	FH	PRC	Transition
688	2736Z	Plutonium Storage Building	200W	PFP Zone	Cx	FH	PRC	O&M

**ATTACHMENT J-13**  
**HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
689	2736ZA	Plutonium Storage Ventilation Structure	200W	PFP Zone	Bx	FH	PRC	O&M
690	2736ZB	Plutonium Storage Support Facility	200W	PFP Zone	Bx	FH	PRC	O&M
691	2736ZC	Cargo Restraint Transport Dock	200W	PFP Zone	Cx	FH	PRC	Transition
692	2736ZD	Fuel Storage Cask Structure	200W	PFP Zone	Cx	FH	PRC	O&M
693	273E	Material Storage Building	200E	200-E Admin 2	D	FH	MSC	O&M
694	273EA	Storage Yard/Pad	200E	200-E Admin 2	X	CHG	TOC	O&M
695	273W	Material Storage	200W	T Plant Zone	D	FH	PRC	O&M
696	2740W	WRAP Office Building	200W	WM Zone	D	FH	PRC	O&M
697	274AW	Office Building	200E	PUREX Zone	D	CHG	TOC	O&M
698	274E	Landlord and Maintenance Shop	200E	200-E Admin 2	D	FH	MSC	O&M
699	2750E	Office Building	200E	200-E Admin 2	D	CHG	TOC	O&M
700	2751E	Office Building	200E	200-E Admin 2	D	FH	MSC	O&M
701	2752E	Office Building	200E	200-E Admin 2	D	CHG	TOC	O&M
702	2753E	Office Building	200E	200-E Admin 2	D	FH	PRC	O&M
703	2754W	200W Hanford Patrol Center	200W	T Plant Zone	D	FH	MSC	O&M
704	275E	Carpenter Shop Building	200E	200-E Admin 2	D	FH	PRC	O&M
705	275EA	Warehouse Essential Materials	200E	PUREX Zone	D	FH	PRC	Disposition
706	275E-BA	275E Boiler Annex	200E	200-E Admin 2	D	FH	MSC	O&M
707	275W	Heavy Equipment Shop	200W	T Plant Zone	D	FH	MSC	O&M
708	276A	Cold Solvent Storage Building, R Cell	200E	PUREX Zone	B	FH	PRC	Disposition
709	276B	Paint Shop	200E	B Plant Zone	C	FH	PRC	Disposition
710	276C	Solvent Handling Bldg	200E	Semi-Works 2	C	FH	PRC	Disposition
711	276S	Cold Solvent Storage & Makeup Building	200W	REDOX Zone	C	FH	PRC	Disposition
712	276S141	Hexone Storage Tank-Underground	200W	REDOX Zone		FH	PRC	Disposition
713	276S142	Hexone Storage Tank-Underground	200W	REDOX Zone		FH	PRC	Disposition
714	276U	Solvent Recovery Tanks	200W	U Plant Zone	Cx	FH	PRC	Disposition
715	277A	All-Craft Fabrication Shop	200E	PUREX Zone	D	CHG	TOC	O&M
716	277T	Blow Down Building	200W	T Plant Zone	D	FH	PRC	O&M
717	277W	Fabrication Shop	200W	T Plant Zone	D	FH	PRC	O&M
718	278AW	Tank Farm Document Control Center	200E	PUREX Zone	D	CHG	TOC	O&M
719	278WA	Tank Farm Document Control Center	200W	WM Zone	D	CHPRC	PRC	O&M
720	279W	Sand Blasting Shop	200W	200-W Ponds Zone		CHG	TOC	O&M
721	281A	Backup Generator Facility	200E	PUREX Zone	D	FH	PRC	Disposition
722	282B	Water Pump House South	200E	B Plant Zone	D	CHPRC	PRC	O&M
723	282BA	Water Pump House North	200E	B Plant Zone	D	CHPRC	PRC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
724	282E	Pump House and Reservoir	200E	200-E Admin Zone	D	FH	MSC	O&M
725	282EA	Water Reservoir Inlet House, North	200E	200-E Admin Zone	D	FH	MSC	O&M
726	282EB	Water Reservoir Inlet House, South	200E	200-E Admin Zone	D	FH	MSC	O&M
727	282EC	EW Booster Southwest of Fire Pump House	200E	200-E Admin Zone	D	FH	MSC	O&M
728	282ED	Standby Generator	200E	200-E Admin Zone	D	FH	MSC	O&M
729	282W	Reservoir and Pump House	200W	T Plant Zone	D	FH	MSC	O&M
730	282WA	Water Inlet House	200W	T Plant Zone	D	FH	MSC	O&M
731	282WB	Water Plant Seepage & Settling Pond	200W	T Plant Zone	D	CHPRC	PRC	Disposition
732	282WC	EW Booster Southwest of Fire Pump House	200W	T Plant Zone	D	FH	MSC	O&M
733	282WD	Standby Generator	200W	T Plant Zone	D	FH	MSC	O&M
734	283E	Water Filtration Plant	200E	200-E Admin Zone	D	FH	MSC	O&M
735	283EA	Sanitary Water Tank	200E	200-E Admin Zone	D	FH	MSC	O&M
736	283E-BA	283E Building Boiler Annex	200E	200-E Admin Zone	D	JCI	JCI	O&M
737	283W	Water Filtration Plant	200W	T Plant Zone	D	FH	MSC	O&M
738	283WA	Sanitary Water Tank	200W	T Plant Zone	D	FH	MSC	O&M
739	283WB	Equalization Basin & Pump Station	200W	T Plant Zone	D	FH	MSC	O&M
740	283W-BA	283W Boiler Annex	200W	T Plant Zone	D	JCI	JCI	O&M
741	283WC	Solid Contact Clarifier Tank	200W	T Plant Zone	D	FH	MSC	O&M
742	283WD	Recycle Pump Station	200W	T Plant Zone	D	FH	MSC	O&M
743	283WE	Sludge Lagoons	200W	T Plant Zone	D	FH	MSC	O&M
744	283WF	Sample Building	200W	T Plant Zone	D	FH	MSC	O&M
745	284E	Power House & Steam Plant	200E	200-E Admin Zone	D	FH	PRC	Disposition
746	284EA	Salt Brine Storage Tank (Fiberglass)	200E	200-E Admin Zone		FH	PRC	Transition
747	284EB	Power House Filtration Building	200E	200-E Admin Zone		FH	PRC	Disposition
748	284W	Power House & Steam Plant	200W	T Plant Zone	D	FH	PRC	Disposition
749	284WB	Package Boiler Plant (200W)	200W	T Plant Zone	D	FH	PRC	Disposition
750	285W	Backflow Prevention Building	200W	WM Zone	D	CHPRC	PRC	O&M
751	286W	RMW Backflow Preventer Bldg	200W	WM Zone	D	CHPRC	PRC	O&M
752	287W	Reduced Pressure Backflow Assembly No. 2	200W	T Plant Zone	D	FH	MSC	O&M
753	289W	Reduced Pressure Backflow Assembly No 1	200W	PFP Zone	D	FH	MSC	O&M
754	2901A	Elevated Water Storage Tank-PUREX	200E	PUREX Zone		FH	PRC	Disposition
	2901R	Valve Pit	600	200-E Ponds Zone		FH	MSC	O&M
755	2901S	Elevated Water Storage Tank-REDOX	200W	REDOX Zone	D	FH	Remove	Disposition

**ATTACHMENT J-13**  
**HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
756	2901SX1	Water Storage Tank	200W	S/U Farm Zone	D	CHG	PRC	Transition
757	2901SX2	Water Storage Tank	200W	S/U Farm Zone	D	CHG	PRC	Transition
758	2901T	Export Water Line Valve Vault	600			FH	MSC	O&M
759	2901U	Export Water Line Valve Vault	600			FH	MSC	O&M
760	2901W	Export Water Line Valve Vault	600		D	FH	MSC	O&M
761	2901X	Export Water Line Valve House	600			FH	MSC	O&M
762	2901Y	Export Water Line Valve House	600			FH	MSC	O&M
763	2901Z	Export Water Line Valve House	600			FH	MSC	O&M
764	2902B	Elevated Water Storage Tank-B Plant	200E	B Plant Zone		FH	PRC	Disposition
765	2902E	200E Elevated Water Storage Tank	200E	200-E Admin Zone		FH	PRC	Disposition
766	2902HV80	Fire Water Storage Tank	200E	200-E Admin Zone	D	CHPRC	PRC	O&M
767	2902HV82	Fire Water Pump House	200E	200-E Admin Zone	D	CHPRC	PRC	O&M
768	2902HV83	RWX/SWX Manifold Shelter	200E	CSB Zone	D	CHPRC	PRC	O&M
769	2902W	200W Elevated Water Storage Tank	200W	T Plant Zone		FH	Remove	Disposition
770	2904AR	Sample Monitor Building	200E	PUREX Zone		CHG	TOC	O&M
771	2904S160	Control Structure	200W	200-W Ponds Zone		FH	PRC	O&M
772	2904S170	Weir Structure	200W	REDOX Zone		FH	PRC	O&M
773	2904S171	Weir Control Structure	200W	200-W Ponds Zone		FH	PRC	O&M
774	2904S172	Weir Control Structure	200W	200-W Ponds Zone		FH	PRC	O&M
775	2904SA	Cooling Water Sampling Bldg	200W	REDOX Zone	D	FH	PRC	Disposition
776	2904ZA	Liquid Effluent Monitoring Station	200W	PFP Zone	X	FH	PRC	Post Closure
777	2904ZB	Monitoring Building	200W	PFP Zone	X	FH	PRC	Post Closure
778	291A	Exhaust Fan Control House, Air Filter #1 & Plenums	200E	PUREX Zone		FH	PRC	Disposition
779	291A001	Stack, 202A Main	200E	PUREX Zone	B	FH	PRC	Disposition
780	291AA	Filter Cell #3	200E	PUREX Zone	B	FH	PRC	Disposition
781	291AB	Exhaust Air Sampler House #1	200E	PUREX Zone	C	FH	PRC	Disposition
782	291AC	Exhaust Air Sampler House #2	200E	PUREX Zone	C	FH	PRC	Disposition
783	291AD	Filter Pit and Stack	200E	PUREX Zone	B	FH	PRC	Disposition
784	291AE	Filter Cell #4	200E	PUREX Zone	C	FH	PRC	Disposition
785	291AF	#2 Filter and Drain Tank	200E	PUREX Zone		FH	PRC	Disposition
786	291AG	Sample Station #2	200E	PUREX Zone	B	FH	PRC	Disposition
787	291AH	AOG Sample Station	200E	PUREX Zone	B	FH	PRC	Disposition
788	291AJ	Sample Station #3	200E	PUREX Zone	B	FH	PRC	Disposition
789	291AK	Tunnel Spray Enclosure with (2) Caissons	200E	PUREX Zone	C	FH	PRC	Disposition
790	291AR	Exhaust Air Filter Stack Bldg	200E	PUREX Zone	B	CHG	TOC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
791	291B	Exhaust Fan Control House & Sand Filter	200E	B Plant Zone		FH	PRC	Disposition
792	291B001	Stack, 221B Main	200E	B Plant Zone	B	FH	PRC	Disposition
793	291BA	Exhaust Air Sample House	200E	B Plant Zone	C	FH	PRC	Disposition
794	291BB	Instrument Bldg - A & B Filters	200E	B Plant Zone	C	FH	PRC	Disposition
795	291BC	A & B Filters & C & D Filter Access Control Bldg	200E	B Plant Zone	B	FH	PRC	Disposition
796	291BD	C Filter and Instrument Bldg	200E	B Plant Zone	B	FH	PRC	Disposition
797	291BF	D Filter	200E	B Plant Zone	B	FH	PRC	Disposition
798	291BG	291BG Filter Vault & Instrument Bldg	200E	B Plant Zone	C	FH	PRC	Disposition
799	291BH	291BG Filter Plug Cover	200E	B Plant Zone	C	FH	PRC	Disposition
800	291BJ	B Plant Instrument Bldg - F Filter	200E	B Plant Zone	C	FH	PRC	Disposition
801	291BK	Instrument Bldg - E & F Filters	200E	B Plant Zone	C	FH	PRC	Disposition
802	291CR	244CR Vault Ventilation System	200E	C Farm Zone	R	CHG	TOC	Transition
803	291S	Exhaust Fan Control House, Sand Filter & Exhaust Plenums	200W	REDOX Zone		FH	PRC	Disposition
804	291S001	Stack (202S Main)	200W	REDOX Zone	B	FH	PRC	Disposition
805	291T	Exhaust Fan, Control House, Sand Filter and Plenum	200W	T Plant Zone		FH	PRC	O&M
806	291T001	Stack, 221T Main	200W	T Plant Zone		FH	PRC	Disposition
807	291U	Exhaust Fan Control House, Sand Filter, Blower Pit & Sample House	200W	U Plant Zone		FH	PRC	Disposition
808	291U001	Exhaust Air Stack (221 Main)	200W	U Plant Zone		FH	PRC	Disposition
809	291Z	Ventilation Exhaust Fan House	200W	PFP Zone		FH	PRC	O&M
810	291Z001	Main Exhaust Air Stack (234-5Z, 236Z, 242Z)	200W	PFP Zone		FH	PRC	O&M
811	292AA	PR Stack Sample House	200E	PUREX Zone		FH	PRC	Disposition
812	292AB	PUREX Gases Effluent Monitoring Bldg	200E	PUREX Zone		FH	PRC	Disposition
813	292AR	244AR Vent System Bldg & Vault	200E	PUREX Zone		CHG	TOC	O&M
814	292B	Stack Monitor Station	200E	B Plant Zone		FH	PRC	Disposition
815	292S	Jet Pit House	200W	REDOX Zone		FH	PRC	Disposition
816	292T	Building Laboratory	200W	T Plant Zone		FH	PRC	O&M
817	292U	Stack Monitoring Station	200W	U Plant Zone		FH	PRC	Disposition
818	293A	Off Gas Treatment Facility	200E	PUREX Zone		FH	PRC	Disposition
819	293S	Acid Recovery & Off Gas Treatment Facility	200W	REDOX Zone		FH	PRC	Disposition

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
820	294A	Off Gas Treatment and Monitoring Station	200E	PUREX Zone		FH	PRC	Disposition
821	294B	Backflow Preventer Building	200E	B Plant Zone		FH	PRC	O&M
822	295A	ASD Monitoring/Sample Station	200E	PUREX Zone		FH	PRC	Disposition
823	295AA	SCD Sample and Pumpout Station	200E	PUREX Zone		FH	PRC	Disposition
824	295AB	PDD Sample Station	200E	PUREX Zone		FH	PRC	Disposition
825	295AC	CSL Sample Station	200E	PUREX Zone		FH	PRC	Disposition
826	295AD	SWL Sample Station	200E	PUREX Zone		FH	PRC	Disposition
827	295AE	PDD Monitoring Bldg	200E	PUREX Zone		FH	PRC	Disposition
828	295AZ	ASD Monitoring/Sampling Caisson	200E	PUREX Zone		FH	PRC	Disposition
829	296A008	Stack, PUREX Plant Pipe, Operating Gallery, and White Room Exhaust	200E	PUREX Zone		FH	PRC	Disposition
830	296A010	Stack, Storage Tunnel No. 2	200E	PUREX Zone		FH	PRC	Transition
831	296A012	Stack, 244AR Vault Vessel Ventilation	200E	PUREX Zone		CHG	TOC	O&M
832	296A013	Stack, 244AR Vault Canyon/Cells Ventilation	200E	PUREX Zone		CHG	TOC	O&M
833	296A018	Stack, 241AY101 Tank Annulus Ventilation	200E	WTP/A Farm Zone		CHG	TOC	O&M
834	296A019	Stack, 241AY102 Tank Annulus Ventilation	200E	WTP/A Farm Zone		CHG	TOC	O&M
835	296A020	Stack, 241AZ Tank Annuli Exhaust	200E	WTP/A Farm Zone		CHG	TOC	O&M
836	296A021	Stack, 242A Evaporator Bldg Ventilation	200E	WTP/A Farm	R	CHG	TOC	O&M
837	296A022	Stack, 242A Evaporator Vessel Ventilation	200E	WTP/A Farm	R	CHG	TOC	O&M
838	296A027	AW Tank Farm Primary Tank Ventilation	200E	WTP/A Farm	R	CHG	TOC	O&M
839	296A028	Stack, AW Tank Farm Annulus Ventilation	200E	WTP/A Farm	R	CHG	TOC	O&M
840	296A029	Stack, AN Tank Farm Primary Tank Ventilation	200E	WTP/A Farm	R	CHG	TOC	O&M
841	296A030	Stack, AN Tank Farm Annulus Ventilation	200E	WTP/A Farm	R	CHG	TOC	O&M
842	296A040	Stack, AP Tank Farm Primary Tank Ventilation	200E	WTP/A Farm	R	CHG	TOC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
843	296A041	Stack, AP Tank Farm Annulus Ventilation	200E	WTP/A Farm	R	CHG	TOC	O&M
844	296A044	Stack, AN Tank Farm Exhauster	200E	WTP/A Farm	R	CHG	TOC	O&M
845	296A045	Stack, AN Tank Farm Exhauster	200E	WTP/A Farm	R	CHG	TOC	O&M
846	296B002	Filter Vault Passive Vent Stack	200E	B Plant Zone	C	FH	PRC	O&M
847	296B010	WESF Stack Exhaust	200E	B Plant Zone	B	FH	PRC	Disposition
848	296B013	Stack, 221BF Condensate Effluent Discharge Facility Ventilation	200E	B Plant Zone	C	FH	PRC	Disposition
849	296C005	244CR Vault Ventilation System Stack	200E	C Farm Zone	R	CHG	TOC	Transition
850	296C006	Exhaust Stack for Tank 241C106	200E	C Farm Zone		CHG	TOC	O&M
851	296C007	Exhaust Stack -Tank 241C103 Vapor Mix System	200E	C Farm Zone	R	CHG	TOC	O&M
852	296E001	Stack Effluent Treatment Exhaust (2025E)	200E	ETF Zone		FH	PRC	O&M
853	296G001	Stack, TGF (Grout) Air Filtration Module	200E	WTP/A Farm	R	CHG	PRC	Transition
854	296G1	TGE HVAC Exhaust Stack	200E	WTP/A Farm	R	CHG	PRC	Transition
855	296H212	Canister Storage Building Main Stack	200E	CSB Zone	D	FH	PRC	O&M
856	296K105	Air Sparging Vent 105KW Basin	100K			FH	PRC	Transition
857	296K142	Cold Vacuum Drying Facility Main Stack	100K			FH	PRC	O&M
858	296P017	Portable Exhauster For Tanks 241A104/105/106	200E	WTP/A Farm	R	CHG	TOC	O&M
859	296P022	Stack, 241SY Tank Farm Annulus Ventilation	200W	S/U Farm Zone	R	CHG	TOC	O&M
860	296P023	Stack, 241SY Tank Farm Primary Tank Ventilation	200W	S/U Farm Zone	R	CHG	TOC	O&M
861	296P026	Stack, 241AY/AZ Primary Tank Backup Vent, 296A17	200E	WTP/A Farm	R	CHG	TOC	O&M
862	296P028	Stack, 241SY Primary Tank Backup Vent, 296P23	200W	S/U Farm Zone	R	CHG	TOC	O&M
863	296S012	Stack	200W	REDOX Zone	C	FH	PRC	Disposition
864	296S015	Stack, 241SX107-112 & 241SX114 Ventilation	200W	S/U Farm Zone	R	CHG	TOC	Transition
865	296S016	Stack, 219S Bldg Vault & Waste Tanks Exhaust	200W	REDOX Zone	R	CHG	TOC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
866	296S018	Stack, 242S Evaporator Bldg Ventilation	200W	S/U Farm Zone	B	CHG	TOC	O&M
867	296S021	Stack, 222S Filter House Exhaust Stack	200W	REDOX Zone	B	CHG	TOC	O&M
868	296S25	Stack, 241SY Primary Ventilation System	200W	S/U Farm Zone	R	CHG	TOC	O&M
869	296Z003	Stack, 241Z Vault Sump Exhaust	200W	PFP Zone	Bx	FH	PRC	O&M
870	296Z015	Exhaust Stack for 243Z Building	200W	PFP Zone		FH	PRC	O&M
871	3020	Environmental Molecular Sciences Laboratory	300			PNNL	PNNL	O&M
872	306E-BA	Boiler Annex	300	300ACP Zone F		JCI	JCI	O&M
873	306W	Materials Development Laboratory	300	300ACP Zone F		WCH	RCCC	O&M
874	307	300 Area Process Sewer Retention Basins	300	300ACP Zone J		FH	PRC	O&M
875	308	Fuels Development Laboratory	300	300ACP Zone K		WCH	RCCC	O&M
876	308A	Fuels Development Laboratory	300	300ACP Zone K		WCH	RCCC	Disposition
877	309	Plutonium Recycle Test Reactor - Offices - Shop	300	300ACP Zone L		WCH	RCCC	O&M
878	310	Treated Effluent Disposal Facility	300			FH	PRC	O&M
879	310S	Drum Storage Area at 300 TEDF	300			FH	PRC	O&M
880	310T1	Equalization Tank T1-TEDF	300			FH	PRC	O&M
881	310T1A	Equalization Tank T1A at TEDF	300			FH	PRC	O&M
882	310T2	Diversion Tank T2 - TEDF	300			FH	PRC	O&M
883	310T3	Diversion Tank T3 - TEDF	300			FH	PRC	O&M
884	310T7A	Clarifier T7A - TEDF	300			FH	PRC	O&M
885	310T7B	Clarifier T7B - TEDF	300			FH	PRC	O&M
886	310V	Valve Vault TEDF	300			FH	PRC	O&M
887	312	River Pumping Station	300	300ACP Zone K		WCH	PNNL	O&M
888	3128	Gas Bottle Storage E of 328	300	300ACP Zone J		WCH	RCCC	Transition
889	315	Filter Water Plant Building	300	300ACP Zone K		WCH	RCCC	Transition
890	315A	Chlorinator/Injection Building	300	300ACP Zone K		WCH	RCCC	Transition
891	315B	Chlorine Storage Building	300	300ACP Zone K		WCH	RCCC	Transition
892	315C	Backwash Sedimentation Pond	300			WCH	RCCC	Transition
893	315D	Backwash Recycle Lift Station	300			WCH	RCCC	Transition

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
894	318	High Temperature Lattice Test Reactor (HTLTR) & Radiological Calibrations & Development Laboratory	300			PNNL	PNNL	O&M
895	318B	High Temperature Lattice Test Reactor (HTLTR) Stack	300			PNNL	PNNL	O&M
896	318-BA	318 Boiler Annex	300			JCI	JCI	O&M
897	318C	HTLTR Filter Pit & Underground Duct	300			PNNL	PNNL	O&M
898	320	Physical Sciences Laboratory	300			PNNL	PNNL	O&M
899	320-BA	320 Boiler Annex	300			JCI	JCI	O&M
900	321	Hydromechanical / Seismic Facility	300	300ACP Zone G		WCH	RCCC	Transition
901	321B	Hydromechanical / Seismic (Part of 321 Bldg)	300	300ACP Zone G		WCH	RCCC	Transition
902	321C	Core Pump Shelter (Part of 321 Bldg)	300	300ACP Zone G		WCH	RCCC	Transition
903	321D	Seismic Testing Facility	300	300ACP Zone G		WCH	RCCC	Transition
904	3220	Telephone Exchange Building	300			FH	MSC	O&M
905	323	Mechanical Properties Laboratory	300	300ACP Zone G		WCH	RCCC	O&M
906	323-BA	323 Boiler Annex	300	300ACP Zone G		JCI	JCI	O&M
907	324	Waste Technology Engineering Laboratory	300	300ACP Zone K		WCH	RCCC	Transition
908	324A	Chemical Engineering Bldg	300	300ACP Zone K		WCH	RCCC	Transition
909	324B	Chemical Engineering Lab Exhaust Stack	300	300ACP Zone K		WCH	RCCC	Transition
910	324-BA	Boiler Annex	300	300ACP Zone L		JCI	JCI	O&M
911	324C	Experimental Lithium Enclosure	300	300ACP Zone K		WCH	RCCC	O&M
912	324D	Exhaust Stack Sampling Building	300	300ACP Zone K		WCH	RCCC	Transition
913	324S	Concrete Basin	300	300ACP Zone K		WCH	RCCC	Transition
914	325	Radiochemical Processing Laboratory	300			PNNL	PNNL	O&M
915	325A	Cesium Recovery Facility	300			PNNL	PNNL	O&M
916	325B	Shielded Lab Annex	300			PNNL	PNNL	O&M
917	325-BA	Boiler Annex	300			JCI	JCI	O&M
918	325C	Maintenance Shop Addition	300			PNNL	PNNL	O&M
919	325D	Fluorine Gas Storage	300			PNNL	PNNL	O&M
920	325E	Fire Riser/Backflow Preventer Building	300			PNNL	PNNL	O&M
921	326	Material Science Laboratory	300			PNNL	RCCC	O&M
922	326-BA	326 Boiler Annex	300			JCI	JCI	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
923	327	Post-irradiation Testing Laboratory	300	300ACP Zone H		WCH	RCCC	Transition
924	327-BA	327 Boiler Annex	300	300ACP Zone H		JCI	JCI	O&M
925	328	Engineering Services & Safety Building	300	300ACP Zone H		WCH	RCCC	O&M
926	328A	Sheet Metal Shop	300	300ACP Zone H		WCH	RCCC	O&M
927	328-BA	328 Boiler Annex	300	300ACP Zone H		JCI	JCI	O&M
928	329	Chemical Sciences Laboratory	300			PNNL	RCCC	O&M
929	331	Life Sciences Laboratory	300			PNNL	RCCC	O&M
930	331-BA	331 Boiler Annex	300			JCI	JCI	O&M
931	331C	Animal Care Facility Storage Building	300			PNNL	RCCC	O&M
932	331D	Biomagnetic Effects Laboratory	300			PNNL	RCCC	O&M
933	331G	Interim Tissue Repository	300			PNNL	RCCC	O&M
934	331H	Aerosol Wind Tunnel Research Facility	300			PNNL	RCCC	O&M
935	332	Packaging Test Facility	300	300ACP Zone A		WCH	RCCC	O&M
936	335	Sodium Test Facility	300	300ACP Zone K		WCH	RCCC	O&M
937	336	High Bay Testing Facility	300	300ACP Zone K		PNNL	RCCC	O&M
938	337	Technical Management Center	300			WCH	RCCC	Transition
939	337B	337 Bldg High-Bay & Service Wing	300			WCH	RCCC	Transition
940	337-BA	337 Boiler Annex	300			JCI	JCI	O&M
941	338	Maintenance Building	300	300ACP Zone K		PNNL	RCCC	O&M
942	339A	Computer Facility	300			FH	MSC	O&M
943	340	Waste Neutralization Facility.	300	300ACP Zone J		FH	PRC	O&M
944	340A	Waste Retention Building	300	300ACP Zone J		FH	PRC	O&M
945	340B	Waste Loadout Building	300	300ACP Zone J		FH	PRC	O&M
946	342	Waste Collection Sump 1	300			FH	PRC	O&M
947	342A	300 TEDF Electrical / Instrumentation Building	300			FH	PRC	O&M
948	342B	Transformer Pad / Vault - TEDF	300			FH	PRC	O&M
949	342C	Generator Pad - TEDF Sump	300			FH	PRC	O&M
950	350	Plant Operations and Maintenance Facility	300			PNNL	RCCC	O&M
951	3503A	Electrical Cable Pit No. 2	300	300ACP Zone F		WCH	RCCC	O&M
952	3503B	Electrical Cable Pit No. 3	300	300ACP Zone H		WCH	RCCC	O&M
953	3506C	Telecommunications Hub	300			WCH	RCCC	O&M
954	3507	Microwave Tower and Building	300	300ACP Zone G		FH	MSC	O&M
955	350A	Paint Shop	300			PNNL	RCCC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
956	350B	Warehouse - Maintenance Materials	300			PNNL	RCCC	O&M
957	350C	Storage Building	300			PNNL	RCCC	O&M
958	350D	Oil Storage Facility	300			PNNL	RCCC	O&M
959	351	Substation, 115kV	300	300ACP Zone C		FH	RCCC	O&M
960	351A	Meter Testing and Switchgear Facility	300	300ACP Zone C		FH	RCCC	O&M
961	351B	Meter and Testing Building	300	300ACP Zone C		FH	RCCC	O&M
962	352E	Switch Station East Side	300			FH	RCCC	O&M
963	352F	Electrical Substation 13.8kV	300			FH	RCCC	O&M
964	361	CTBT Equipment Shelter	300			PNNL	RCCC	O&M
965	3614A	River Monitoring Station	300	300ACP Zone K		PNNL	RCCC	Transition
966	3621-66	Tank Petroleum (Diesel)	300			WCH	RCCC	Transition
967	3621BC	Emergency Generator Building	300	300ACP Zone H		WCH	RCCC	O&M
968	3621D	Emergency Generator Building & Shop	300			WCH	RCCC	O&M
969	3705-BA	3705 Boiler Annex	300	300ACP Zone D		JCI	JCI	Transition
970	3706	Communication and Documentation Services Bldg	300	300ACP Zone G		WCH	RCCC	Transition
971	3706A	Ventilation Equipment Room for 3706 Bldg	300	300ACP Zone G		WCH	RCCC	Disposition
972	3706-BA	3706 Boiler Annex	300	300ACP Zone E		JCI	JCI	Transition
973	3707F	Radiation Monitoring Bldg	300	300ACP Zone J		FH	PRC	O&M
974	3707H	Change House	300	300ACP Zone F		WCH	RCCC	Disposition
975	3709	Paint Shop	300	300ACP Zone G		WCH	RCCC	O&M
976	3709A	Fire Station	300			FH	MSC	O&M
977	3709B	Fire Equipment Storage	300			FH	MSC	O&M
978	3714	Soil & Cement Laboratory	300	300ACP Zone H		WCH	RCCC	Disposition
979	3717C	Materials Archive Building	300	300ACP Zone J		WCH	RCCC	Transition
980	3718	Office & Storage Building	300	300ACP Zone J		JCI	JCI	O&M
981	3718A	Laboratory Equipment Central Pool Bldg	300	300ACP Zone J		WCH	RCCC	Transition
982	3718B	Laboratory Equipment Central Pool Bldg	300	300ACP Zone J		WCH	RCCC	Transition
983	3718C	Storage Building	300	300ACP Zone J		WCH	RCCC	O&M
984	3718E	Laboratory Equipment Central Pool Storage Bldg	300	300ACP Zone J		WCH	RCCC	Transition
985	3718G	Laboratory Equipment Central Pool Storage Bldg	300	300ACP Zone J		WCH	RCCC	Transition

**ATTACHMENT J-13**  
**HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
986	3718M	Sodium Storage Facility	300			WCH	RCCC	Transition
987	3718N	Insulation Shop	300	300ACP Zone J		WCH	RCCC	O&M
988	3718P	Storage Building - Environmental	300	300ACP Zone K		PNNL	RCCC	O&M
989	3718S	Laboratory Equipment Central Pool	300	300ACP Zone G		WCH	RCCC	Transition
990	3719	Computer Facility	300	300ACP Zone D		WCH	RCCC	O&M
991	3720	Environmental Sciences Laboratory	300	300ACP Zone B		WCH	RCCC	Transition
992	3720-BA	3720 Boiler Annex	300	300ACP Zone B		JCI	JCI	O&M
993	3721	Classified Shredder Facility	300	300ACP Zone J		WCH	RCCC	O&M
994	3723	Solvent / Acid Storage	300	300ACP Zone H		WCH	RCCC	Transition
995	3727	Classified Vault	300	300ACP Zone J		WCH	RCCC	Disposition
996	3728	Geotechnical Highbay	300	300ACP Zone J		WCH	RCCC	O&M
997	3730	Gamma Irradiation Facility	300	300ACP Zone G		PNNL	RCCC	O&M
998	3731	Laboratory Equipment Central Pool	300	300ACP Zone F		WCH	RCCC	Transition
999	3731A	Graphite Machine Shop	300	300ACP Zone F		WCH	RCCC	Transition
1000	3745	Radiological Calibrations and Standards	300	300ACP Zone G		WCH	RCCC	Transition
1001	3745A	Electron Accelerator Facility	300	300ACP Zone G		WCH	RCCC	Disposition
1002	3745B	Positive Ion Accelerator Facility	300	300ACP Zone G		WCH	RCCC	Transition
1003	3746	Irradiation Physics Building	300	300ACP Zone G		WCH	RCCC	Transition
1004	3746A	Radiological Physics Lab	300	300ACP Zone G		WCH	RCCC	Transition
1005	3760	Technical Library	300	300ACP Zone G		PNNL	RCCC	O&M
1006	3766	Office Building	300			WCH	RCCC	Transition
1007	3790	Security Office Building	300			FH	MSC	O&M
1008	3802A	Steam PRV Station	300	300ACP Zone L		WCH	RCCC	Transition
1009	382	Pump House Building	300	300ACP Zone H		WCH	RCCC	O&M
1010	382B	Fire Pump Station	300	300ACP Zone H		WCH	RCCC	O&M
1011	382-BA	382 Boiler Annex	300	300ACP Zone H		JCI	JCI	O&M
1012	382C	Sanitary Water Storage Tank	300	300ACP Zone H		WCH	RCCC	O&M
1013	382D	Sanitary Water Storage Tank	300	300ACP Zone H		WCH	RCCC	O&M
1014	384	Powerhouse Building	300	300ACP Zone F		WCH	RCCC	Transition
1015	3906	Process Sewer Lift Station	300			FH	PRC	O&M
1016	3906A	Sanitary Sewer Lift Station #1	300	300ACP Zone A		WCH	RCCC	O&M
1017	3906B	Sanitary Sewer Lift Station #2	300	300ACP Zone K		WCH	RCCC	O&M
1018	3906C	Sanitary Sewer Monitoring Station	300			WCH	RCCC	O&M
1019	402	Sodium Storage Facility	400	FFTF Zone		FH	PRC	O&M
1020	403	Fuel Storage Facility	400	FFTF Zone		FH	PRC	Transition
1021	405	FFTF Reactor Containment Building	400	FFTF Zone		FH	PRC	Transition

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1022	408A	Main Heat Dump, East	400	FFTF Zone		FH	PRC	Transition
1023	408B	Main Heat Dump, South	400	FFTF Zone		FH	PRC	Transition
1024	408C	Main Heat Dump, West	400	FFTF Zone		FH	PRC	Transition
1025	409A	Closed Loop Heat Dump, East #1	400	FFTF Zone		FH	PRC	Transition
1026	409B	Closed Loop Heat Dump, East #2	400	FFTF Zone		FH	PRC	Transition
1027	4220	Telephone Exchange Bldg	400	FFTF Zone		FH	MSC	O&M
1028	4221	HLAN Fiber Hub	400	FFTF Zone		FH	MSC	O&M
1029	427	Fuels and Materials Examination Facility (FMEF)	400	FFTF Zone		FH	PRC	Transition
1030	427A	Argon / Hydrogen Mixing Bldg	400	FFTF Zone		FH	PRC	Transition
1031	432A	ISA Covered Equipment Storage	400	FFTF Zone		FH	PRC	O&M
1032	436	Training Facility	400	FFTF Zone		FH	PRC	O&M
1033	437	Maintenance & Storage Facility (MASF)	400	FFTF Zone		FH	PRC	O&M
1034	440	90-day Covered Storage Pad	400	FFTF Zone		FH	PRC	O&M
1035	451A	FFTF Substation, 115/13.8kV	400	FFTF Zone		FH	MSC	O&M
1036	451B	FFTF Substation, 115/13.8kV	400	FFTF Zone		FH	MSC	O&M
1037	453A	Transformer Station, East DHX A1 2.4kV	400	FFTF Zone		FH	PRC	Transition
1038	453B	Transformer Station, South DHX A2 2.4kV	400	FFTF Zone		FH	PRC	Transition
1039	453C	Transformer Station, West DHX A3 2.4kV	400	FFTF Zone		FH	PRC	Transition
1040	4607	Septic Tank (60,000 gal)	400	FFTF Zone		FH	PRC	Disposition
1041	4608B	Control Structure & Process Sewer Sampling Station	400	FFTF Zone		FH	PRC	O&M
1042	4621E	Auxiliary Equipment Building, East	400	FFTF Zone		FH	PRC	Transition
1043	4621W	Auxiliary Equipment Building, West	400	FFTF Zone		FH	PRC	Transition
1044	4701A	Guard Station, Kentucky Blvd	400	FFTF Zone		FH	PRC	O&M
1045	4701B	Former Guard Station, Grant Ave	400	FFTF Zone		WCH	RCCC	Transition
1046	4701C	FMEF Gate Bldg, Hayes Street	400	FFTF Zone		WCH	RCCC	Transition
1047	4702	Office Building	400	FFTF Zone		WCH	RCCC	Transition
1048	4703	FFTF Control Building	400	FFTF Zone		FH	PRC	Transition
1049	4704N	Security Maintenance Shop	400	FFTF Zone		FH	MSC	O&M
1050	4704S	400 Area Fire Station	400	FFTF Zone		FH	MSC	O&M
1051	4706	Office Building	400	FFTF Zone		WCH	RCCC	Transition
1052	4707	400 Area Site Support Office	400	FFTF Zone		FH	MSC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1053	4710	FFTF Office Bldg	400	FFTF Zone		FH	PRC	O&M
1054	4713A	Riggers & Drivers Operations Facility	400	FFTF Zone		FH	PRC	O&M
1055	4713B	FFTF Maintenance Shop	400	FFTF Zone		FH	PRC	O&M
1056	4713C	Contaminated Storage Warehouse	400	FFTF Zone		FH	PRC	O&M
1057	4713D	Interim Maintenance and Storage Facility	400	FFTF Zone		FH	PRC	O&M
1058	4716	FFTF Rigging Loft	400	FFTF Zone		FH	PRC	Transition
1059	4717	Reactor Service Building	400	FFTF Zone		FH	PRC	Transition
1060	4718	400 Area Interim Storage Area Pad	400	FFTF Zone		FH	PRC	O&M
1061	4719	Patrol Annex	400	FFTF Zone		WCH	RCCC	O&M
1062	4721	FFTF Emergency Generator Building	400	FFTF Zone		FH	PRC	Transition
1063	4722B	Riggers Shop	400	FFTF Zone		WCH	RCCC	O&M
1064	4722C	Painters Shop	400	FFTF Zone		FH	MSC	O&M
1065	4726	Riggers Supply Storage Bldg	400	FFTF Zone		WCH	RCCC	O&M
1066	4727	Maintenance Flammable Storage Building	400	FFTF Zone		WCH	RCCC	O&M
1067	4732A	Warehouse	400	FFTF Zone		FH	MSC	O&M
1068	4732B	Warehouse	400	FFTF Zone		WCH	RCCC	O&M
1069	4732C	Warehouse	400	FFTF Zone		FH	MSC	O&M
1070	4734A	FFTF Argon/Nitrogen DEWAR Pad	400	FFTF Zone		FH	PRC	Transition
1071	4734B	Recycle Center	400	FFTF Zone		FH	MSC	O&M
1072	4734C	Vehicle Maintenance Shop	400	FFTF Zone		FH	MSC	O&M
1073	4734D	Warehouse	400	FFTF Zone		WCH	RCCC	O&M
1074	4760	Construction Shop	400	FFTF Zone		WCH	RCCC	O&M
1075	4790	Patrol Headquarters Building	400	FFTF Zone		WCH	RCCC	O&M
1076	4790A	Microwave Tower Storage	400	FFTF Zone		FH	MSC	O&M
1077	4791TC	Warehouse (General Storage)	400	FFTF Zone		WCH	RCCC	O&M
1078	4802	Office / Warehouse	400	FFTF Zone		WCH	RCCC	O&M
1079	480A	Water Supply Well House (P-14)	400	FFTF Zone		FH	PRC	O&M
1080	480B	Water Supply Well House (P-15)	400	FFTF Zone		FH	PRC	O&M
1081	480D	Water Supply Well House (P-16)	400	FFTF Zone		FH	PRC	O&M
1082	481	Water Pump House	400	FFTF Zone		FH	PRC	O&M
1083	4814	Warehouse	400	FFTF Zone		WCH	RCCC	O&M
1084	481A	Water Pump House	400	FFTF Zone		FH	PRC	O&M
1085	482A	Water Storage Tank (T-58)	400	FFTF Zone		FH	PRC	O&M
1086	482B	Water Storage Tank (T-87)	400	FFTF Zone		FH	PRC	O&M
1087	482C	Water Storage Tank (T-330)	400	FFTF Zone		FH	PRC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1088	483	Cooling Towers Chemical Addition Bldg	400	FFTF Zone		FH	PRC	Transition
1089	4831	Flammable Storage	400	FFTF Zone		WCH	RCCC	O&M
1090	483A	FMEF Cooling Tower	400	FFTF Zone		FH	PRC	O&M
1091	483B	FMEF Water Treatment Building	400	FFTF Zone		FH	PRC	O&M
1092	484	FFTF In-Containment Chiller Water Equipment Bldg	400	FFTF Zone		FH	PRC	Transition
1093	4842A	451B Electrical Substation - Switchgear	400	FFTF Zone		FH	MSC	O&M
1094	4842B	Switchgear Bldg for Pump Houses	400	FFTF Zone		FH	PRC	O&M
1095	4843	Interim Solid Sanitary Waste Transfer Facility	400	FFTF Zone		WCH	RCCC	O&M
1096	4852	Gas Bottle Storage-FMEF	400	FFTF Zone		FH	PRC	O&M
1097	4862	FMEF Office Wing	400	FFTF Zone		FH	PRC	O&M
1098	491E	HTS Service Building, East	400	FFTF Zone		FH	PRC	Transition
1099	491S	HTS Service Building, South	400	FFTF Zone		FH	PRC	Transition
1100	491W	HTS Service Building, West	400	FFTF Zone		FH	PRC	Transition
1101	506B	Telephone Storage Building	600	ERDF Zone		CHPRC	PRC	Disposition
1102	506BA	Telecommunications Facility North	600	ERDF Zone		FH	MSC	O&M
1103	6004KW	100KW Pump and Treat Process Facility	600			FH	PRC	O&M
1104	600G	Central Landfill Lysimeter	600	NRDWL/BC Zone		PNNL	PNNL	Disposition
1105	6010	Emergency Vehicle Operations Course (EVOC)	600			FH	MSC	O&M
1106	604A	Yakima Barricade Patrol Sentry House	600			FH	MSC	O&M
1107	607	Storage Shed	600	ERDF Zone		FH	Delete	Post Closure
1108	609	Central Fire Station - 100 Areas	600			FH	MSC	O&M
1109	6091	HAMMER - Administration Building	600			FH	MSC	O&M
1110	6092	HAMMER - Training Support Building	600			FH	MSC	O&M
1111	6092A	HAMMER - Training Tower Structure	600			FH	MSC	O&M
1112	6092B	HAMMER - Burn Structure Prop	600			FH	MSC	O&M
1113	6092C	HAMMER - HAZMAT Pad	600			FH	MSC	O&M
1114	6092D	HAMMER - Pipeline Pad	600			FH	MSC	O&M
1115	6092E	HAMMER - 90 Day Storage Pad	600			FH	MSC	O&M
1116	6092F	HAMMER - LPG Burn Pad	600			FH	MSC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1117	6092G	HAMMER - Flammable Liquid Burn Pad	600			FH	MSC	O&M
1118	6092H	HAMMER - Comfort Station	600			FH	MSC	O&M
1119	6092I	HAMMER - Pump House	600			FH	MSC	O&M
1120	6092J	HAMMER - Confined Space/Fall Protection Pad	600			FH	MSC	O&M
1121	6092K	HAMMER - Waste Tank Prop	600			FH	MSC	O&M
1122	6092L	HAMMER - Tanks Prop Pad	600			FH	MSC	O&M
1123	6092M	HAMMER - Rail Tank Prop	600			FH	MSC	O&M
1124	6092N	HAMMER - LPG Gas Storage Pad	600			FH	MSC	O&M
1125	6092O	HAMMER - Rail/Truck Tank Burn Pad	600			FH	MSC	O&M
1126	6092P	HAMMER - SCBA Search & Rescue Training Pad	600			FH	MSC	O&M
1127	6092Q	HAMMER - Trench Prop	600			FH	MSC	O&M
1128	6092R	HAMMER - Crane & Rigging Training Pad	600			FH	MSC	O&M
1129	6092S	HAMMER - Dept of State Port of Entry Training Facility	600			FH	MSC	O&M
1130	6092U	HAMMER - Vehicle Burn Prop	600			FH	MSC	O&M
1131	6092V	HAMMER - Tactical Maze Training Bldg	600			FH	MSC	O&M
1132	6093	HAMMER - Storage Building	600			FH	MSC	O&M
1133	6094	HAMMER - Training Support Building (TSB) Annex	600			FH	MSC	O&M
1134	6095	Simulator Training Building	600			BNI	WTP	O&M
	6096	HAMMER - Volpentest Annex Building	600			FH	MSC	O&M
	6097	State Department Training Building	600			FH	MSC	O&M
	6098	Al Alm Storage Building	600			FH	MSC	O&M
1135	609A	Fire Station - 200 Areas	600	ERDF Zone		FH	MSC	O&M
1136	609D	Fire Department Training Tower	600	ERDF Zone		FH	MSC	O&M
1137	609G	Fire Alarm and Testing Office Facility	600	ERDF Zone		FH	MSC	O&M
1138	609H	Emergency Vehicle Storage Facility	600	ERDF Zone		FH	MSC	O&M
1139	609J	Breathing Air Facility	600	ERDF Zone		FH	MSC	O&M
1140	609K	Fire Station Storage Building	600	ERDF Zone		FH	MSC	O&M
1141	610	Office Chlorinator Storage Shelter Near 609 Bldg	600	ERDF Zone		FH	MSC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1142	611	Cold Test Facility Warehouse	600			CHG	TOC	O&M
	6120	Salt/Sand Shed	600	200-E Admin		FH	MSC	O&M
1143	613	Storage Shelter	600			FH	PRC	Transition
	6130	Salt/Sand Shed	600			FH	MSC	O&M
1144	614	Monitor Station	600			PNNL	PNNL	Transition
1145	614A1	Water Sampling Station	600			CHPRC	PRC	Transition
1146	614B1	Water Sampling Station	600			CHPRC	PRC	Transition
1147	616	Nonradioactive Dangerous Waste Storage Facility	600	ERDF Zone		CHG	TOC	O&M
1148	616A	State Approved Land Disposal Structure (SALDS)	600			FH	PRC	O&M
1149	620	Tank Waste Retrieval Pit & Caisson	600	ERDF Zone		CHG	TOC	O&M
1150	622	Meterology Tower	600	ERDF Zone		PNNL	PNNL	O&M
1151	6221NA	6221N Tower Building	600			PNNL	PNNL	O&M
1152	6223A	6223 Tower Building	600			PNNL	PNNL	O&M
1153	6224A	6224 Tower Building	600			WCH	WCH	O&M
1154	622A	Elevator Control Building	600	ERDF Zone		PNNL	PNNL	O&M
1155	622B	Pilot Balloon Release Building	600	ERDF Zone		PNNL	PNNL	O&M
1156	622C	Environmental Support Storage Building	600	ERDF Zone		PNNL	PNNL	O&M
1157	622D	Environmental Support Storage Building	600	ERDF Zone		FH	Delete	Post Closure
1158	622F	Environmental Support Field Office Bldg	600	ERDF Zone		FH	MSC	O&M
1159	622G	Atmosphere Science Annex	600	ERDF Zone		FH	Delete	Post Closure
1160	622R	Meteorology Lab	600	ERDF Zone		PNNL	PNNL	O&M
1161	622S	Field Lysimeter Test Facility (see notes)	600	ERDF Zone		PNNL	PNNL	Disposition
1162	623	Seismic Relay Building	600			CHPRC	PRC	Disposition
1163	6230A	B & C Dopplers At 622R Facility AKA 6232A	600	ERDF Zone		PNNL	PNNL	O&M
1164	623A	Plant Radio Relay Bldg (Top of Rattlesnake)	600			FH	MSC	O&M
1165	623B	Backup Radio Repeater Bldg, Gable Mountain	600			FH	MSC	O&M
1166	6241A	Diversion Box & Support Bldg	200W	U Plant Zone		CHG	TOC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1167	6241L	Leak Detection Pkg for 2E/2W X-Site Transfer Line	200E	B Plant Zone		CHG	TOC	O&M
1168	6241V	Vent Station & Support Bldg	600	ERDF Zone		CHG	TOC	O&M
1169	626	Scale House at ERDF	600	ERDF Zone		WCH	RCCC	O&M
1170	6265	Utility Building WSCF	600	ERDF Zone		FH	MSC	O&M
1171	6265A	WSC Covered Solid Waste Storage Pad	600	ERDF Zone		FH	MSC	O&M
1172	6266	Environmental Support Laboratory	600	ERDF Zone		FH	MSC	O&M
1173	6266A	Contaminated Liquid Waste Retention Vault	600	ERDF Zone		FH	MSC	O&M
1174	6266B	VAS Pump Bldg at WSCF	600	ERDF Zone		FH	MSC	O&M
1175	6267	WSCF Cold Sample Archiving Facility	600	ERDF Zone		FH	MSC	O&M
1176	6268	WSCF Sample Equipment Cleaning Facility	600	ERDF Zone		FH	MSC	O&M
1177	6269	WSCF Mobile Laboratory Storage Facility	600	ERDF Zone		FH	MSC	O&M
1178	6270	Envir Data Remedial Tracking System Facility at WSCF	600	ERDF Zone		FH	MSC	O&M
1179	6290	Rigging Services Facility	600	200-E Admin Zone		FH	MSC	O&M
1180	6291	Fueling Facility	600	200-E Admin Zone		FH	MSC	O&M
1181	6291-66	Petroleum Tank (Diesel)	200E	200-E Admin Zone		FH	MSC	O&M
1182	6291-66A	Petroleum Tank (Unleaded Gas)	200E	200-E Admin Zone		FH	MSC	O&M
	6291-66B	Petroleum Tank (E-85) at Fuel Station	600	200-E Admin		FH	MSC	O&M
1183	6292	Rigging Loft Storage Building South of 6290	600	200-E Admin Zone		FH	MSC	O&M
1184	6293	Crane & Rigging Change Room & Meeting Bldg	600	200-E Admin Zone		FH	MSC	O&M
	6294	Fuel Station Storage Building	600	200-E Admin		FH	MSC	O&M
1185	630	Plant Microwave Tower/Equipment Facility	600	200-E Ponds Zone		FH	MSC	O&M
	633	Range 5 Shoothouse	600			FH	MSC	O&M
1186	652	Sub-station / Riverland	600			FH	Delete	Post Closure
1187	6607-13	Septic Tank N37752, W55100	200E	200-E Admin Zone		FH	MSC	Transition
1188	6607-4	Septic Tank N40490, W62910	600	ERDF Zone		FH	MSC	O&M
1189	6607-8	Septic Tank N50667, W6556	600	200-E Ponds Zone		FH	MSC	O&M
1190	6618	Environmental Restoration Disposal Facility	600	ERDF Zone		WCH	RCCC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1191	6618A	ERDF North Crest Circuit Breaker Bldg	600	ERDF Zone		WCH	RCCC	O&M
1192	6618B	ERDF South Crest Circuit Breaker Bldg	600	ERDF Zone		WCH	RCCC	O&M
1193	6618C	ERDF Pump House - Leachate	600	ERDF Zone		WCH	RCCC	O&M
1194	6618E	Cell 3 Crest Pad Bldg	600	ERDF Zone		WCH	RCCC	O&M
1195	6618F	Cell 4 Crest Pad Bldg	600	ERDF Zone		WCH	RCCC	O&M
1196	6618G	Cell 5 Crest Pad Building	600	ERDF Zone		WCH	RCCC	O&M
1197	6618H	Cell 6 Crest Pad Building	600	ERDF Zone		WCH	RCCC	O&M
1198	661A	Target Range Control Building	600			FH	MSC	O&M
1199	662	Patrol Training Building	600			FH	MSC	O&M
1200	662A	Patrol Exercise & Training Facility	600			FH	MSC	O&M
	663	PTA Storage Facility	600			FH	MSC	O&M
	664	PTA Administration Building	600			FH	MSC	O&M
1201	6652C	Space Science Laboratory	600			FH	PRC	Disposition
1202	6652CSHED	Storage Building	600			FH	PRC	Disposition
1203	6652D	Pump House	600			FH	PRC	Disposition
1204	6652E	Garden Building	600			USF&W	USF&W	O&M
1205	6652G	ALE Field Storage Building	600			FH	PRC	Transition
1206	6652H	ALE Laboratory 1	600			FH	PRC	Transition
1207	6652I	ALE Headquarters	600			FH	PRC	Transition
1208	6652J	ALE Laboratory II	600			FH	PRC	Transition
1209	6652K	Pump House	600			USF&W	USF&W	Transition
1210	6652L	Gravitational Experiments Research Facility	600			FH	MSC	Transition
1211	6652M	Fallout Laboratory	600			FH	PRC	Transition
1212	6652O	Storage Building	600			USF&W	USF&W	O&M
1213	6652PH	Fire Protection Pump House	600			USF&W	USF&W	Transition
1214	6652R	Acid Storage Shed - Inactive	600			USF&W	USF&W	Transition
1215	6652T	Fire Protection Lower Pump House	600			FH	PRC	Disposition
1216	6652U	Rattlesnake Mountain Upper Pump House	600			FH	PRC	Disposition
1217	6653	Sample & Monitoring Building	600	200-E Ponds Zone		FH	PRC	O&M
1218	6653A	TEDF Pump Station #3	600	200-E Ponds Zone		FH	PRC	O&M
1219	6654	AT&T Wireless Services Equipment Shelter	600	ERDF Zone		AT&T	AT&T	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1220	668	Instrument Calibration Monitoring Station	600			CHPRC	PRC	Transition
	669	Armory Shop	600			FH	MSC	O&M
	669A	Portable Vault Building	600			FH	MSC	O&M
1221	6701	WYE Barricade Guard House	600			FH	MSC	O&M
1222	6701A	Guardhouse WYE Barricade	600			FH	MSC	O&M
1223	6701B	Rattlesnake Barricade SR240/Beloit Access	600			FH	MSC	O&M
1224	6701C	Rattlesnake Barricade off Highway 240	600			FH	MSC	O&M
1225	6701D	Rattlesnake Barricade Inspection Station	600			FH	MSC	O&M
	6701E	Vehicle Inspection at WYE Barricade	600			FH	MSC	O&M
	6701F	Vehicle Inspection at Rattlesnake Barricade	600			FH	MSC	O&M
1226	672	Cold Test Administrative Bldg	600			CHG	TOC	O&M
1227	674	Cold Test RPP Briefing Center	600			CHG	TOC	O&M
1228	676	Communications Support Building	600			FH	MSC	O&M
1229	682A	Storage Building	600			FH	MSC	O&M
1230	682B	Storage Building	600			FH	MSC	O&M
1231	682C	Storage Building	600			FH	MSC	O&M
1232	682D	Storage Building	600			FH	MSC	O&M
1233	682E	Storage Building	600			FH	MSC	O&M
1234	683	Control Room at Range #3	600			FH	MSC	O&M
	684	Range 2 Turning Target Control Booth	600			FH	MSC	O&M
1235	712	Records Center Printing and Reproduction Plant	700			FH	MSC	O&M
1236	712B	IRM Litigation Support Facility	700			FH	MSC	O&M
1237	7220	Telephone Exchange	700			FH	MSC	O&M
1238	C8S49	Main 221B Plant Substation	200E	B Plant Zone		FH	PRC	Disposition
1239	C8S77	291B Area Substation	200E	B Plant Zone		FH	PRC	Disposition
1240	HO644259	Mobile Office (AKA MO509)	100D			FH	PRC	O&M
1241	HS Units at WRAP	Alkali Metal Storage Modules at CWC	200W	WM Zone		FH	PRC	O&M
1242	Low-Level Waste Burial	Low-Level Waste Burial Grounds	200E/W			FH	PRC	O&M
1243	MO001	Mobile Office at PTA	600			FH	Delete	Post Closure
1244	MO002	Mobile Office at PTA	600			FH	Delete	Post Closure

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1245	MO005	Mobile Office HTS Pipe Yard	600	200-E Ponds Zone		FH	Delete	Post Closure
1246	MO011	Mobile Office - 200W Patrol HQ at PFP	200W	PFP Zone		FH	MSC	O&M
1247	MO013	Mobile Office at 1120N AKA 1158N	100N			WCH	RCCC	O&M
1248	MO014	Mobile Office at PFP	200W	PFP Zone		FH	PRC	O&M
1249	MO015	Mobile Office at PFP	200W	PFP Zone		FH	PRC	O&M
1250	MO016	Mobile Office at PFP	200W	PFP Zone		FH	PRC	O&M
1251	MO017	Mobile Office at PFP	200W	PFP Zone		FH	PRC	O&M
1252	MO027	Mobile Office at 272S	200W	200-W Ponds Zone		CHG	TOC	O&M
1253	MO028	Mobile Office at S Plant 2704S	200W	REDOX Zone		CHG	TOC	O&M
1254	MO029	Mobile Office at 271B	200E	B Plant Zone		FH	PRC	O&M
1255	MO031	Mobile Office at PFP	200W	PFP Zone		FH	PRC	O&M
1256	MO032	Mobile Office at PFP	200W	PFP Zone		FH	PRC	O&M
1257	MO036	Mobile Office East of 3718	300	300ACP Zone J		WCH	RCCC	Transition
1258	MO037	Mobile Office at 222S	200W	REDOX Zone		CHG	TOC	O&M
1259	MO039	Mobile Office at S Plant 2704S	200W	REDOX Zone		CHG	TOC	O&M
1260	MO040	Mobile Office	200E	200-E Admin Zone		FH	PRC	Disposition
1261	MO041	Mobile Office at 243G	200E	WTP/A Farm Zone		CHG	TOC	O&M
1262	MO048	Construction Lunch Room, 100K AKA 1733KE	100K			FH	PRC	O&M
1263	MO054	Construction Lunch Room, 100K AKA 1734KE	100K			WCH	RCCC	O&M
1264	MO055	Mobile Office, 100N AKA 1114N)	100N			WCH	RCCC	O&M
1265	MO059	Mobile Office N of 300 Area	300			WCH	RCCC	O&M
1266	MO060	Mobile Office at 100K	100K			FH	PRC	O&M
1267	MO061	Shower-Restroom Trailer	300	300ACP Zone G		WCH	RCCC	O&M
1268	MO100	Mobile Office, 100N AKA 1110N	100N			WCH	RCCC	O&M
1269	MO101	Mobile Office, 100K	100K			FH	PRC	O&M
1270	MO102	Mobile Office, 100K AKA 1709K	100K			FH	PRC	O&M
1271	MO104	Mobile Office	200E	200-E Admin Zone		FH	PRC	Transition
1272	MO107	Mobile Office at 224U	200W	U Plant Zone		FH	PRC	Transition
1273	MO110	Mobile Office at Sub Burial Pit	200E	Solid Waste Zone		FH	PRC	O&M
1274	MO112	Mobile Office, A Farm	200E	PUREX Zone		CHG	TOC	O&M
1275	MO114	Change Trailer at 241BY	200E	B Farm Zone		CHG	TOC	O&M
1276	MO116	Cold Test Facility Control Office	600			CHG	TOC	O&M
1277	MO117	Equipment Storage & Control Trailer	600			CHG	TOC	O&M
1278	MO211	Mobile Office	200E	C Farm Zone		CHG	TOC	O&M

**ATTACHMENT J-13**  
**HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1279	MO214	Mobile Office -Job Control	100K			FH	PRC	O&M
1280	MO215	Mobile Office at 2704W	200W	T Plant Zone		FH	PRC	O&M
1281	MO222	Mobile Office at PTA -Gun Cleaning	600			FH	MSC	O&M
1282	MO223	Mobile Office on Dayton Ave. N of WMC	200W	WM Zone		FH	PRC	O&M
1283	MO225	Mobile Office for BHI Craft	100D			WCH	RCCC	O&M
1284	MO226	Office Building (W of 318)	300			PNNL	PNNL	O&M
1285	MO229	Mobile Office, 100H	100H			WCH	RCCC	O&M
1286	MO232	Mobile Office	200E	B Plant Zone		FH	PRC	O&M
1287	MO234	Mobile Office	200E	200-E Admin Zone		FH	PRC	O&M
1288	MO235	Mobile Office	200W	T Plant Zone		FH	MSC	O&M
1289	MO236	Mobile Office -Ops/HPT Change	100K			FH	PRC	O&M
1290	MO237	Mobile Office -Construction Forces	100K			FH	PRC	O&M
1291	MO240	Mobile Office -Change Room/Office	200W	T Plant Zone		FH	PRC	O&M
1292	MO244	Mobile Office -200W Patrol Change at 234-5Z	200W	PFP Zone		FH	MSC	O&M
1293	MO245	Mobile Office	200E	200-E Admin Zone		FH	PRC	O&M
1294	MO246	Mobile Office	200E	200-E Admin Zone		FH	PRC	O&M
1295	MO247	Mobile Office	200E	Solid Waste Zone		FH	PRC	O&M
1296	MO248	Mobile Office	200E	Solid Waste Zone		FH	PRC	O&M
1297	MO249	Mobile Office	200W	PFP Zone		FH	PRC	O&M
1298	MO250	Mobile Office	200W	PFP Zone		FH	PRC	O&M
1299	MO251	Mobile Office	200E	200-E Admin Zone		FH	PRC	O&M
1300	MO252	Mobile Office	200E	200-E Admin Zone		FH	MSC	O&M
1301	MO253	Mobile Office	200E	200-E Admin Zone		FH	MSC	O&M
1302	MO254	Mobile Office at 622G	200E	CSB Zone		FH	PRC	O&M
1303	MO256	Mobile Office East of 2711E	200E	200-E Admin Zone		FH	MSC	O&M
1304	MO257	Mobile Office East of 2711E	200E	200-E Admin Zone		FH	MSC	O&M
1305	MO258	Mobile Office at FMIT Area	300			JCI	JCI	O&M
1306	MO259	Mobile Office Classroom at HAMMER	600			FH	MSC	O&M
1307	MO260	Mobile Office at HAMMER	600			FH	MSC	O&M
1308	MO261	Mobile Office at HAMMER	600			FH	MSC	O&M
1309	MO262	Mobile Office at FMIT Area	300			JCI	JCI	O&M
1310	MO263	Mobile Office at FMIT Area	300			JCI	JCI	O&M
1311	MO264	Mobile Office S of 19th & Dayton	200W	WM Zone		FH	PRC	O&M
1312	MO265	Mobile Office at FMIT Area	300			WCH	RCCC	O&M
1313	MO266	Mobile Office	200E	WTP/A Farm Zone		CHG	TOC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1314	MO267	Mobile Office	200E	WTP/A Farm Zone		CHG	TOC	O&M
1315	MO268	Mobile Office	200E	WTP/A Farm Zone		CHG	TOC	O&M
1316	MO269	Change Trailer S of 2025E	200E	ETF Zone		FH	PRC	O&M
1317	MO270	Mobile Office S of 324	300	300ACP Zone L		WCH	RCCC	Disposition
1318	MO271	Mobile Office S of 324	300	300ACP Zone L		WCH	RCCC	O&M
1319	MO272	Mobile Office - Craft Lunchroom	200E	PUREX Zone		CHG	TOC	O&M
1320	MO273	Mobile Office at PFP	200W	PFP Zone		FH	PRC	O&M
1321	MO274	Mobile Office SE of 324 (324TRL1)	300	300ACP Zone K		WCH	RCCC	O&M
1322	MO275	Mobile Office NE of 324 (324TRL2)	300	300ACP Zone K		WCH	RCCC	O&M
1323	MO276	Mobile Office at 2753E	200E	200-E Admin Zone		FH	MSC	O&M
1324	MO277	Mobile Office at 2753E	200E	200-E Admin Zone		FH	PRC	O&M
1325	MO278	Mobile Office West of 275W	200W	T Plant Zone		FH	PRC	O&M
1326	MO279	Mobile Office West of 275W	200W	T Plant Zone		FH	PRC	O&M
1327	MO280	Mobile Office at WSCF	600	ERDF Zone		FH	MSC	O&M
1328	MO281	Mobile Office	200W	WM Zone		FH	PRC	O&M
1329	MO282	Mobile Office	200E	WTP/A Farm Zone		CHG	TOC	O&M
1330	MO283	Mobile Office	200E	WTP/A Farm Zone		CHG	TOC	O&M
1331	MO284	Mobile Office	200E	WTP/A Farm Zone		CHG	TOC	O&M
1332	MO285	Mobile Office	200E	200-E Admin Zone		FH	PRC	O&M
1333	MO286	Mobile Office	200E	200-E Admin Zone		FH	MSC	O&M
1334	MO287	Mobile Office	200W	T Plant Zone		FH	PRC	O&M
1335	MO288	Mobile Change Facility at Central Waste Complex	200W	WM Zone		FH	PRC	O&M
1336	MO289	Mobile Office Storage at CWC	200W	WM Zone		FH	PRC	O&M
1337	MO290	Mobile Office - Computer Hub	200W	PFP Zone		FH	MSC	O&M
1338	MO291	Mobile Office	200W	REDOX Zone		CHG	TOC	O&M
1339	MO292	Mobile Office	600	ERDF Zone		FH	MSC	O&M
1340	MO293	Mobile Office -Projects & Training /Procedures	100K			FH	PRC	O&M
1341	MO294	Mobile Office	200E	200-E Admin Zone		FH	PRC	O&M
1342	MO295	Change Trailer - 242S	200W	S/U Farm Zone		CHG	TOC	O&M
1343	MO296	Change Trailer - SY Farm	200W	S/U Farm Zone		CHG	TOC	O&M
1344	MO297	Change Trailer - U Farm	200W	S/U Farm Zone		CHG	TOC	O&M
1345	MO298	Change Trailer - SX Farm	200W	S/U Farm Zone		CHG	TOC	O&M
1346	MO299	Change Trailer - BX Farm	200E	B Farm Zone		CHG	TOC	O&M
1347	MO302	Mobile Office -Armorer Shop	600			FH	Delete	Post Closure
1348	MO312	Laundry Storage at 225B	200E	B Plant Zone		FH	PRC	Transition

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1349	MO315	Mobile Office -Storage	600	ERDF Zone		FH	MSC	O&M
1350	MO319	Change Trailer West of 2727WA	200W	T Plant Zone		CHG	TOC	O&M
1351	MO320	Change Trailer W of 2727W	200W	T Plant Zone		CHG	TOC	Disposition
1352	MO323	CVD Change Trailer	100K			FH	PRC	O&M
1353	MO333	Storage Trailer West of 2727WA	200W	T Plant Zone		CHG	TOC	O&M
1354	MO354	Mobile Office	200E	200-E Admin Zone		FH	PRC	O&M
1355	MO358	Training Simulator West of 1120N	100N			WCH	RCCC	O&M
1356	MO363	Instrument Trailer at 2727WA Yard	200W	U Plant Zone		CHG	TOC	Transition
1357	MO369	Mobile Office W of 222T	200W	T Plant Zone		FH	PRC	O&M
1358	MO370	Mobile Office	200E	B Plant Zone		FH	MSC	O&M
1359	MO377	Mobile Office	200E	PUREX Zone		CHG	TOC	O&M
1360	MO382	Mobile Office Radiological Control	100K			WCH	RCCC	Disposition
1361	MO384	Mobile Office	200E	200-E Admin Zone		FH	PRC	O&M
1362	MO386	Mobile Office	200E	200-E Admin Zone		FH	PRC	O&M
1363	MO387	Continuous Air Monitor Equip Storage at 224T	200W	T Plant Zone		FH	PRC	O&M
1364	MO388	Mobile Office	200E	200-E Admin Zone		FH	MSC	O&M
1365	MO390	Field Trailer at 100N AKA MO740C or MO766	100N			WCH	RCCC	O&M
1366	MO391	Field Trailer	300	300ACP Zone K		WCH	RCCC	O&M
1367	MO398	Mobile Office -Restroom	200E	PUREX Zone		CHG	TOC	O&M
1368	MO399	Field Change Trailer, S Purex	200W	PUREX Zone		FH	PRC	O&M
1369	MO400	Mobile Office	200E	B Plant Zone		FH	PRC	O&M
1370	MO401	Mobile Office -K Basins Ops/Admin	100K			FH	PRC	O&M
1371	MO402	Mobile Office -K Basins Engineering	100K			FH	PRC	O&M
1372	MO403	Change House & Lunch Room	100N			WCH	RCCC	O&M
1373	MO405	Mobile Office	200E	200-E Admin Zone		FH	PRC	Disposition
1374	MO406	Mobile Office -Change /Lunchroom	200W	T Plant Zone		FH	MSC	O&M
1375	MO407	Mobile Office	200E	200-E Admin Zone		FH	PRC	O&M
1376	MO408	Mobile Office	200E	B Plant Zone		FH	PRC	O&M
1377	MO409	Mobile Office at 202S	200W	REDOX Zone		CHG	TOC	O&M
1378	MO410	Mobile Office	200E	B Plant Zone		FH	PRC	O&M
1379	MO412	Mobile Office -Mask Cleaning Station	200W	T Plant Zone		FH	MSC	O&M
1380	MO413	Mobile Office	200E	200-E Admin Zone		FH	PRC	O&M
1381	MO414	Mobile Office	200E	200-E Admin Zone		FH	MSC	O&M
1382	MO415	Admin. Office Trailer	100N			WCH	RCCC	O&M
1383	MO417	Office/Lunchroom, 100F	100F			WCH	RCCC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1384	MO420	Vehicle Inspection Mobile at PFP	200W	PFP Zone		CHPRC	PRC	O&M
1385	MO421	Field Trailer East of 277A	200E	PUREX Zone		CHG	TOC	O&M
1386	MO422	Field Trailer at 100K	100K			WCH	RCCC	O&M
1387	MO423	Mobile Office MO423 at FMIT	300			WCH	RCCC	O&M
1388	MO425	Analytical Lab Facility at 1120N	100N			WCH	RCCC	O&M
1389	MO426	Sample Receiving/Prep Storage at 1120N	100N			WCH	RCCC	O&M
1390	MO427	Mobile Change/Break Room	100N			WCH	RCCC	O&M
1391	MO428	Mobile Office	200W	PFP Zone		FH	PRC	O&M
1392	MO429	Mobile Office	200W	PFP Zone		FH	PRC	O&M
1393	MO432	Mobile Office	200W	PFP Zone		FH	PRC	O&M
1394	MO433	Mobile/Change Office at T-Plant	200W	T Plant Zone		FH	PRC	O&M
1395	MO434	Mobile Office	200E	CSB Zone		FH	PRC	O&M
1396	MO437	Mobile Office at 272WA	200W	WM Zone		FH	PRC	O&M
1397	MO438	Mobile Office at 272WA	200W	WM Zone		FH	PRC	O&M
1398	MO439	Mobile Change Room/AY Farm N of MO825	200E	WTP/A Farm Zone		CHG	TOC	O&M
1399	MO441	Sanitary Waste Facility at Yakima Barricade	600			FH	MSC	O&M
1400	MO442	Mobile Office -Training Classrooms	100K			WCH	RCCC	Transition
1401	MO443	Mobile Office at 310 TEDF	300			FH	PRC	O&M
1402	MO444	Mobile Office at WRAP	200W	WM Zone		FH	PRC	O&M
1403	MO446	Mobile Office at WRAP	200W	WM Zone		FH	PRC	O&M
1404	MO447	Storage Trailer at C Farm	200E	C Farm Zone		CHG	TOC	O&M
1405	MO450	Storage Mobile N of 241SY Tank Farm	200W	S/U Farm Zone		CHG	TOC	O&M
1406	MO459	Women's Change Trailer at 271T	200W	T Plant Zone		FH	PRC	O&M
1407	MO461	Instrument Mobile at 241SY	200W	S/U Farm Zone		CHG	TOC	O&M
1408	MO474	Mobile Office On B Ave	100B			WCH	RCCC	O&M
1409	MO481	Office Trailer at ERDF Site	600	ERDF Zone		WCH	RCCC	O&M
1410	MO493	Mobile Office S of 274AW	200E	PUREX Zone		CHG	TOC	O&M
1411	MO495	CVD Change Trailer	200W	T Plant Zone		FH	MSC	O&M
1412	MO497	Mobile Office North of 241-AN	200E	WTP/A Farm Zone		CHG	TOC	O&M
1413	MO500	Mobile Office	100K			FH	PRC	O&M
1414	MO501	Restroom Trailer	200E	B Plant Zone		FH	MSC	O&M
1415	MO502	Mobile Office -Storage	600			FH	MSC	Disposition
1416	MO503	Mobile Office -Storage	200E	PUREX Zone		CHG	TOC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1417	MO505	Mobile Office at WYE Barricade	600			FH	MSC	O&M
1418	MO506	CVD Lunch Room	100K			FH	PRC	O&M
1419	MO507	CVD Conference Room	100K			FH	PRC	O&M
1420	MO509	Mobile Office at 622F Weather Station	600	ERDF Zone		PNNL	MSC	O&M
1421	MO511	Mobile Office S of 272AW	200E	WTP/A Farm Zone		CHG	TOC	O&M
1422	MO512	HPT/Change Trailer for 241C Tank Farm	200E	C Farm Zone		CHG	TOC	O&M
1423	MO513	HPT/Change Trailer for 241AY Tank Farm	200E	WTP/A Farm Zone		CHG	TOC	O&M
1424	MO518	Office Trailer	200E	IDF		CHG	TOC	O&M
1425	MO527	C Farm Mobile Restroom	200E	Semi-Works Zone		CHG	TOC	O&M
1426	MO528	C Farm Mobile Restroom	200E	C Farm Zone		CHG	TOC	O&M
1427	MO529	C Farm Sluicing Control Mobile (SE of Farm)	200E	C Farm Zone		CHG	TOC	O&M
1428	MO539	Field Trailer Next to 274E	200E	200-E Admin Zone		FH	MSC	O&M
1429	MO544	Field Trailer at 100N	100N			WCH	RCCC	O&M
1430	MO545	Field Trailer On Northwest Side Of 105N	100N			WCH	RCCC	O&M
1431	MO546	Field Trailer at 219 W Yard	200W	T Plant Zone		FH	PRC	O&M
1432	MO556	Mobile Office	200W	T Plant Zone		FH	PRC	O&M
1433	MO563	Mobile Office By S Farm	200W	S/U Farm Zone		CHG	TOC	O&M
1434	MO570	Mobile Office	200E	PUREX Zone		CHG	TOC	O&M
1435	MO571	Mobile Office -Office /Lunchroom	200E	PUREX Zone		CHG	TOC	O&M
1436	MO573	Lunch/Change Trailer	200E	Solid Waste Zone		FH	PRC	O&M
1437	MO575	FFS Office Space (W side of AY Tank Farm)	200E	PUREX Zone		FH	PRC	O&M
1438	MO611	Remote Venting Field Trailer 218W4C Burial Ground	200W	WM Zone		FH	PRC	O&M
1439	MO615	Mobile Restroom Facility	200W	WM Zone		FH	PRC	O&M
1440	MO632	S109 Operations Control Trailer E of Cooper Ave	200W	S/U Farm Zone		CHG	TOC	O&M
1441	MO633	Mobile Office N of 272S	200W	S/U Farm Zone		CHG	TOC	O&M
1442	MO634	Lunch/Change Trailer N of 272S	200W	S/U Farm Zone		CHG	TOC	O&M
1443	MO635	Lunch/Change Trailer N of 272S	200W	S/U Farm Zone		CHG	TOC	O&M
1444	MO636	Lunch/Change Trailer SW of 241S	200W	S/U Farm Zone		CHG	TOC	O&M
1445	MO637	Lunch/Change Trailer SW of 241S	200W	S/U Farm Zone		CHG	TOC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1446	MO639	S Farm Mobile Restroom E of Cooper Ave	200W	S/U Farm Zone		CHG	TOC	O&M
1447	MO640	S Farm Retrieval Operations Video Mobile	200W	S/U Farm Zone		CHG	TOC	O&M
1448	MO667	Field Laboratory at Cold Test Facility	600			CHG	TOC	O&M
1449	MO671	PFP Rad Con Trailer SE of 234-5Z	200W	PFP Zone		FH	PRC	O&M
1450	MO678	Field Office N of 202S	200W	REDOX Zone		FH	PRC	O&M
1451	MO679	Central Plateau Field Mobile N of 202S	200W	REDOX Zone		FH	PRC	O&M
1452	MO702	Mobile Office HTS Pipe Yard	600	200-E Ponds Zone		FH	PRC	O&M
1453	MO710	Mobile Office Behind T-Plant	200W	T Plant Zone		FH	PRC	Transition
1454	MO719	Calibration Lab	200W	U Plant Zone		CHG	Remove	Transition
1455	MO720	Mobile Office at 272WA at 19th & Dayton	200W	WM Zone		FH	PRC	O&M
1456	MO721	Mobile Change Facility at 272WA at 19th & Dayton	200W	WM Zone		FH	PRC	O&M
1457	MO722	Mobile Office	200E	200-E Admin Zone		FH	MSC	O&M
1458	MO723	Mobile Office	200E	CSB Zone		FH	PRC	Disposition
1459	MO724	Mobile Office SW of 2704HV	200E	200-E Admin Zone		CHG	TOC	O&M
1460	MO725	Mobile Office SW of 2704HV	200E	200-E Admin Zone		CHG	TOC	O&M
1461	MO727	Mobile at LERF Basins	200E	ETF Zone		FH	PRC	O&M
1462	MO728	Mobile Office - Operations Room	200E	CSB Zone		FH	MSC	O&M
1463	MO729	SWP Laundry Facility at 231Z	200W	PFP Zone		FH	PRC	Transition
1464	MO730	Restroom Facility at Gate 813	200E	200-E Admin Zone		CHG	TOC	O&M
1465	MO731	Mobile Office	200E	200-E Admin Zone		FH	PRC	O&M
1466	MO732	Mobile Office SW of 2704HV	200E	200-E Admin Zone		CHG	TOC	O&M
1467	MO733	Mobile Office SW of 2704HV	200E	200-E Admin Zone		CHG	TOC	O&M
1468	MO734	Mobile Office SW of 2704HV	200E	200-E Admin Zone		CHG	TOC	O&M
1469	MO737	Mobile Office at VIT Site	200E	PUREX Zone		CHG	TOC	O&M
1470	MO739	SWP Change Trailer at 271T	200W	T Plant Zone		FH	PRC	O&M
1471	MO740	Mobile Office at ERDF	600	ERDF Zone		WCH	RCCC	O&M
1472	MO741	HPT Office at 340	300	300ACP Zone J		FH	PRC	O&M
1473	MO742	Mobile Office NE of 2704HV	200E	200-E Admin Zone		CHG	TOC	O&M
1474	MO743	Mobile Office	200W	WM Zone		FH	PRC	O&M
1475	MO744	Mobile Office at 310 TEDF	300			FH	PRC	O&M
1476	MO745	Mobile Office at 310 TEDF	300			FH	PRC	O&M
1477	MO757	Pump and Treat Mobile W of 1713H	100H			FH	PRC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1478	MO760	Mobile Office S of 19th & Dayton at Burial Ground	200W	WM Zone		FH	PRC	O&M
1479	MO765	Office Trailer N of 1120N	100N			WCH	RCCC	O&M
1480	MO766	Counting Room & Stor N of 1120N, AKA MO390	100N			WCH	RCCC	O&M
1481	MO767	100N Lunch Trailer N of 1120N	100N			WCH	RCCC	O&M
1482	MO800	Conference/Classroom for EVOC	600			FH	PRC	Post Closure
1483	MO815	Change Trailer at 241AP Tank Farm	200E	WTP/A Farm Zone		CHG	TOC	O&M
1484	MO816	Mobile Office -Change Room	200E	PUREX Zone		CHG	TOC	O&M
1485	MO817	Change Trailer at TX Tank Farm	200W	T Farm Zone		CHG	TOC	O&M
1486	MO818	Change Trailer at 241AW Tank Farm	200E	WTP/A Farm Zone		CHG	TOC	O&M
1487	MO819	Change Trailer at SX Tank Farm S Of 242S	200W	S/U Farm Zone		CHG	TOC	O&M
1488	MO820	Change Trailer at 241AN	200E	WTP/A Farm Zone		CHG	TOC	O&M
1489	MO821	Change Trailer at 23rd & Camden	200W	T Farm Zone		CHG	TOC	O&M
1490	MO822	Change Trailer at 241C Tank Farm	200E	C Farm Zone		CHG	TOC	O&M
1491	MO823	Change Trailer at 241U	200W	S/U Farm Zone		CHG	TOC	O&M
1492	MO824	Change Trailer at 241BX	200E	B Farm Zone		CHG	TOC	O&M
1493	MO825	Change Trailer at 241B	200E	B Farm Zone		CHG	TOC	O&M
1494	MO826	Change Trailer 241C Tank Farm	200E	C Farm Zone		CHG	TOC	O&M
1495	MO827	Mobile Office at 100K	100K			WCH	RCCC	O&M
1496	MO829	Mobile Office at 105DR	100D			WCH	RCCC	O&M
1497	MO831	Mobile Office -Change Room	200W	T Plant Zone		CHG	TOC	O&M
1498	MO837	Lunchroom at Hill St. Complex	200W	T Plant Zone		FH	PRC	O&M
1499	MO840	Mobile Office -Receiving & Distribution	200E	200-E Admin Zone		FH	PRC	O&M
1500	MO841	Mobile Office	200W	T Plant Zone		FH	PRC	O&M
1501	MO842	Mobile Office at PTA Range 7	600			FH	MSC	O&M
1502	MO844	Mobile Office	200E	WTP/A Farm Zone		CHG	TOC	O&M
1503	MO847	Mobile Office -Restroom	200W	T Plant Zone		FH	PRC	O&M
1504	MO848	Mobile Office	100N			WCH	RCCC	O&M
1505	MO850	Mobile Office E of 2704HV	200E	200-E Admin Zone		CHG	TOC	O&M
1506	MO858	Field Change/Lunchroom at A Farm	200E	PUREX Zone		CHG	TOC	Transition
1507	MO859	Security Inspection Mobile	100K			FH	MSC	O&M
1508	MO864	Office Trailer at 100N	100N			WCH	RCCC	O&M
1509	MO865	Office Trailer at 100N	100N			WCH	RCCC	O&M
1510	MO866	Office Trailer at 100N	100N			WCH	RCCC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1511	MO868	Change Trailer at 100N	100N			WCH	RCCC	O&M
1512	MO869	KR-4 Pump and Treat Operations Trailer	100K			FH	PRC	O&M
1513	MO889	Change Trailer SE of 105D	100D			WCH	RCCC	O&M
1514	MO890	Mobile Office -Construction Supervisor	200E	PUREX Zone		CHG	TOC	O&M
1515	MO892	Mobile Office West of 271T	200W	T Plant Zone		FH	PRC	O&M
1516	MO900	Mobile Office AKA 1124N	100N			WCH	RCCC	Post Closure
1517	MO905	Mobile Office N of 300 Area	300			WCH	RCCC	O&M
1518	MO906	Mobile Office	200W	T Plant Zone		FH	PRC	O&M
1519	MO907	Mobile Office -Ops Analysis & Waste Handling	100K			FH	PRC	O&M
1520	MO911	Mobile Office	100N			WCH	RCCC	O&M
1521	MO917	CVD Administration	100K			FH	PRC	O&M
1522	MO919	Mobile Office	200E	PUREX Zone		CHG	TOC	O&M
1523	MO922	Office/Change Trailer at 2703E	200E	200-E Admin Zone		JCI	JCI	O&M
1524	MO924	Mobile Office N of 2704S	200W	REDOX Zone		CHG	TOC	O&M
1525	MO928	Mobile Office -Design /Drafting	100K			FH	PRC	O&M
1526	MO929	Mobile Office East of 151D	100D			WCH	RCCC	O&M
1527	MO939	Mobile Office	200W	PFP Zone		FH	PRC	O&M
1528	MO943	Mobile Office -Storage	200E	200-E Admin Zone		FH	PRC	Transition
1529	MO949	Mobile Lab West of 241SX401	200W	S/U Farm Zone		CHG	TOC	Disposition
1530	MO950	Mobile Office At 100N Laydown Yard	100N			WCH	RCCC	O&M
1531	MO953	Mobile Office	200E	PUREX Zone		CHG	TOC	O&M
1532	MO955	Operations Office	100K			FH	PRC	O&M
1533	MO956	Mobile Office -Lunchroom /Training	200W	T Plant Zone		FH	PRC	O&M
1534	MO969	Mobile Office -Ops /HPT Change Trailer	100K			FH	PRC	O&M
1535	MO970	Mobile Office at PFP	200W	PFP Zone		FH	PRC	O&M
1536	MO971	Mobile Office at PFP	200W	PFP Zone		FH	PRC	O&M
1537	MO972	Mobile Office at Rattlesnake Barricade	600			FH	MSC	O&M
1538	MO973	Mobile Office -Storage /Construction	200W	T Plant Zone		CHG	TOC	Disposition
1539	MO974	Mobile Office Storage at A Farm	200E	PUREX Zone		CHG	TOC	O&M
1540	MO976	Change Trailer at 241S	200W	S/U Farm Zone		CHG	TOC	Transition
1541	MO977	Mobile Office -Change Room	200E	C Farm Zone		CHG	TOC	O&M

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1542	MO979	Mobile Office N of 4th & Buffalo (A Farm)	200E	PUREX Zone		CHG	TOC	O&M
1543	MO980	Mobile Office at 100D	100D			WCH	RCCC	O&M
1544	MO991	Mobile Office at 200E Unsecured Core Area	200E	200-E Admin Zone		FH	PRC	Transition
1545	MO996	Mobile Office at 272AW	200E	WTP/A Farm Zone		FH	PRC	Disposition
1546	MO997	Mobile Office at 243G (Grout)	200E	WTP/A Farm Zone		CHG	TOC	O&M
1547	MO998	Field Trailer at 241C	200E	C Farm Zone		FH	PRC	O&M
1548	MO999	Field Trailer SW of 1103N	100N			WCH	RCCC	O&M
1549	T11WTP	Yard/BOF Construction Area Office	200E	WTP/A Farm Zone		BNI	WTP	O&M
1550	T1WTP	Main Construction Site Office	200E	WTP/A Farm Zone		BNI	WTP	O&M
1551	T23WTP	South Gate Security Station	200E	WTP/A Farm Zone		BNI	WTP	O&M
1552	T27WTP	Time Keeping Trailer/Entry West Gate	200E	WTP/A Farm Zone		BNI	WTP	O&M
1553	T28WTP	Hospitality Mobile/Site Observation	200E	WTP/A Farm Zone		BNI	WTP	O&M
1554	T31WTP	North Gate Security Station	200E	WTP/A Farm Zone		BNI	WTP	O&M
1555	T33WTP	Electrical Materials Distribution Center	200E	WTP/A Farm Zone		BNI	WTP	O&M
1556	T40WTP	BOF GF Trailer	200E	WTP/A Farm Zone		BNI	WTP	O&M
1557	T520-6	Navy MARS Radio Station	600			FH	MSC	O&M
1558	TC1301N	N Springs Pump and Treat Facility Weather Protection	100N			FH	PRC	O&M
1559	TC272HV	Temporary Maintenance Shop	200E	200-E Admin Zone		CHG	TOC	O&M
1560	WTP	Waste Treatment Plant	200E	WTP/A Farm Zone		BNI	WTP	O&M
1561	X8	Motor Car Shed	200W	T Plant Zone		FH	PRC	Disposition
1562	<b>PROPOSED ADDITIONAL STRUCTURES</b>							
1563								
1564	<b>DISPOSITIONED STRUCTURES BELOW</b>							
1565	107K	Retention Basins (6 Total for KE & KW)	100K			BHI	RCCC	Post Closure
1566	108N	Chemical Unloading Facility	100N			WCH	RCCC	Post Closure
1567	111B	Decontamination Station	100B			WCH	RCCC	Post Closure
1568	118C4	Horizontal Control Rod Storage Cave	100B			BHI	RCCC	Post Closure
1569	119N	Air Sampling Monitor	100N			WCH	RCCC	Post Closure
1570	119NA	Air Sampling & Monitoring Annex	100N			WCH	RCCC	Post Closure
1571	11N	Change Room Building	100N			WCH	RCCC	Post Closure

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1572	1300N	Radioactive Waste Disposal	100N			WCH	RCCC	Post Closure
1573	1301N	Radioactive Liquid Waste Disposal - Crib	100N			WCH	RCCC	Post Closure
1574	1304N	Emergency Dump Tank - Liquid Waste	100N			WCH	RCCC	Post Closure
1575	1313N	Change and Control Building	100N			WCH	RCCC	Post Closure
1576	1315N	Diversion System Valve House	100N			WCH	RCCC	Post Closure
1577	1331N	Storage Building at 100N	100N			WCH	RCCC	Post Closure
1578	1332N	Storage Building / Bottle Dock	100N			WCH	RCCC	Post Closure
1579	13N	Storage Building	100N			WCH	RCCC	Post Closure
1580	150KE	Heat Recovery Station	100K			WCH	RCCC	Post Closure
1581	150KW	Heat Recovery Station	100K			WCH	RCCC	Post Closure
1582	1512N	Gas Bottle Storage	100N			FH	PRC	Post Closure
1583	1515N	Fixed Metal Shop	100N			WCH	RCCC	Post Closure
1584	1516N	Carpenter Shop	100N			WCH	RCCC	Post Closure
1585	1517N	Fixed Metal Paint Shop	100N			WCH	RCCC	Post Closure
1586	1518N	Electrical Shop	100N			WCH	RCCC	Post Closure
1587	1519N	Fixed Metal Fitters Shop	100N			WCH	RCCC	Post Closure
1588	151N	230 kV Electrical Substation	100N			WCH	RCCC	Post Closure
1589	153N	Switch Gear Building	100N			WCH	RCCC	Post Closure
1590	1606D	Settling Tanks	100D			BHI	Remove	Post Closure
1591	1608H	Waste Water Pump House, Lift Station	100H			FH	Remove	Post Closure
1592	1614N	Environmental Monitoring Station	100N			PNNL	Delete	Post Closure
1593	163N	Demineralization Plant	100N			WCH	RCCC	Post Closure
1594	166N	Diesel and Fuel Oil Storage Facility	100N			WCH	RCCC	Post Closure
1595	1707N	Boat House	100N			WCH	RCCC	Post Closure
1596	1712N	Insulation Shop & Storage Bldg	100N			WCH	RCCC	Post Closure
1597	1714N	Warehouse and Receiving	100N			WCH	RCCC	Post Closure
1598	1714NA	Warehouse - Receiving / Inspection	100N			WCH	RCCC	Post Closure
1599	1714NB	Warehouse - Tool Storage	100N			WCH	RCCC	Post Closure
1600	1715N	Oil Storage Tanks	100N			WCH	RCCC	Post Closure
1601	1716NE	Maintenance Garage	600			ENW	PRC	Post Closure
1602	1720HA	Storage Arsenal	100H			BHI	Remove	Post Closure
1603	1723N	Contaminated Equipment Storage Building	100N			WCH	RCCC	Post Closure
1604	1802N	Pipe Trestle (N Area Section)	100N			WCH	RCCC	Post Closure

**ATTACHMENT J-13**  
**HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1605	1802NE	Pipe Trestle (Supply System Section)	100N			WCH	RCCC	Post Closure
1606	181NC	Sample Station / Skid Station	100N			WCH	RCCC	Post Closure
1607	183KW	Chlorine Vault	100K			WCH	RCCC	Post Closure
1608	183N	Water Filter Plant Building	100N			WCH	RCCC	Post Closure
1609	183NA	Water Filter Plant Pump House	100N			WCH	RCCC	Post Closure
1610	184D	100D Power House	100D			FH	Remove	Post Closure
1611	184NB	Air Handler Main Building	100N			WCH	RCCC	Post Closure
1612	184NC	Air Handler Annex Facility	100N			WCH	RCCC	Post Closure
1613	188D	Ash Disposal Basin	100D			WCH	Remove	Post Closure
1614	1900N	Water Supply Underground Lines & Storage Tanks	100N			WCH	RCCC	Post Closure
1615	190DR	Main Pump House -includes N. & S. Annex	100D			WCH	Remove	Post Closure
1616	203U	Retention Basin (S of 224U)	200W	U Plant Zone		FH	PRC	Post Closure
1617	203UXA	Storage	200W	U Plant Zone		FH	PRC	Post Closure
1618	207S	Water Retention Basin (Backfilled W/Soil)	200W	200-W Ponds Zone		FH	PRC	Post Closure
1619	222U	Office Administration Building	200W	U Plant Zone		FH	PRC	Post Closure
1620	2242B	Carpenter Shop	200E	B Plant Zone		FH	PRC	Post Closure
1621	241AZ153	Condensate Valve Pit	200E	WTP/A Farm Zone		CHG	TOC	Post Closure
1622	252BY	Substation 13.8 kV	200E	B Farm Zone		FH	PRC	Post Closure
1623	2707E	Change House	200E	200-E Admin Zone		FH	PRC	Post Closure
1624	2709A	Change House at 2714U	200W	U Plant Zone		FH	PRC	Post Closure
1625	2713E	Office Administration Building	200E	200-E Admin Zone		FH	PRC	Post Closure
1626	2714AR	Sludge Vault General Storage Building	200E	PUREX Zone		CHG	TOC	Post Closure
1627	2714U	Warehouse	200W	U Plant Zone		FH	PRC	Post Closure
1628	2715E	Storage Building	200E	200-E Admin Zone		FH	PRC	Post Closure
1629	2715EA	Drum Storage Shed	200E	200-E Admin Zone		FH	PRC	Post Closure
1630	2715U	Oil Storage Shed	200W	U Plant Zone		FH	PRC	Post Closure
1631	2715UA	Insulator Shop/Adjacent Waste Shed	200W	U Plant Zone		FH	PRC	Post Closure
1632	2716A	RM Checkout Station at 202A RR Tunnel	200E	PUREX Zone		FH	PRC	Post Closure
1633	2716U	UO3 Plant Fire Protection Shed	200W	U Plant Zone		FH	PRC	Post Closure
1634	2719E	Office Machine Storage	200E	200-E Admin Zone		FH	PRC	Post Closure
1635	2722E	Office Building	200E	200-E Admin Zone		FH	PRC	Post Closure
1636	2726U	Propane Gas Storage Building	200W	U Plant Zone		FH	PRC	Post Closure

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1637	272U	Hot Shop/Cold Maintenance Shop	200W	U Plant Zone		FH	PRC	Post Closure
1638	275UR	Chemical Storage Warehouse	200W	U Plant Zone		FH	PRC	Post Closure
1639	2901E	Elevated Water Tank	200E	200-E Admin Zone		FH	PRC	Post Closure
1640	2902Z	Elevated Water Sto Tnk, Tower & Valve Pit	200W	PFP Zone		FH	PRC	Post Closure
1641	293AA	Hydrogen Peroxide Storage Facility	200E	PUREX Zone		FH	PRC	Post Closure
1642	296B012	WESF Facility K-3 Emergency Steam Jet Vent	200E	B Plant Zone		FH	PRC	Post Closure
1643	296S007E	Stack on 233S Roof	200W			FH	PRC	Post Closure
1644	296S007W	Stack on 233S Roof	200W			FH	PRC	Post Closure
1645	296U006	Stack, 241WR Ventilation Stack	200W	U Plant Zone		FH	PRC	Post Closure
1646	300LYS	300 Area Lysimeter Plot (see notes) 600-256 WIDS Site	300			PNNL	PNNL	Post Closure
1647	303A	Storage Building	300	300ACP Zone E		WCH	RCCC	Post Closure
1648	303B	Storage Building	300	300ACP Zone E		WCH	RCCC	Post Closure
1649	303C	Material Evaluation Laboratory	300	300ACP Zone E		WCH	RCCC	Post Closure
1650	303E	Storage Building	300	300ACP Zone F		WCH	RCCC	Post Closure
1651	303F	Pump House	300	300ACP Zone B		WCH	RCCC	Post Closure
1652	303G	Storage Building	300	300ACP Zone B		WCH	RCCC	Post Closure
1653	303J	Material Storage Building	300	300ACP Zone F		WCH	RCCC	Post Closure
1654	303M	303M Uranium Oxide Facility	300	300ACP Zone A		WCH	RCCC	Post Closure
1655	304	Uranium Concretion Facility	300	300ACP Zone E		WCH	RCCC	Post Closure
1656	304A	Uranium Concretion Facility Change Room	300	300ACP Zone E		WCH	RCCC	Post Closure
1657	305	Engineering Testing Facility	300	300ACP Zone C		WCH	RCCC	Post Closure
1658	305A	Electrician & Pipefitter Shop	300	300ACP Zone C		FH	RCCC	Post Closure
1659	305B	Laboratory and Hazardous Waste Storage Facility	300	300ACP Zone C		WCH	RCCC	Post Closure
1660	305-BA	Boiler Annex	300	300ACP Zone C		JCI	JCI	Post Closure
1661	306E	Development, Fabrication, & Test Lab	300	300ACP Zone F		WCH	RCCC	Post Closure
1662	311TF	311 Tank Farm	300	300ACP Zone B		WCH	RCCC	Post Closure
1663	313	Reactor Fuel Manufacturing Support Building	300	300ACP Zone B		WCH	RCCC	Post Closure
1664	314	Engineering Development Laboratory	300	300ACP Zone C		WCH	RCCC	Post Closure
1665	314A	Gas Bonding Autoclave Pit	300			FH	RCCC	Post Closure
1666	314B	Stress Rupture Test Facility	300	300ACP Zone C		WCH	RCCC	Post Closure
1667	3225	Bottle Dock	300			WCH	RCCC	Post Closure

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1668	3229	Storage Building	300	300ACP Zone D		FH	RCCC	Post Closure
1669	333	N-Fuels Manufacturing Building	300	300ACP Zone A		WCH	RCCC	Post Closure
1670	334	Process Sewer Monitor Facility	300	300ACP Zone A		WCH	RCCC	Post Closure
1671	334A	Waste Acid Storage Building	300	300ACP Zone A		WCH	RCCC	Post Closure
1672	334TF	334 Building Chem Handling Fac (Tank Farm)	300			WCH	RCCC	Post Closure
1673	3506A	Powerhouse Maintenance Shop	300	300ACP Zone G		FH	RCCC	Post Closure
1674	3506B	Maintenance Shop	300	300ACP Zone G		FH	RCCC	Post Closure
1675	3614B	Process Water Trenches (Wids site 316-5)	300			FH	RCCC	Post Closure
1676	3701D	Office Building	300	300ACP Zone G		FH	RCCC	Post Closure
1677	3701U	Office Building	300	300ACP Zone K		FH	RCCC	Post Closure
1678	3704	Insulators Storage	300	300ACP Zone D		FH	RCCC	Post Closure
1679	3705	Photography Building	300	300ACP Zone D		WCH	RCCC	Post Closure
1680	3707D	Office Building	300	300ACP Zone F		WCH	RCCC	Post Closure
1681	3707E	Construction Storage	300	300ACP Zone D		FH	RCCC	Post Closure
1682	3708	Radioanalytical Laboratory	300	300ACP Zone E		WCH	RCCC	Post Closure
1683	3711	Maintenance Storage Building	300	300ACP Zone F		WCH	RCCC	Post Closure
1684	3712	Storage Building	300	300ACP Zone B		WCH	RCCC	Post Closure
1685	3713	Carpenter Shop	300	300ACP Zone E		WCH	RCCC	Post Closure
1686	3715	Storage Building	300	300ACP Zone F		WCH	RCCC	Post Closure
1687	3716	Storage Building	300	300ACP Zone F		WCH	RCCC	Post Closure
1688	3717	Spare Parts Warehouse	300	300ACP Zone E		WCH	RCCC	Post Closure
1689	3717B	South Maintenance Facility	300	300ACP Zone E		WCH	RCCC	Post Closure
1690	3722	Construction Shop	300	300ACP Zone E		WCH	RCCC	Post Closure
1691	3746D	Technical Service Annex	300	300ACP Zone D		WCH	RCCC	Post Closure
1692	3762	Offices	300	300ACP Zone J		FH	RCCC	Post Closure
1693	3763	Office Building	300			FH	RCCC	Post Closure
1694	3764	Offices	300	300ACP Zone L		FH	RCCC	Post Closure
1695	3768	Office Building	300	300ACP Zone J		FH	RCCC	Post Closure
1696	3769	Office Building	300	300ACP Zone J		FH	RCCC	Post Closure
1697	377	Geotechnical Engineering Laboratory	300	300ACP Zone D		WCH	RCCC	Post Closure
1698	3770	Office Building	300	300ACP Zone J		FH	RCCC	Post Closure
1699	506A	Telephone Exchange Building N of White Bluffs	600			FH	PRC	Post Closure
1700	604G	WYE Barricade Patrol Utility Building	600			FH	PRC	Post Closure
1701	609B	Storage Building	600	ERDF Zone		FH	PRC	Post Closure

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1702	609E	Fire Station Storage Facility	600	ERDF Zone		FH	PRC	Post Closure
1703	621A	Yakima Barricade Emergency Generator Shelter	600			FH	PRC	Post Closure
1704	621B	Wye Barricade Emergency Generator Shelter	600			FH	PRC	Post Closure
1705	6607-2A	Septic Tank N44830, W70100	600	ERDF Zone		FH	PRC	Post Closure
1706	748	Radiosurgery Facility	700			FH	Remove	Post Closure
1707	77AA	In Situ Vitrification (ISV)	600			BHI	PRC	Post Closure
1708	MO026	Mobile Office South of 3705	300			WCH	RCCC	Post Closure
1709	MO050	Mobile Office (aka 1115N)	100N			WCH	RCCC	Post Closure
1710	MO052	Office Building (SE of 333)	300			WCH	RCCC	Post Closure
1711	MO103	Mobile Office	300			FH	RCCC	Post Closure
1712	MO105	Mobile Office	300			FH	RCCC	Post Closure
1713	MO200	Mobile Office SE of 105D	100D			WCH	Remove	Post Closure
1714	MO304	Mobile Office HTS Pipe Yard	600	200-E Ponds Zone		FH	PRC	Post Closure
1715	MO321	SWP Changeroom Trailer at 211U	200W	U Plant Zone		FH	PRC	Post Closure
1716	MO337	Mobile Office -Change Room	300			FH	RCCC	Post Closure
1717	MO374	Mobile Office-105D I.S.R.M.	100D			FH	Remove	Post Closure
1718	MO392	Mobile Office at 243G (Grout)	200E	WTP/A Farm Zone		FH	PRC	Post Closure
1719	MO487	RCT Trailer at ERDF Site	600			WCH	RCCC	Post Closure
1720	MO557	Mobile Office -CF	300			FH	RCCC	Post Closure
1721	MO558	Mobile Office -CM	300			FH	RCCC	Post Closure
1722	MO561	On D Ave. (North End of Site)	100D			WCH	Remove	Post Closure
1723	MO717	Security Inspection Mobile	300			FH	RCCC	Post Closure
1724	MO726	Security Office at Gate 813, 200E	600			FH	PRC	Post Closure
1725	MO830	Mobile Office -Lunchroom	300			FH	RCCC	Post Closure
1726	MO913	Change Trailer	100N			WCH	RCCC	Post Closure
1727	MO936	Mobile Office	200W	REDOX Zone		FH	PRC	Post Closure
1728	MO992	Mobile Office at Gatehouse	100N			WCH	RCCC	Post Closure
1729	X7	Railroad Tools Shed, Outside 200E	600			FH	PRC	Post Closure
1730	<b>OTHER DISPOSITIONED STRUCTURES NOT ON ORIGINAL SITE STRUCTURE LIST</b>							
1731	103B	Unirradiated Fuel Storage	100B				RCCC	Post Closure
1732	104B1	Tritium Vault	100B				RCCC	Post Closure
1733	104B2	Tritium Laboratory	100B				RCCC	Post Closure
1734	104N	Storage Building	100N				RCCC	Post Closure
1735	105C Fan room	105-C \ Fan room	100B				RCCC	Post Closure
1736	105C High tanks	High tanks	100B				RCCC	Post Closure

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1737	105C	Water tunnels	105-C \ Water tunnels	100B			RCCC	Post Closure
1738	105D	Water tunnels	Water tunnels	100D			Remove	Post Closure
1739	105NC	Emergency Diesel Generator Bldg	100N				RCCC	Post Closure
1740	108F	Biology Laboratory Building	100F				Remove	Post Closure
1741	109NA	Steam and Flow Instrument Building	100N				RCCC	Post Closure
1742	1112NB	Badge House (SEA)	100N				RCCC	Post Closure
1743	1134NA	Motor Generator Support (Line Conditioner)	100N				RCCC	Post Closure
1744	1161	Nitrogen Bottle Facility	1100				Delete	
1745	1162	Flammable Material Storage	1100				Delete	
1746	1163	Central Warehouse	1100				Delete	
1747	1164	Hazardous Storage Facility	1100				Delete	
1748	1167	General Stores Covered Storage Building	1100				Delete	
1749	1167A	Excess Salvage Office Building	1100				Delete	
1750	1168	Cylinder Storage Facility	1100				Delete	
1751	1169	Chemical Storage Facility	1100				Delete	
1752	116D	Reactor Exhaust Stack	100D				Remove	Post Closure
1753	116DR	Reactor Exhaust Stack	100D				Remove	Post Closure
1754	1170	Bus Terminal Dispatchers Building	1100				Delete	
1755	1171	Main Transportation Maintenance Building	1100				Delete	
1756	1171A	Bus Wash Facility Add-on to 1171	1100				Delete	
1757	1171B	1171 Equipment Wash Facility	1100				Delete	
1758	1171C	Spare Parts Storage Shed	1100				Delete	
1759	1172A	Fuel Facility - Service Station	1100				Delete	
1760	1173	Motor Stores Building	1100				Delete	
1761	1174	Bulk Petroleum Storage Facility	1100				Delete	
1762	1175	General Storage Building	1100				Delete	
1763	1176	Tire Storage Building	1100				Delete	
1764	1177	General Storage Building	1100				Delete	
1765	1179	Road Crew Storage	1100				Delete	
1766	119DR	Reactor Exhaust Air Filter Sample Building	100D				Remove	Post Closure
1767	1309N	Rupture Waste Processing Facility	100N				RCCC	Post Closure
1768	1316N	Valve House	100N				RCCC	Post Closure
1769	1316NA	Valve Vault Building	100N				RCCC	Post Closure

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1770	1316NB	Crib Effluent Iodine Monitoring Facility	100N				RCCC	Post Closure
1771	1316NC	Turbine Meter Vault	100N				RCCC	Post Closure
1772	1327N	Diversion Valve House	100N				RCCC	Post Closure
1773	1608D	Waste Water Pump House	100D				Remove	Post Closure
1774	1608DR	Waste Water Pump House - Lift Station	100D				Remove	Post Closure
1775	1608F	Waste Water Pump House	100F				Remove	Post Closure
1776	1614D3	PNNL Monitoring Station	100D				Remove	Post Closure
1777	1701BA	Exclusion Area Badge House	100B				RCCC	Post Closure
1778	1701NA	Gatehouse 185N	100N				RCCC	Post Closure
1779	1702C	Badge House - 105C	100B				RCCC	Post Closure
1780	1702DR	Badge House - 105DR	100D				Remove	Post Closure
1781	1702N	Vehicle Inspection Building	100N				RCCC	Post Closure
1782	1703N	Office Building	600			ENW	PRC	Post Closure
1783	1714C	Solvent House	100B				RCCC	Post Closure
1784	1716N	Gasoline Station	100N				RCCC	Post Closure
1786	1734N	Gas Bottle Storage Building	100N				RCCC	Post Closure
1787	183C	Filter Plant Facility	100B				RCCC	Post Closure
1788	183H TSD	TSD Evaporation Basin	100H				Remove	Post Closure
1789	184ND	Fuel/Diesel Oil Day Tanks	100N				RCCC	Post Closure
1790	185D	Water Treatment / Development Lab	100D				Remove	Post Closure
1791	185N	Energy Northwest Power House Turbine Generator Bldg	100N				RCCC	Post Closure
1792	189D	Mechanical Development Lab	100D				Remove	Post Closure
1793	1909F	Effluent Valve Pit	100F				Remove	Post Closure
1794	190C	Main Pump House	100B				RCCC	Post Closure
1795	190D	Main Process Pump House (Demolished)	100D				Remove	Post Closure
1796	190DA	Main Pump House Annex	100D				Remove	Post Closure
1797	195D	Vertical Safety Rod Test Tower	100D				Remove	Post Closure
1798	205A	Silica Gel Treatment Facility	200E	PUREX Zone			PRC	Post Closure
1799	207T	Water Retention Basin	200W				PRC	Post Closure
1800	215A	Sodium Hydroxide Storage Facility	200E	PUREX Zone			PRC	Post Closure
1801	2200B	Construction Portal Monitoring Building	200E	B Plant Zone			PRC	Post Closure
1802	2201B	Construction Ice House at 227B	200E	B Plant Zone		FH	PRC	Post Closure
1803	221BE	Fork Lift Storage Building	200E	B Plant Zone		FH	PRC	Post Closure

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1804	2234E	Storage Building	200E	B Plant Zone		FH	PRC	Post Closure
1805	2238E	Electrical Supervisors Office	200E	B Plant Zone		FH	PRC	Post Closure
1806	2239E	Carpenters Supervisors Office	200E	B Plant Zone		FH	PRC	Post Closure
1807	2240E	Paint Shop	200E	B Plant Zone		FH	PRC	Post Closure
1808	2241B	Laborer's Storage	200E	B Plant Zone		FH	PRC	Post Closure
1809	2244B	Multi Craft Fabrication Shop	200E	B Plant Zone		FH	PRC	Post Closure
1810	2245B	Electrician's Lunchroom/Office	200E	B Plant Zone		FH	PRC	Post Closure
1811	2247B	Ironworker's Shop	200E	B Plant Zone		FH	PRC	Post Closure
1812	2249B	Bottle Storage	200E	B Plant Zone		FH	PRC	Post Closure
1813	2251E	Storage Building	200E	B Plant Zone		FH	PRC	Post Closure
1814	2252E	Storage Building	200E	B Plant Zone		FH	PRC	Post Closure
1815	2253E	Storage Building	200E	B Plant Zone		FH	PRC	Post Closure
1816	2254E	Storage Building	200E	B Plant Zone		FH	PRC	Post Closure
1817	2255E	Bottle Dock	200E	B Plant Zone		FH	PRC	Post Closure
1818	2255EA	CONNEX Box	200E	B Plant Zone		FH	PRC	Post Closure
1819	2256E	Storage Building	200E	B Plant Zone		FH	PRC	Post Closure
1820	2257E	Storage Building	200E	B Plant Zone		FH	PRC	Post Closure
1821	2264W	Storage Building	200W				PRC	Post Closure
1822	233S	Plutonium Concentration Facility	200W	REDOX Zone		FH	PRC	Post Closure
1823	233SA	Exhaust Air Filter Building	200W				PRC	Post Closure
1824	243G5	GPF Standby Generator	200E				PRC	
1825	252U	13.8kV Substation	200W				Delete	Post Closure
1826	2701AC	PUREX Patrol Guard Shack	200E				PRC	
1827	2701ZB	Exclusion Area Badge House (Demolished)	200W				PRC	
1828	2704C	Office Bldg. and Gate House (Demolished)	200E				PRC	
1829	2706S	Storage Building	200W				PRC	
1830	2708AR	Sludge Vault General Storage Building	200E				PRC	
1831	2724C	Rad Mon & Protective Clothing Facility	200E	C Farm Zone		CHG	TOC	Post Closure
1832	2724W	Laundry Facility	200W				PRC	
1833	272A	Maintenance Storage	200E				PRC	
1834	272BC	Construction Multi-Craft Storage	200E	B Plant Zone		FH	PRC	Post Closure
1835	284E Salt Dissolving P	Salt Dissolving Pit - 2 ea	200E				PRC	
1836	284W Salt Dissolving P	Salt Dissolving Pit - 2 ea	200W				PRC	

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1837	2904EA	Chemical Sewer Sampling Bldg.	200E				PRC	
1838	2905P	Deep Well House	600				PRC	Post Closure
1839	2905R	Deep Well House	600				PRC	Post Closure
1840	296S07E	Stack	200W				PRC	
1841	296S07W	Stack	200W	REDOX Zone		FH	PRC	Post Closure
1842	303K	Waste & Material Storage	300				RCCC	Post Closure
1843	305AA	1251 Yard Shed	300				RCCC	Post Closure
1844	3221	Sandblasting Support Building	300	300ACP Zone A		FH	RCCC	Post Closure
1845	3222	Storage Building	300	300ACP Zone A		FH	RCCC	Post Closure
1846	3223	Storage Building	300	300ACP Zone A		FH	RCCC	Post Closure
1847	3224	Storage Building	300	300ACP Zone A		FH	RCCC	Post Closure
1848	3226	Office Building	300				RCCC	Post Closure
1849	3227	Office Building	300				RCCC	Post Closure
1850	3228	Craft Lunchroom	300				RCCC	Post Closure
1851	3231	Electrician Shop	300	300ACP Zone D		FH	RCCC	Post Closure
1852	3232	Storage Building	300	300ACP Zone C		FH	RCCC	Post Closure
1853	3234	Storage Building	300				RCCC	Post Closure
1854	3235	Hazardous Material Storage Building	300				RCCC	Post Closure
1855	331 Dog Run	Environmental Monitoring Station	300				RCCC	Post Closure
1856	331A	Virology Laboratory	300				RCCC	Post Closure
1857	331B	Dog Kennel	300				RCCC	Post Closure
1858	352C	Electrical Switch House, 2.4 kV	300				RCCC	Post Closure
1859	366	Underground Fuel Oil Bunker	300				RCCC	Post Closure
1860	366A	Underground Fuel Oil Bunker	300				RCCC	Post Closure
1861	3701	Office Building	300				RCCC	Post Closure
1862	3701C	Office Building - Proected Area Guard Station	300				RCCC	Post Closure
1863	3707EA	Paint Storage	300				RCCC	Post Closure
1864	3707G	Change House	300				RCCC	Post Closure
1865	3710A	Oil Storage Building	300				RCCC	Post Closure
1866	3718F	Sodium Storage Facility	300				RCCC	Post Closure
1867	3718O	HEPA Filter Storage	300				RCCC	Post Closure
1868	3726	Propane Storage Tanks Structure	300				RCCC	Post Closure
1869	3734A	Paint Storage Building	300				RCCC	Post Closure
1870	3767	Offices (Removed from Site)	300				RCCC	Post Closure
1871	3902A	Elevated Water Tank West (75,000 gal)	300				RCCC	Post Closure

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1872	3902B	Elevated Water Tank East (100,000 gal)	300				RCCC	Post Closure
1873	604F	Wye Barricade Patrol Checking Station	600				Delete	Post Closure
1874	604H	Patrol Utility Building	600				PRC	Post Closure
1875	609C	Flre Department Training Facility	600				Delete	Post Closure
1876	614BYRL	Beyers Landing Monitoring Station	600				Delete	Post Closure
1877	646	Radioecology Field Laboratory	600				Delete	Post Closure
1878	6652DOME2	Small Observatory on Rattlesnake	600			Private	PRC	Post Closure
1879	703	Office Building	700				Remove	Post Closure
1880	747	Environmental Health Sciences Building	700				Delete	Post Closure
1881	747A	Whole Body Counter Lab (Sold)	700				Delete	Post Closure
1882	747B	Environmental Health Sciences Building Annex	700				Delete	Post Closure
1883	EMSL Tr1	Office Building	300				RCCC	Post Closure
1884	HO646382	Mobile Office	200W				PRC	Post Closure
1885	HO646386	Mobile Office	200W				PRC	Post Closure
1886	MO006	Mobile Office (Removed)	300				RCCC	Post Closure
1887	MO010	Office Building	300				RCCC	Post Closure
1888	MO012	Mobile Office (Removed)	200E				PRC	Post Closure
1889	MO019	Mobile Office -Janitor Staging	200E				PRC	Post Closure
1890	MO021	Mobile Office (Removed)	200E				PRC	Post Closure
1891	MO042	Mobile Office	200E				PRC	Post Closure
1892	MO043	Mobile Office	200E				PRC	Post Closure
1893	MO045	Environmental Monitoring Station	700				Delete	Post Closure
1894	MO046	Mobile Office	300				RCCC	Post Closure
1895	MO047	Mobile Office	200E	200-E Admin Zone			PRC	Post Closure
1896	MO056	Mobile Office (Removed)	200W				PRC	Post Closure
1897	MO108	Mobile Office (Removed)	200E				PRC	Post Closure
1898	MO201	Mobile Office (Removed)	200W				PRC	Post Closure
1899	MO203	Mobile Office (Removed)	200E				PRC	Post Closure
1900	MO204	Mobile Office -Lunchroom (Removed)	200W				PRC	Post Closure
1901	MO205	Mobile Office	100K				RCCC	Post Closure
1902	MO206	Mobile Office	200E				PRC	Post Closure
1903	MO227	Mobile Office	200E				PRC	Post Closure
1904	MO228	Mobile Office (Removed)	200E				PRC	Post Closure

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1905	MO255	Mobile Office at 622G	600				PRC	Post Closure
1906	MO303	Mobile Office (Removed)	1100				Delete	Post Closure
1907	MO306	Mobile Office (Removed)	200W				PRC	Post Closure
1908	MO314	Mobile Office	100N				RCCC	Post Closure
1909	MO317	Mobile Office Adjacent to 233S	200W	REDOX Zone		FH	PRC	Post Closure
1910	MO324	Mobile Office -Change Room (Removed)	200E				PRC	Post Closure
1911	MO346	Mobile Office	200W				PRC	Post Closure
1912	MO347	Mobile Office (Removed)	200E				PRC	Post Closure
1913	MO351	Mobile Office	200W				PRC	Post Closure
1914	MO353	Mobile Office (Removed)	400				RCCC	Post Closure
1915	MO355	Mobile Office (Removed)	200E				PRC	Post Closure
1916	MO359	Office Building	300				RCCC	Post Closure
1917	MO368	Mobile Office - Patrol Training	600			FH	PRC	Post Closure
1918	MO376	Mobile Office	600				PRC	Post Closure
1919	MO378	Mobile Office (Removed)	400				RCCC	Post Closure
1920	MO379	Mobile Office (Removed)	400				RCCC	Post Closure
1921	MO393	Mobile Office	200E				PRC	Post Closure
1922	MO396	Mobile Office -Restroom	100N				RCCC	Post Closure
1923	MO404	Mobile Office AKA 2445A Stevens Dr	1100			POB	Delete	Post Closure
1924	MO419	Mobile Office at UO3 Plant 224U	200W	U Plant Zone		FH	PRC	Post Closure
1925	MO454	Mobile Office	200W				PRC	Post Closure
1926	MO465	Mobile Office	200W	WM Zone			PRC	Post Closure
1927	MO482	RCT Trailer at ERDF Site	600				RCCC	Post Closure
1928	MO504	Mobile Office -Storage	200E				PRC	Post Closure
1929	MO535	Mobile Office	200W				PRC	Post Closure
1930	MO536	Mobile Office -Warehouse	600				PRC	Post Closure
1931	MO542	Office Building (Removed)	200E				PRC	Post Closure
1932	MO543	Office Building (Removed)	300				RCCC	Post Closure
1933	MO549	Office Building	100N				RCCC	Post Closure
1934	MO550	Office Building	100N				RCCC	Post Closure
1935	MO552	Office Building (Removed)	200E				PRC	Post Closure
1936	MO555	Office Building (Removed)	600				PRC	Post Closure
1937	MO559	Office Building (Removed)	600				PRC	Post Closure
1938	MO560	Mobile Office	200E				PRC	Post Closure
1939	MO569	Mobile Office -Restroom	200E				PRC	Post Closure
1940	MO574	Mobile Office -Change Room	200E				PRC	Post Closure

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1941	MO674	Mobile Office	200E				PRC	Post Closure
1942	MO705	Office Building (Removed)	200E				PRC	Post Closure
1943	MO708	Office Building (Removed)	200W	U Plant Zone			PRC	Post Closure
1944	MO709	Office Building (Removed)	300				RCCC	Post Closure
1945	MO711	Office Building (Removed)	600				PRC	Post Closure
1946	MO716	Mobile Office -Storage	200W				PRC	Post Closure
1947	MO718	Mobile Office -Lunchroom	100D				Remove	Post Closure
1948	MO738	Tank Farm Mobile Field Office West of PFP	200W				PRC	Post Closure
1949	MO832	Mobile Office	200E				PRC	Post Closure
1950	MO833	Mobile Office -Change /Lunchroom	300				RCCC	Post Closure
1951	MO834	Mobile Office	200W				PRC	Post Closure
1952	MO835	Office Building (Removed)	200W				PRC	Post Closure
1953	MO838	Office Building (Removed)	200E				PRC	Post Closure
1954	MO839	Mobile Office	200W				PRC	Post Closure
1955	MO845	Mobile Office	200E				PRC	Post Closure
1956	MO846	Mobile Office	100N				RCCC	Post Closure
1957	MO849	Mobile Office -Change /Lunchroom	200W				PRC	Post Closure
1958	MO851	Mobile Office	3000				Remove	Post Closure
1959	MO852	Office Building (Removed)	200E				PRC	Post Closure
1960	MO853	Mobile Office	200E				PRC	Post Closure
1961	MO854	Mobile Office	100K				RCCC	Post Closure
1962	MO862	Mobile Office	200W				PRC	Post Closure
1963	MO863	Mobile Office	200E				PRC	Post Closure
1964	MO904	Office Building (Removed)	200E				PRC	Post Closure
1965	MO908	Mobile Office (Removed)	400				RCCC	Post Closure
1966	MO909	Mobile Office	200W				PRC	Post Closure
1967	MO910	Mobile Office	100N				RCCC	Post Closure
1968	MO914	Office Building (Removed)	300				RCCC	Post Closure
1969	MO916	LMSI Maintenance Storage	1100			POB	Delete	Post Closure
1970	MO918	Office Building (Removed)	300				RCCC	Post Closure
1971	MO927	Mobile Office (Removed)	200E				PRC	Post Closure
1972	MO931	Mobile Office	200E				PRC	Post Closure
1973	MO934	Mobile Office -Change /Lunchroom (Removed)	200E				PRC	Post Closure
1974	MO937	Office Building (Removed)	300				RCCC	Post Closure
1975	MO938	LMSI Maintenance Storage	1100			POB	Delete	Post Closure

**ATTACHMENT J-13  
 HANFORD SITE STRUCTURE LIST**

Sort	Structure ID	Title	Hanford Geographical Area	Geographical Zone	Facility Bin	Pre-Transition Contractor	Post-Transition Contractor	Current Lifecycle Phase
1976	MO940	LMSI Maintenance Services	1100			POB	Delete	Post Closure
1977	MO941	Mobile Field Office West of 234-5Z	200W				PRC	Post Closure
1978	MO944	Mobile Office -Storage	600				PRC	Post Closure
1979	MO946	Mobile Office (Removed)	200E				PRC	Post Closure
1980	MO947	Mobile Office (Removed)	200W				PRC	Post Closure
1981	MO948	Mobile Office (Removed)	200E				PRC	Post Closure
1982	MO951	Mobile Office / Lunchroom Trailer at 100N	100N				RCCC	Post Closure
1983	MO952	Mobile Office	100N				RCCC	Post Closure
1984	MO954	Mobile Office / Electricians Storage at 100N	100N				RCCC	Post Closure
1985	MO957	Mobile Office (Construction) (Removed From Site)	100N				RCCC	Post Closure
1986	MO958	Mobile Office	200E	B Plant Zone		FH	PRC	Post Closure
1987	MO959	Mobile Office -Restroom	200E				PRC	Post Closure
1988	MO961	Mobile Office	200W				PRC	Post Closure
1989	MO962	Mobile Office -Change /Lunchroom	200W				PRC	Post Closure
1990	MO964	Mobile Office	200E	B Plant Zone		FH	PRC	Post Closure
1991	MO965	Mobile Office -Storage	200E	B Plant Zone		FH	PRC	Post Closure
1992	MO966	Mobile Office -Lunchroom	200E			FH	PRC	Post Closure
1993	MO967	Mobile Office	200E	B Plant Zone		FH	PRC	Post Closure
1994	MO968	Mobile Office -Change Room	200E			FH	PRC	Post Closure
1995	MO975	Mobile Office -Change Room	200E				PRC	Post Closure
1996	MO990	Mobile Office	600				PRC	Post Closure
1997	MO994	Mobile Office	200E				PRC	Post Closure
1998	MO995	Mobile Office at B Plant	200E				PRC	Post Closure
1999	WBF1	White Bluffs Boat Storage Facility	600				PRC	Post Closure
2000	WBF2	Storage Building	600				PRC	Post Closure
2001	X1	Railroad Scale House	1100				Delete	Post Closure
2002	X4	Railroad Tool Shed	1100				Delete	Post Closure

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
100-B-1	100-B-1, Surface Chemical and Solid Waste Dumping Area, Laydown Yard	100B	100-BC-2		RCCC
100-B-10	100-B-10, 107-B Basin Leak and Warm Springs	100B	100-BC-1		RCCC
100-B-11	100-B-11, 115-B/C Caisson Site, 115-BC Sump, 115-BC Drywell, 115-B Tank, 115-B/C Caisson Valve Pit	100B	100-BC-1		RCCC
100-B-12	100-B-12, Filter Box Radiological Materials Area (RMA)	100B	100-BC-1		RCCC
100-B-14	100-B-14, 100-B Area Process and Sanitary Sewer Underground Pipelines (See Subsites)	100B	100-BC-1		RCCC
100-B-15	100-B-15, 100BC River Effluent Pipelines, 100BC River Lines,	100B	100-BC-1		RCCC
100-B-16	100-B-16, Utility Poles and Fixtures Debris Pile	100B	100-BC-1		RCCC
100-B-17	100-B-17, Transite On Columbia River Shoreline at 100B	100B	100-BC-1		RCCC
100-B-18	100-B-18, 184-B Powerhouse Debris Pile	100B	100-BC-1		RCCC
100-B-19	100-B-19, 100-B/C Stained Soil Sites, 100B/C Chemical Contaminated Surface Soil Areas	100B	100-BC-1		RCCC
100-B-2	100-B-2, 181-B Backwash Trench, Backwash Trench, Undocumented Liquid Waste Site, Miscellaneous Stream #73	100B	100-BC-1		RCCC
100-B-20	100-B-20, 1716-B Maintenance Garage Underground Tank	100B	100-BC-1		RCCC
100-B-21	100-B-21, 100-B/C Miscellaneous Pipelines	100B	100-BC-1		RCCC
100-B-22	100-B-22, 100-B Water Treatment Facilities and Surrounding Soils	100B	100-BC-1		RCCC
100-B-23	100-B-23, 100-B/C Surface Debris	100B	100-BC-2		RCCC
100-B-24	100-B-24, 1904-B1 Spillway (Flume), 100-B-15:1 Flumes from Outfall Structures 116-B7, 132-B-6, 132-C-2	100B	100-BC-1		RCCC
100-B-25	100-B-25, 1904-B2 Spillway, 132-B-6 Outfall, 100-B-15:1 Flumes from Outfall Structures 116-B-7, 132-B-6, 132-C-2,	100B	100-BC-1		RCCC
100-B-26	100-B-26, 1904-C Spillway, 100-B-15:1 Flumes from Outfall Structures 116-B-7, 132-B-6, 132-C-2	100B	100-BC-1		RCCC
100-B-27	100-B-27, Sodium Dichromate Spill	100B	100-BC-1		RCCC
100-B-28	100-B-28, 183-C to 126-B-2 Sodium Dichromate Transfer Pipeline	100B	100-BC-1		RCCC
100-B-3	100-B-3, Hot Thimble Burial Ground, Undocumented Solid Waste Site	100B	100-BC-1		RCCC
100-B-4	100-B-4, Building Foundation, Undocumented Solid Waste Site	100B	100-BC-1		RCCC
100-B-5	100-B-5, Effluent Vent Disposal Trench, 116-B-9, 105-B Effluent Vent Trench	100B	100-BC-1		RCCC
100-B-7	100-B-7, 100-B Service Water Pipelines, 100-B Clean Water Pipelines	100B	100-BC-1		RCCC
100-B-8	100-B-8, 100-B Reactor Cooling Water Effluent Underground Pipelines (See Subsites)	100B	100-BC-1		RCCC
100-C-2	100-C-2, Possible Building Foundation and Parking Lot, Monitoring Station 1614-B-1	100C	100-BC-2		RCCC
100-C-3	100-C-3, 119-C Sample Building French Drain, 119-C French Drain	100C	100-BC-2		RCCC
100-C-4	100-C-4, Export Water Line Valve Pit	100C	100-BC-2		RCCC
100-C-5	100-C-5, 100-C Service Water Pipelines, 100-C Clean Water Pipelines	100C	100-BC-2		RCCC
100-C-6	100-C-6, 100-C Reactor Cooling Water Effluent Underground Pipelines (See Subsites)	100C	100-BC-2		RCCC
100-C-7	100-C-7, 183-C Filter Building /Pumproom Facility Foundation and Demolition Waste (See Subsites)	100C	100-BC-2		RCCC
100-C-8	100-C-8, 105C Hydraulic Oil Release	100C	100-BC-2		RCCC
100-C-9	100-C-9, 100-C Area Process and Sanitary Sewer Underground Pipelines (See Subsites)	100C	100-BC-2		RCCC
100-D-1	100-D-1, Contaminated Drain, Contaminated Storm Drain	100D	100-DR-1		RCCC
100-D-10	100-D-10, Storm Drain Outfall, Undocumented Liquid Waste Site	100D	100-DR-1		RCCC
100-D-11	100-D-11, Temporary Garage and Gasoline Dispensing Station, Temporary Garage TC-21	100D	100-DR-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
100-D-12	100-D-12, Sodium Dichromate / Acid Railcar and Truck Unload Station and Associated French Drain, Undocumented Liquid Waste Site	100D	100-DR-2		RCCC
100-D-13	100-D-13, Unnumbered Septic System A, Septic Tank D-13, 100 DR Area Sewage Disposal Unit.124-DR-3, 1607-DR3	100D	100-DR-2		RCCC
100-D-14	100-D-14, Unnumbered Septic Tank #2, Unnumbered Septic System (b)	100D	100-DR-2		RCCC
100-D-15	100-D-15, Debris North of 100-D Area Perimeter Road and Debris South of 100-D Perimeter Road - within 100-D-55 , Gravel Pit #2, Pit 21	100D	100-DR-2		RCCC
100-D-17	100-D-17, Burn Pit, Undocumented Solid Waste Site	100D	100-DR-2		RCCC
100-D-18	100-D-18, Sludge Trench #4, 107-D Sludge Trench #4, 107-D-4, 107-D4	100D	100-DR-1		RCCC
100-D-19	100-D-19, Sludge Trench #6, 107-D Sludge Trench #6	100D	100-DR-1		RCCC
100-D-2	100-D-2, Solid Waste Site, Lead Sheeting	100D	100-DR-1		RCCC
100-D-20	100-D-20, Sludge Trench #3, 107-D Sludge Trench #3, 107-D-3, 107-D3	100D	100-DR-1		RCCC
100-D-21	100-D-21, Sludge Trench #2, 107-DR Sludge Trench #2, 107-D-2, 107-D2	100D	100-DR-1		RCCC
100-D-22	100-D-22, Sludge Trench #1, 107-DR Sludge Trench #1, 107-D-1, 107-D1	100D	100-DR-1		RCCC
100-D-23	100-D-23, 119-DR Sample Building Drywell	100D	100-DR-2		RCCC
100-D-24	100-D-24, 119D Sample Building Drywell	100D	100-DR-1		RCCC
100-D-25	100-D-25, Unplanned Release: 107-DR Basin Leaks	100D	100-DR-1		RCCC
100-D-26	100-D-26, Borrow Pit, Potential Burial Trenches	600	100-DR-1		RCCC
100-D-27	100-D-27, 151-D Substation UPR, A-2 Substation Transformer #A401C Leak	100D	100-DR-2		RCCC
100-D-28	100-D-28, 190-DR Building Septic System (See Subsites)	100D	100-DR-2		RCCC
100-D-29	100-D-29, Effluent Line Leak #2	100D	100-DR-1		RCCC
100-D-3	100-D-3, Solid Waste Burial Ground, Silica Gel	100D	100-DR-1		RCCC
100-D-30	100-D-30, 190-D Sodium Dichromate Soil Contamination, 185-D, 189-D Decontamination & Demolition Project, 185-D Sodium Dichromate Trench & Sump	100D	100-DR-1		RCCC
100-D-31	100-D-31,100-D Water Treatment Facilities Underground Pipelines	100D	100-DR-1		RCCC
100-D-32	100-D-32, Minor Construction Burial Ground #6	100D	100-DR-1		RCCC
100-D-33	100-D-33, Minor Construction Burial Ground #4 East Trench	100D	100-DR-1		RCCC
100-D-34	100-D-34, 100-D/DR Grounds Surrounding Deactivated Areas, Exclusion Area	100D	100-DR-1		RCCC
100-D-35	100-D-35, Minor Construction Burial Ground #4 West Trench	100D	100-DR-1		RCCC
100-D-36	100-D-36, Undocumented Concrete Pad, Monitoring Station 1614-D-1, 100-N-20	100D	100-DR-2		RCCC
100-D-37	100-D-37, Undocumented Concrete Pad, 1614-D-3 Monitoring Station	100D	100-DR-2		RCCC
100-D-38	100-D-38, Suspect Septic Tank	100D	100-DR-1		RCCC
100-D-4	100-D-4, Sludge Trench #5, 107-DR Sludge Trench #5, 107-D-5, 107-D5	100D	100-DR-1		RCCC
100-D-40	100-D-40, Minor Construction Burial Ground #5 Hole	100D	100-DR-2		RCCC
100-D-41	100-D-41, Minor Construction Burial Ground #5 Trench, 118-18, 118-D-18	100D	100-DR-1		RCCC
100-D-42	100-D-42, Buried VSR Thimble Site	100D	100-DR-1		RCCC
100-D-43	100-D-43, Buried VSR Thimble Site, Burial Ground 4C, 118-D-4C	100D	100-DR-2		RCCC
100-D-45	100-D-45, Buried VSR Thimble Site, Burial Ground 4B, 118-D-4B	100D	100-DR-1		RCCC
100-D-46	100-D-46, Burial Ground 4A, 118-D-4A	100D	100-DR-2		RCCC
100-D-47	100-D-47, Construction C.G. 558-Rod Burial, Burial Ground 4E, 118-D-4E	100D	100-DR-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
100-D-48	100-D-48, 100-D Reactor Cooling Water Effluent Underground Pipelines (See Subsites)	100D	100-DR-1		RCCC
100-D-49	100-D-49, 100-DR Reactor Cooling Water Effluent Underground Pipelines (See Subsites)	100D	100-DR-1		RCCC
100-D-5	100-D-5, Waste Site Near 103-D, Undocumented Solid Waste Site, Undocumented Solid Waste Site Near 103-D	100D	100-DR-1		RCCC
100-D-50	100-D-50, 100-DR Water Treatment Facilities Underground Pipelines (See Subsites)	100D	100-DR-1		RCCC
100-D-52	100-D-52, 105-D Downcomer Insulation Space Dry Well	100D	100-DR-1		RCCC
100-D-53	100-D-53, 117-DR Filter Building, 117-DR HEPA Filter Building	100D	100-DR-2		RCCC
100-D-54	100-D-54, Drywell Near Fire Facility Gravel Scrubber	100D	100-DR-2		RCCC
100-D-55	100-D-55, Gravel Pit #21, Pit 21	100D	100-DR-2		RCCC
100-D-56	100-D-56, 100-D Area Sodium Dichromate Underground Supply Lines	100D	100-DR-1		RCCC
100-D-57	100-D-57, Earth Crib Near 107-DR	100D	100-DR-1		RCCC
100-D-58	100-D-58, 100-DR Area On-site Sewage System for MO-980 & 4-Closet Restroom Facility	100D	100-DR-2		RCCC
100-D-59	100-D-59 French Drain at the 183-D Acid Transfer Station	100D	100-DR-1		RCCC
100-D-6	100-D-6, Buried VSR Thimble, Minor Construction Burial Ground #1, Burial Ground 4D, 118-D-4D	100D	100-DR-1		RCCC
100-D-60	100-D-60, 100D/DR River Effluent Pipelines, 100D River Lines, D Island, 116-D-5 Outfall Structure	100D	100-DR-1		RCCC
100-D-61	100-D-61, Utility Pole and Fixture Debris Piles	100D	100-DR-1		RCCC
100-D-62	100-D-62, 183-DR Headhouse Septic Tank	100D	100-DR-2		RCCC
100-D-63	100-D-63, 100-D/DR Service Water Pipelines, 100-D/DR Clean Water Pipelines	100D	100-DR-1		RCCC
100-D-64	100-D-64, 119-DR, 119-DR Sample Building, 105-DR Reactor Exhaust Stack Sampling Building	100D	100-DR-2		RCCC
100-D-65	100-D-65, 1904D Spillway, 116-D-5 Outfall Spillway, 100-D-60:1 Flumes	100D	100-DR-1		RCCC
100-D-66	100-D-66, 1904-DR Spillway, 116-DR-5 Outfall, 100-D-60:1 Flume	100D	100-DR-1		RCCC
100-D-67	100-D-67, D Island Contamination, 100-D-60, 100-D/DR-60 River Effluent Pipelines, 100D River Lines, D Island, 116-D-5 Outfall Structure	100D	100-DR-1		RCCC
100-D-68	100-D-68, 190-DR Process Water Pump House	100D	100-DR-2		RCCC
100-D-7	100-D-7, Undocumented Solid Waste Site	100D	100-DR-1		RCCC
100-D-8	100-D-8, 105-DR Process Sewer Outfall Site, Undocumented Liquid Waste Site, 1907-DR	100D	100-DR-1		RCCC
100-D-9	100-D-9, 184-DA Boiler Oil Tank	100D	100-DR-1		RCCC
100-F-1	100-F-1, 100-FR-2 Depression	100F	100-FR-2		RCCC
100-F-10	100-F-10, French Drain at East End of 105-F Storage Room (Southeast Corner)	100F	100-FR-1		RCCC
100-F-11	100-F-11, 108-F Building 18 inch French Drain	100F	100-FR-1		RCCC
100-F-12	100-F-12, 36 inch French Drain at 105-F Building	100F	100-FR-1		RCCC
100-F-14	100-F-14, 100-FR-2 Vent Pipe, 100-F Carpenter Shop Waste Site Vent	100F	100-FR-2		RCCC
100-F-15	100-F-15, 108-F Building Ventilation French Drain, Undocumented	100F	100-FR-2		RCCC
100-F-16	100-F-16, 108-F Building 30-inch French Drain, Undocumented	100F	100-FR-1		RCCC
100-F-17	100-F-17, 108-F Chemical Pump House, Chemical Storage Tanks at 108-F, Chemicals Used at 108-F Building	100F	100-FR-1		RCCC
100-F-18	100-F-18, 105-F Condensate Drain Field, Underground Tank at 105-F Building, Undocumented	100F	100-FR-1		RCCC
100-F-19	100-F-19, 100-F Reactor Cooling Water Effluent Underground Pipelines, Contaminated Underground Lines, Effluent Water System, 1904-F Process Sewer (See Subsites)	100F	100-FR-1		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
100-F-2	100-F-2, Strontium Garden, PNL Ecological Study Strontium Garden	100F	100-FR-2		RCCC
100-F-20	100-F-20, PNL Parallel Pits	100F	100-FR-2		RCCC
100-F-21	100-F-21, Grounds Surrounding Deactivated Areas, Exclusion Area	100F	100-FR-1		RCCC
100-F-23	100-F-23, 141-C Drywell	100F	100-FR-1		RCCC
100-F-24	100-F-24, 145-F Drywell	100F	100-FR-1		RCCC
100-F-25	100-F-25, 146-FR Drywells	100F	100-FR-1		RCCC
100-F-26	100-F-26, 100-F Water Treatment Facility Underground Pipelines (See Subsites)	100F	100-FR-1		RCCC
100-F-28	100-F-28, Septic Tank and Drainfield	100F	100-FR-2		RCCC
100-F-29	100-F-29, 100-F Experimental Animal Farm Process Sewer Pipelines	100F	100-FR-1		RCCC
100-F-30	100-F-30, 144-F Drywell	100F	100-FR-1		RCCC
100-F-31	100-F-31, 144-F Sanitary Sewer System	100F	100-FR-1		RCCC
100-F-32	100-F-32, 1717-F Underground Fuel Oil Tanks	100F	100-FR-1		RCCC
100-F-33	100-F-33, 146-F Aquatic Biology Fish Ponds	100F	100-FR-1		RCCC
100-F-34	100-F-34, Biology Facility French Drain	100F	100-FR-1		RCCC
100-F-35	100-F-35, Soil Contamination Area inside the 105-F Exclusion Area	100F	100-FR-2		RCCC
100-F-36	100-F-36, 108-F Chemical Pump House, 108-F Biological Laboratory	100F	100-FR-1		RCCC
100-F-37	100-F-37, French Drain Discovered Near Hydrant F-2	100F	100-FR-1		RCCC
100-F-38	100-F-38, Yellow Stained Soil Near Hydrant F-2	100F	100-FR-1		RCCC
100-F-39	100-F-39, 100F River Effluent Pipelines, 100F River Lines,	100F	100-FR-1		RCCC
100-F-4	100-F-4, 108-F Building 12-inch French Drain	100F	100-FR-1		RCCC
100-F-40	100-F-40, Animal Farm Surface Impoundment	100F	100-FR-1		RCCC
100-F-41	100-F-41, 100-F Service Water Pipelines, 100-F Clean Water Pipelines	100F	100-FR-1		RCCC
100-F-42	100-F-42, 1904-F Spillway, 100-F-39:1 Flume	100F	100-FR-1		RCCC
100-F-43	100-F-43, Spillway for PNL Outfall, 116-F-16 Spillway, 100-F-39:1	100F	100-FR-1		RCCC
100-F-44	100-F-44, 100-F Miscellaneous Pipelines	100F	100-FR-1		RCCC
100-F-45	100-F-45, Buried River Effluent Pipelines	100F	100-FR-1		RCCC
100-F-46	100-F-46, 119-F Stack Sampling French Drain	100F	100-FR-2		RCCC
100-F-47	100-F-47, 151-F Substation	100F	100-FR-1		RCCC
100-F-48	100-F-48, 184-F Coal Pit Debris	100F	100-FR-1		RCCC
100-F-49	100-F-49, 1716-F Maintenance Garage Lubrication Pit	100F	100-FR-2		RCCC
100-F-5	100-F-5, 1717-F Building Drywell	100F	100-FR-1		RCCC
100-F-50	100-F-50, 100-F Railroad French Drain	100F	100-FR-2		RCCC
100-F-51	100-F-51, 146-F Fish Laboratory Soil	100F	100-FR-1		RCCC
100-F-52	100-F-52, 146-FR Radioecology/Aquatic Biology Laboratory Soil	100F	100-FR-1		RCCC
100-F-53	100-F-53, 108-F Septic System	100F	100-FR-2		RCCC
100-F-54	100-F-54, 100-F Animal Farm Pastures	100F	100-FR-1		RCCC
100-F-55	100-F-55, 1607-F7 Contaminated Ash Layer	100F	100-FR-1		RCCC
100-F-56	100-F-56, 100-F Surface Debris/Stains	100F	100-FR-1		RCCC
100-F-57	100-F-57, 190-F Process Water Pump House Debris	100F	100-FR-1		RCCC
100-F-6	100-F-6, 1716 FA Fuel Tank and Pump	100F	100-FR-1		RCCC
100-F-7	100-F-7, Underground Fuel Tank - 1705-F Building	100F	100-FR-1		RCCC
100-F-8	100-F-8, French Drains Near 105-F Gate	100F	100-FR-1		RCCC
100-F-9	100-F-9, French Drain at East End of 105-F Storage Room (Northeast Corner)	100F	100-FR-1		RCCC
100-H-1	100-H-1, 105-H Rod Cave	100H	100-HR-1		RCCC
100-H-10	100-H-10, French Drain D	100H	100-HR-1		RCCC
100-H-11	100-H-11, Expansion Box French Drain E	100H	100-HR-1		RCCC
100-H-12	100-H-12, Expansion Box French Drain F and Shielding Lead	100H	100-HR-1		RCCC
100-H-13	100-H-13, French Drain G	100H	100-HR-1		RCCC
100-H-14	100-H-14, Surface Contamination Zone H	100H	100-HR-1		RCCC
100-H-15	100-H-15, Possible Septic Tank & Tile Field, 100-H-25	100H	100-HR-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
100-H-16	100-H-16, 184-H Salt Dissolving Pit and Brine Pump House, H Area Power House Brine Pit, 184-H Brine Pit	100H	100-HR-2		RCCC
100-H-17	100-H-17, 116-H-2 Trench Overflow	100H	100-HR-1		RCCC
100-H-18	100-H-18, Undocumented Unplanned Airborne Release: Stack Emission No.1	100H	100-HR-1		RCCC
100-H-19	100-H-19, Undocumented Unplanned Airborne Release: Stack Emission No.2	100H	100-HR-1		RCCC
100-H-2	100-H-2, Buried Thimble Site	100H	100-HR-2		RCCC
100-H-20	100-H-20, Undocumented Unplanned Release: Swallow Nests and Droppings	100H	100-HR-1		RCCC
100-H-21	100-H-21, 100-H Reactor Cooling Water Effluent Underground Pipelines	100H	100-HR-1		RCCC
100-H-22	100-H-22, Soil Contaminated by Effluent Line Leakage	100H	100-HR-1		RCCC
100-H-24	100-H-24, 151-H Electrical Facilities, 100-H-24 Substation, 151-H Substation	100H	100-HR-1		RCCC
100-H-26	100-H-26, Grounds Surrounding Deactivated Areas, Exclusion Area	100H	100-HR-1		RCCC
100-H-27	100-H-27, 100-H Area Patrol Headquarters Storm Runoff Ditch	100H	100-HR-2		RCCC
100-H-28	100-H-28, 100-H Water Treatment Facilities Underground Pipelines (See Subsites)	100H	100-HR-1		RCCC
100-H-3	100-H-3, 1716-H Garage Fuel Tank Site	100H	100-HR-1		RCCC
100-H-30	100-H-30, 110-H Sanitary Sewer Trench	100H	100-HR-1		RCCC
100-H-31	100-H-31, Polychlorinated Biphenyl in Soil On North Side of 105-H Reactor Building	100H	100-HR-1		RCCC
100-H-32	100-H-32, 184-H Brine Pit French Drain	100H	100-HR-2		RCCC
100-H-33	100-H-33, 183-H Solar Evaporation Basins Radionuclide Components	100H	100-HR-1		RCCC
100-H-34	100-H-34, 100H River Effluent Pipelines, 100H River Lines;	100H	100-HR-1		RCCC
100-H-35	100-H-35, 100-H Service Water Pipelines, 100-H Clean Water Pipelines	100H	100-HR-1		RCCC
100-H-36	100-H-36, 1904-H Spillway, 116-H-5 Spillway, 100-H-34:1 Flume (Spillway) for the 116-H-5 Outfall Structure	100H	100-HR-1		RCCC
100-H-37	100-H-37, 100-H Mud Dauber Contamination Area	100H	100-HR-2		RCCC
100-H-4	100-H-4, 1717-H Hot Shop, French Drain, and, Contaminated Storage Unit	100H	100-HR-1		RCCC
100-H-5	100-H-5, 107-H Retention Basin Sludge Burial Site, 107-H Buried Sludge Site, Sludge Disposal Trench, 107-H Grave	100H	100-HR-1		RCCC
100-H-6	100-H-6, Suspect Waste Site: Contaminated Ramp	100H	100-HR-1		RCCC
100-H-7	100-H-7, French Drain A	100H	100-HR-1		RCCC
100-H-8	100-H-8, French Drain B	100H	100-HR-1		RCCC
100-H-9	100-H-9, French Drain C	100H	100-HR-1		RCCC
100-K-1	100-K-1, 119-KW French Drain, 119-KW Exhaust Air Sample Building French Drain, 100-K-45	100K	100-KR-2		RCCC
100-K-10	100-K-10, 118-KE-2 French Drain (South), 104-K Dry Well	100K	100-KR-2		RCCC
100-K-11	100-K-11, 118-KW-2 French Drain (North), 104-K Dry Well	100K	100-KR-2		RCCC
100-K-12	100-K-12, 118-KW-2 French Drain (South), 104-K Dry Well	100K	100-KR-2		RCCC
100-K-13	100-K-13, French Drain West of the 166-KW Oil Storage Tank Facility	100K	100-KR-2		RCCC
100-K-14	100-K-14, 183-KE Acid Neutralization Pit and Overflow French Drain	100K	100-KR-2		RCCC
100-K-15	100-K-15, 183-KW Liquid Alum Storage Tank (West)	100K	100-KR-2		RCCC
100-K-16	100-K-16, 183-KW Liquid Alum Storage Tank (East)	100K	100-KR-2		RCCC
100-K-18	100-K-18, 183-KW Caustic Neutralization Pit	100K	100-KR-2		RCCC
100-K-19	100-K-19, 183-KW Caustic Soda Storage Tank Site	100K	100-KR-2		RCCC
100-K-2	100-K-2, 118-K-2, 118-K-2 Sludge Burial Ground, Burial Area	100K	100-KR-2		RCCC
100-K-20	100-K-20, 183-KW Sodium Silicate Storage Tank (West)	100K	100-KR-2		RCCC
100-K-21	100-K-21, 183-KW Sodium Silicate Storage Tank (East)	100K	100-KR-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
100-K-22	100-K-22, 183-KE Sodium Silicate Storage Tank (West)	100K	100-KR-2		RCCC
100-K-23	100-K-23, 183-KE Sodium Silicate Storage Tank (East)	100K	100-KR-2		RCCC
100-K-24	100-K-24, 183-KW Bauxite Tank	100K	100-KR-2		RCCC
100-K-25	100-K-25, 183-KE Caustic Neutralization Pit	100K	100-KR-2		RCCC
100-K-27	100-K-27, 183-KE Caustic Soda Storage Tank Site	100K	100-KR-2		RCCC
100-K-28	100-K-28, 183-KE Bauxite Tank	100K	100-KR-2		RCCC
100-K-29	100-K-29, 183-KE Sandblasting Site	100K	100-KR-2		RCCC
100-K-3	100-K-3, 1706-KE Fish Pond Heat Exchanger Pit and Pump Pit, Water Studies Semi-Works	100K	100-KR-2		RCCC
100-K-30	100-K-30, 183-KE Sulfuric Acid Tank Bases (West Tank)	100K	100-KR-2		RCCC
100-K-31	100-K-31, 183-KE Sulfuric Acid Tank Bases (East tank)	100K	100-KR-2		RCCC
100-K-32	100-K-32, 183-KW Sulfuric Acid Tank Bases (East tank)	100K	100-KR-2		RCCC
100-K-33	100-K-33, 183-KW Sulfuric Acid Tank Bases (West tank)	100K	100-KR-2		RCCC
100-K-34	100-K-34, 183-KW Acid Neutralization Pit	100K	100-KR-2		RCCC
100-K-35	100-K-35, 183-KE Acid Neutralization Pit	100K	100-KR-2		RCCC
100-K-36	100-K-36, 1706-KE Chemical Storage Facility Dry Well	100K	100-KR-2		RCCC
100-K-37	100-K-37, 1706-KE Sulfuric Acid Tank	100K	100-KR-2		RCCC
100-K-38	100-K-38, 1706-KE Caustic Soda Tank	100K	100-KR-2		RCCC
100-K-39	100-K-39, 118-K-3 Filter Crib	100K	100-KR-2		RCCC
100-K-4	100-K-4, 1706-KE Wet Fish Studies Ponds and Valve Pit	100K	100-KR-2		RCCC
100-K-42	100-K-42, 100 Area KE Basin, 105-KE Fuel Storage Basin, K East Basin, Irradiated Fissile Material Storage, Metal Storage Basin, 100-K-40	100K	100-KR-2		RCCC
100-K-43	100-K-43, KW Basin, 105-KW Fuel Storage Basin, K West Basin, Irradiated Fissile Material Storage	100K	100-KR-2		RCCC
100-K-44	100-K-44, Grounds Surrounding Deactivated Areas, Exclusion Area	100K	100-KR-2		RCCC
100-K-46	100-K-46, 119-KE French Drain, Drywell	100K	100-KR-2		RCCC
100-K-47	100-K-47, 1904-K Process Sewer	100K	100-KR-2		RCCC
100-K-48	100-K-48, 100-KE Oil Contamination Areas	100K	100-KR-2		RCCC
100-K-49	100-K-49, 100-KW Oil Contamination Area	100K	100-KR-2		RCCC
100-K-5	100-K-5, 1705-KE French Drain	100K	100-KR-2		RCCC
100-K-50	100-K-50, 1725-K & 1726-K Sanitary Sewer System Holding Tank	100K	100-KR-2		RCCC
100-K-51	100-K-51, 105-KE 90-Day Waste Accumulation Area, 100K 90-Day Waste Storage Facility	100K	100-KR-2		RCCC
100-K-52	100-K-52, 1706-KE Wet Fish Studies Laboratory	100K	100-KR-2		RCCC
100-K-53	100-K-53, 100-KE Glycol Heat Recovery Underground Pipelines	100K	100-KR-2		RCCC
100-K-54	100-K-54, 100-KW Glycol Heat Recovery Underground Pipelines	100K	100-KR-2		RCCC
100-K-55	100-K-55, 100-KW Reactor Cooling Water Effluent Underground Pipelines (See Subsites)	100K	100-KR-2		RCCC
100-K-56	100-K-56, 100-KE Reactor Cooling Water Effluent Underground Pipelines (See Subsites)	100K	100-KR-2		RCCC
100-K-57	100-K-57, 107-KE Drainage Ditch	100K	100-KR-1		RCCC
100-K-58	100-K-58, 100-KE Service Water Pipelines, 100-KE Clean Water Pipelines	100K	100-KR-2		RCCC
100-K-59	100-K-59, 100-KW Service Water Pipelines, 100-KW Clean Water Pipelines	100K	100-KR-2		RCCC
100-K-6	100-K-6, Vacuum Pit, Cyclone Separator, 105-KE Vacuum Pit	100K	100-KR-2		RCCC
100-K-60	100-K-60, 1904-K Process Sewer (165-KW)	100K	100-KR-2		RCCC
100-K-61	100-K-61, 117-KW Filter Building	100K	100-KR-2		RCCC
100-K-62	100-K-62, 117-KE Filter Building	100K	100-KR-2		RCCC
100-K-63	100-K-63, 100-KW Floodplain, 100-K Flood Plain Contamination Area	100K	100-KR-1		RCCC
100-K-64	100-K-64, 100-KE Floodplain, 100-KE Flood Plain Contamination Area	100K	100-KR-1		RCCC
100-K-66	100-K-66, 165-KW Power Control Building	100K	100-KR-2		RCCC
100-K-67	100-K-67, 165-KE Power Control Building	100K	100-KR-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
100-K-68	100-K-68, 105-KE Pump Gallery and Catch Tank, D Sump	100K	100-KR-2		RCCC
100-K-69	100-K-69, 105-KE Sump C	100K	100-KR-2		RCCC
100-K-7	100-K-7, 165-KE Ethylene Glycol Tanks, 165-KE-E and 165-KE-W	100K	100-KR-2		RCCC
100-K-70	100-K-70, 105-KE Waste Storage Tank, Holding Tank	100K	100-KR-2		RCCC
100-K-71	100-K-71, 105-KE Collection Box	100K	100-KR-2		RCCC
100-K-72	100-K-72, 105-KW Pump Gallery and Catch Tank, D Sump	100K	100-KR-2		RCCC
100-K-73	100-K-73, 105-KW Collection Box	100K	100-KR-2		RCCC
100-K-74	100-K-74, 105-KW Waste Storage Tank, Holding Tank	100K	100-KR-2		RCCC
100-K-75	100-K-75, 105-KW Sump C	100K	100-KR-2		RCCC
100-K-76	100-K-76, 105-KW Unplanned Release Discovered Near 130-KW-1 Emergency Diesel Tank	100K	100-KR-2		RCCC
100-K-77	100-K-77, Underground Railroad Ties Southeast of 1706KE	100K	100-KR-2		RCCC
100-K-78	100-K-78, Fenced Contamination Area	100K	100-KR-1		RCCC
100-K-79	100-K-79; Sodium Dichromate and Sulfuric Acid Product Pipelines at 100-K	100K	100-KR-2		RCCC
100-K-8	100-K-8, 165-KW Ethylene Glycol Tanks, 165-KW-E and 165-KW-W	100K	100-KR-2		RCCC
100-K-80	100-K-80, 100K River Effluent Pipeline, 100K River Line, 116-K-3 Outfall Structure, 1908 K Outfall	100K	100-KR-1		RCCC
100-K-81	100-K-81, Contamination Area West of 116-K-3	100K	100-KR-1		RCCC
100-K-82	100-K-82, 105-KW Fuel Storage Basin leak	100K	100-KR-2		RCCC
100-K-83	100-K-83, 1904-K Spillway, 116-K-3, 1904-K Outfall Structure	100K	100-KR-1		RCCC
100-K-9	100-K-9, 118-KE-2 French Drain (North), 104-K Dry Well	100K	100-KR-2		RCCC
100-N-1	100-N-1, HGP SWMU #6, HGP Settling Pond	100N	100-NR-1		ENW RCCC
100-N-10	100-N-10, 120-N-5 Facility Liquid Unplanned Release 2 (09/02/87)	100N	100-NR-1		RCCC
100-N-11	100-N-11, 120-N-5 Transfer Trench Liquid Unplanned Release 3	100N	100-NR-1		RCCC
100-N-12	100-N-12, 166-N / 184-N Pipelines Liquid Unplanned Release 1 (10/14/87 cleaned up)	100N	100-NR-1		RCCC
100-N-13	100-N-13, Contaminated Soil Solid Waste Site 1	100N	100-NR-1		RCCC
100-N-14	100-N-14, Contaminated Soil Solid Waste Site 2	100N	100-NR-1		RCCC
100-N-16	100-N-16, Burn Pit 1, 128N-FS-2	100N	100-NR-1		RCCC
100-N-17	100-N-17, Burn Pit 2, 128N-FS-1	100N	100-NR-1		RCCC
100-N-18	100-N-18, Hanford Generating Plant Burn Pit, HGP Burn Pit	100N	100-NR-1		RCCC
100-N-19	100-N-19, HGP Construction Debris Dump Solid Waste Site, SWMU #11	100N	100-NR-1		RCCC
100-N-21	100-N-21, Blast Yard Solid Waste Site, 1143-N Blast Yard	100N	100-NR-1		RCCC
100-N-22	100-N-22, Sanitary Sewer System (Undocumented), 1705-N Septic Tank and Cesspool	100N	100-NR-1		RCCC
100-N-23	100-N-23, Resin Disposal Pit Liquid Waste Site 1	100N	100-NR-1		RCCC
100-N-24	100-N-24, Hydrogen Dry Well Liquid Waste Site, Hydrogen Peroxide Drywell	100N	100-NR-1		RCCC
100-N-25	100-N-25, French Drain 1 Liquid Waste Site (100N TBR 4.86)	100N	100-NR-1		RCCC
100-N-26	100-N-26, French Drain 2 Liquid Waste Site (100N TBR 4.86)	100N	100-NR-1		RCCC
100-N-27	100-N-27, 108-N Sump, 108-N Neutralization Pit	100N	100-NR-1		RCCC
100-N-28	100-N-28, Resin Disposal Pit Liquid Waste Site 2	100N	100-NR-1		RCCC
100-N-29	100-N-29, Unplanned Release on 25-centimeter (10-inch) Blowdown Pipeline #1	100N	100-NR-1		RCCC
100-N-3	100-N-3, Maintenance Garage French Drain, HGP-SWMU #9, Maintenance Garage Waste Water Treatment Unit	100N	100-NR-1		ENW RCCC
100-N-30	100-N-30, Unplanned Release on 10 inch Blowdown Pipeline #2	100N	100-NR-1		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
100-N-31	100-N-31, Unplanned Release on 30 inch Pipe Line	100N	100-NR-1		RCCC
100-N-32	100-N-32, Unplanned Release on 25-centimeter (10-inch) Blowdown Pipeline #3	100N	100-NR-1		RCCC
100-N-33	100-N-33, 100-N Military Installation Ash Pit	100N	100-NR-1		RCCC
100-N-34	100-N-34, Debris site	100N	100-NR-1		RCCC
100-N-35	100-N-35, BPA Hanford Substation, Hanford Generating Plant (HGP) Substation	100N	100-NR-1		RCCC
100-N-36	100-N-36, 107-N Oil Stained Pad	100N	100-NR-1		RCCC
100-N-37	100-N-37, 109-N Asbestos Release	100N	100-NR-1		RCCC
100-N-38	100-N-38, Unplanned Release at 1300-N	100N	100-NR-1		RCCC
100-N-39	100-N-39, Hanford Substation Construction Dump Area, SWMU #11	100N	100-NR-1		RCCC
100-N-4	100-N-4, HGP SWMU #5 Tile Field	100N	100-NR-1		ENW RCCC
100-N-40	100-N-40, Unplanned Release at 108-N	100N	100-NR-1		RCCC
100-N-41	100-N-41, 1701-NE Gate House Septic Tank, HGP-SWMU #9	100N	100-NR-1		ENW RCCC
100-N-45	100-N-45, 1703-N Septic Tank, HGP-SWMU #9	100N	100-NR-1		ENW RCCC
100-N-46	100-N-46, HGP Diesel Oil Storage Tank	100N	100-NR-1		ENW RCCC
100-N-47	100-N-47, Military Artillery Site Solid Waste Site	100N	100-NR-1		RCCC
100-N-5	100-N-5, HGP Disposal and Storage Area, HGP Bone Yard, HGP-SWMU #10	100N	100-NR-1		ENW RCCC
100-N-50	100-N-50, HGP SWMU 4, Turbine Oil filter Unit, Turbine oil cleaning system	100N	100-NR-1		ENW RCCC
100-N-51	100-N-51, HGP Building Oil Storage Area, 100-N-51A, HGP SWMU #2	100N	100-NR-1		ENW RCCC
100-N-51B	100-N-51B, HGP Building Floor Drains and Sumps, HGP SWMU #3	100N	100-NR-1		RCCC
100-N-52	100-N-52, HGP Gasoline Storage Tank,	100N	100-NR-1		ENW RCCC
100-N-53	100-N-53, 181-N Building Waste Oil Tank	100N	100-NR-1		RCCC
100-N-54	100-N-54, 151-N Building Drywell, Miscellaneous Stream #727	100N	100-NR-1		RCCC
100-N-55	100-N-55, 153-N Building Drywell, Miscellaneous Stream #728	100N	100-NR-1		RCCC
100-N-56	100-N-56, 181-N Building Drywell	100N	100-NR-1		RCCC
100-N-57	100-N-57, 1304-N Emergency Dump Tank	100N	100-NR-1		RCCC
100-N-58	100-N-58, South Pond, 120-N South Settling Pond, 1324-N South Settling Pond	100N	100-NR-1		RCCC
100-N-59	100-N-59, Radioactively Contaminated Soil Northeast of 105-NB Building	100N	100-NR-1		RCCC
100-N-6	100-N-6, 128-N-1, 128N-FS-3	100N	100-NR-1		RCCC
100-N-60	100-N-60, 1314-N Drywell	100N	100-NR-1		RCCC
100-N-61	100-N-61, 100-N Water Treatment and Storage Facilities Underground Pipelines	100N	100-NR-1		RCCC
100-N-62	100-N-62, 100-N 105-N, 109-N, 163-N, 182-N, 183-N and 184-N Underground Pipelines	100N	100-NR-1		RCCC
100-N-63	100-N-63, 100-N Reactor (1314-N, 116-N-1 and 116-N-3) TSD Underground Pipelines (See Subsites)	100N	100-NR-1		RCCC
100-N-64	100-N-64, 100-N Reactor 105/109-N Cooling Water Effluent Underground Pipelines	100N	100-NR-1		RCCC
100-N-65	100-N-65, UPR-100-N-17 Interceptor Trench, Diesel Oil Interceptor Trench	100N	100-NR-1		RCCC
100-N-66	100-N-66, 105-N/109-N Reactor Building Complex	100N	100-NR-1		RCCC
100-N-67	100-N-67, HGP Dumping Area	100N	100-NR-1		RCCC
100-N-68	100-N-68, N Basin Low Level Radioactive Water Spill	100N	100-NR-1		RCCC
100-N-69	100-N-69, 105-NB Stormwater Injection Well, Miscellaneous Stream #801	100N	100-NR-1		RCCC
100-N-7	100-N-7, 182-N Facility Liquid Unplanned Release (remediated)	100N	100-NR-1		RCCC
100-N-70	100-N-70, 1705-N Stormwater Injection Well, Miscellaneous Stream #802	100N	100-NR-1		RCCC
100-N-71	100-N-71, 100-N Sewer System, Project 4546.010	100N	100-NR-1		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
100-N-72	100-N-72, 107-N Building East Area Stormwater Runoff, Miscellaneous Stream #396	100N	100-NR-1		RCCC
100-N-73	100-N-73, 107-N Building West Area Stormwater Runoff, Miscellaneous Stream #395	100N	100-NR-1		RCCC
100-N-74	100-N-74, 183-N Building Fire System Drain, Miscellaneous Stream #492	100N	100-NR-1		RCCC
100-N-75	100-N-75, 183-N Building Fire System Relief Valve, Miscellaneous Stream #493	100N	100-NR-1		RCCC
100-N-76	100-N-76, 181-N Pumphouse French Drains	100N	100-NR-1		RCCC
100-N-77	100-N-77, 100N River Effluent Pipeline, 1908-N Outfall	100N	100-NR-1		RCCC
100-N-78	100-N-78, 1716-NE Maintenance Garage, HGP SWMU #8	100N	100-NR-1		RCCC
100-N-79	100-N-79, 1908-N Spillway, 1908 N Outfall Structure, 100-N-77:1 Flume	100N	100-NR-1		RCCC
100-N-8	100-N-8, 108-N Facility, 108-N CUF	100N	100-NR-1		RCCC
100-N-80	100-N-80, River Line from 1908-NE Outfall, HGP Outfall, 1908-NE Building, HGP-SWMU #7	100N	100-NR-1		RCCC
100-N-81	100-N-81, 100-N Kaiser Shops Garnet Sandblasting Material	100N	100-NR-1		RCCC
100-N-9	100-N-9, 120-N-5 Facility Liquid Unplanned Release 1 (08/07/87)	100N	100-NR-1		RCCC
1100 BSUHR	1100 BSUHR, 1100 Area Bus Shop Underground Hoist Rams	1100	1100-EM-2		PRC
1100 HPADS	1100 HPADS, 1100 Area Hanford Patrol Academy Demolition Site	600	1100-EM-1		PRC
1100 HWSA	1100 HWSA, 1100 Area HWSA, 1100 Area Hazardous Waste Storage Area	1100	1100-EM-2		PRC
1100 UOT4	1100 UOT4, 1100 Area Used Oil Tank 4, 1100 Area Underground Used Oil Tank (tank #4), 1171-4	1100	1100-EM-2		PRC
1100 UOT5	1100 UOT5, 1100 Area Used Oil Tank 5, 1100 Area Underground Used Oil Tank (Tank #5), 1171-5	1100	1100-EM-2		PRC
1100 UOT6	1100 UOT6, 1100 Area Used Oil Tank 6, 1100 Area Underground Used Oil Tank (Tank #6), 1171-6	1100	1100-EM-2		PRC
1100 USPT2	1100 USPT2, 1100 Area Underground Steam Pad Tank 2, 1171-2	1100	1100-EM-2		PRC
1100 USPT3	1100 USPT3, 1100 Area Underground Steam Pad Tank 3, 1171-3	1100	1100-EM-2		PRC
1100-1	1100-1, Battery Acid Pit, 1171 Building Sandpit Spills, UPR-1100-1	1100	1100-EM-1		PRC
1100-11	1100-11, Ephemeral Pool	1100	1100-EM-1		PRC
1100-12	1100-12 Dumping Areas	1100	1100-EM-1		PRC
1100-13	1100-13, Gravel Pit #1, Pit 1	1100	1100-EM-1		PRC
1100-14	1100-14, Gravel Pit #2, Pit 2	1100	1100-EM-1		PRC
1100-15	1100-15, Gravel Pit #3, Pit 3	1100	1100-EM-1		PRC
1100-18	1100-18, Cistern and Possible Historic Disposal Site Identified During RCRA General Inspection 1100FY98 Item #3	1100	1100-EM-1		PRC
1100-19	1100-19, Tar Flow and Stained Sands Areas	1100	1100-EM-2		PRC
1100-2	1100-2, Paint and Solvent Pit, UPR-1100-2	1100	1100-EM-1		PRC
1100-20	1100-20, Hammer 90-Day Storage Pad	1100	1100-EM-1		PRC
1100-3	1100-3, Antifreeze and Degreaser Pit, Antifreeze Pit, UPR-1100-3	1100	1100-EM-1		PRC
1100-4	1100-4, Antifreeze Tank Site, UN-1100-4, 1171 Building Spills, UPR-1100-4	1100	1100-EM-1		PRC
1100-8	1100-8, 1171 Hoist Oil Leak	1100	1100-EM-2		PRC
1100-9	1100-9, 1164 Building 90-Day Waste Accumulation Area	1100	1100-EM-1		PRC
116-B-1	116-B-1, 107-B Liquid Waste Disposal Trench, Process Effluent Trench	100B	100-BC-1		RCCC
116-B-10	116-B-10, 108-B Dry Well, Quench Tank	100B	100-BC-1		RCCC
116-B-11	116-B-11, 107-B Retention Basin, 116-B-11 Retention Basin	100B	100-BC-1		RCCC
116-B-12	116-B-12, 117-B Crib, 117-B Seal Pit Crib	100B	100-BC-1		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
116-B-13	116-B-13, 107-B South Sludge Trench, 116-B-8, 107-B #2 Grave, Basin Sludge Burial Pit	100B	100-BC-1		RCCC
116-B-14	116-B-14, 107-B North Sludge Trench, 107-B Liquid Waste Disposal Trench No. 1, 116-B-2, 107-B #1 Grave	100B	100-BC-1		RCCC
116-B-15	116-B-15, 105-B Fuel Storage Basin Cleanout Percolation Pit, 105-B Fuel Storage Discharge Pond, 105-B Pond	100B	100-BC-1		RCCC
116-B-16	116-B-16, 111-B Fuel Examination Tank	100B	100-BC-1		RCCC
116-B-2	116-B-2, 105-B Storage Basin Trench, B-Storage Basin Crib	100B	100-BC-1		RCCC
116-B-3	116-B-3, 105-B Pluto Crib	100B	100-BC-1		RCCC
116-B-4	116-B-4, 105-B Dummy Decontamination French Drain, 105-B Dummy Decontamination Disposal Crib	100B	100-BC-1		RCCC
116-B-5	116-B-5, 116-B-5 Crib, 116-B-5 Trench, 108-B Crib	100B	100-BC-1		RCCC
116-B-6A	116-B-6A, 111-B Crib No. 1, 116-B-6-1	100B	100-BC-1		RCCC
116-B-6B	116-B-6B, 111-B Crib No. 2, 116-B-6-2	100B	100-BC-1		RCCC
116-B-7	116-B-7, 1904-B-1 Outfall Structure, 1904-B1	100B	100-BC-1		RCCC
116-B-9	116-B-9, 104-B-2 French Drain	100B	100-BC-1		RCCC
116-C-1	116-C-1, 107-C Liquid Waste Disposal Trench	100C	100-BC-1		RCCC
116-C-2A	116-C-2A, 105-C Pluto Crib, 116-C-2, 105-C Crib	100C	100-BC-2		RCCC
116-C-2B	116-C-2B, 105-C Pluto Crib Pump Station, 116-C-2-1, 116-C-2B Pump Station	100C	100-BC-2		RCCC
116-C-2C	116-C-2C, 105-C Pluto Crib Sand Filter, 116-C-2-2, 116-C-8	100C	100-BC-2		RCCC
116-C-3	116-C-3, 105-C Chemical Waste Tanks	100C	100-BC-2		RCCC
116-C-5	116-C-5, 116-C-5 Retention Basins, 107-C Retention Basins	100C	100-BC-1		RCCC
116-C-6	116-C-6, 105-C Fuel Storage Basin Cleanout Percolation Pit, 105-C Pond	100C	100-BC-2		RCCC
116-D-10	116-D-10, 105-D Fuel Storage Basin Cleanout Percolation Pit, 105-D Fuel Storage Discharge Ponds, 105-D Ponds	100D	100-DR-1		RCCC
116-D-1A	116-D-1A, 105-D Storage Basin Trench #1	100D	100-DR-1		RCCC
116-D-1B	116-D-1B, 105-D Storage Basin Trench #2	100D	100-DR-1		RCCC
116-D-2	116-D-2, 105-D Pluto Crib, 116-D-2A	100D	100-DR-1		RCCC
116-D-3	116-D-3, 108-D Crib #1	100D	100-DR-1		RCCC
116-D-4	116-D-4, 108-D Crib #2	100D	100-DR-1		RCCC
116-D-5	116-D-5, 1904-D Outfall Structure	100D	100-DR-1		RCCC
116-D-6	116-D-6, 105-D Cushion Corridor French Drain	100D	100-DR-1		RCCC
116-D-7	116-D-7, 107-D Retention Basin, 107-D	100D	100-DR-1		RCCC
116-D-8	116-D-8, 100-D Cask Storage Pad	100D	100-DR-2		RCCC
116-D-9	116-D-9, 117-D Crib, 117-D Seal Pit Crib	100D	100-DR-1		RCCC
116-DR-1&2	116-DR-1&2, 107-DR Liquid Waste Disposal Trench #1, 107-DR Liquid Waste Disposal Trench #2, 116-DR-1, 116-DR-2	100D	100-DR-1		RCCC
116-DR-10	116-DR-10, 105-DR Fuel Storage Basin Cleanout Percolation, 105-DR Fuel Storage Discharge Pond, 105-DR Pond	100D	100-DR-2		RCCC
116-DR-3	116-DR-3, 105-DR Storage Basin Trench	100D	100-DR-2		RCCC
116-DR-4	116-DR-4, 105-DR Pluto Crib	100D	100-DR-2		RCCC
116-DR-5	116-DR-5, 1904-DR Outfall Structure, 1904-DR	100D	100-DR-1		RCCC
116-DR-6	116-DR-6, 1608-DR Liquid Disposal Trench, Wash Pad Liquid Waste Site 3C	100D	100-DR-2		RCCC
116-DR-7	116-DR-7, 105-DR Inkwel Crib	100D	100-DR-2		RCCC
116-DR-8	116-DR-8, 117-DR Crib, 117-DR Seal Pit Crib (CERCLA)	100D	100-DR-2		RCCC
116-DR-9	116-DR-9, 107-DR Retention Basin, 107-DR	100D	100-DR-1		RCCC
116-F-1	116-F-1, Lewis Canal	100F	100-FR-1		RCCC
116-F-10	116-F-10, 105-F Dummy Decontamination French Drain, 116-F-8, 105 Dummy/Perf Decontamination Crib, Perf Decontamination Drain	100F	100-FR-1		RCCC
116-F-11	116-F-11, 105-F Cushion Corridor French Drain	100F	100-FR-1		RCCC
116-F-12	116-F-12, 148-F French Drain	100F	100-FR-1		RCCC
116-F-13	116-F-13, 1705-F Experimental Garden French Drain	100F	100-FR-1		RCCC
116-F-14	116-F-14, 107-F Retention Basin, 107-F	100F	100-FR-1		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
116-F-15	116-F-15, 108-F Radiation Crib	100F	100-FR-1		RCCC
116-F-16	116-F-16, PNL Outfall	100F	100-FR-1		RCCC
116-F-2	116-F-2, 107-F Liquid Waste Disposal Trench	100F	100-FR-1		RCCC
116-F-3	116-F-3, 105-F Storage Basin Trench	100F	100-FR-1		RCCC
116-F-4	116-F-4, 105-F Pluto Crib	100F	100-FR-1		RCCC
116-F-5	116-F-5, Ball Washer Crib	100F	100-FR-1		RCCC
116-F-6	116-F-6, 1608-F Liquid Waste Disposal Trench, 105-F Cooling Water Trench	100F	100-FR-1		RCCC
116-F-7	116-F-7, 117-F Crib and Pipeline, 116-F-7 Seal Pit Water Crib and Pipeline (See Subsites)	100F	100-FR-1		RCCC
116-F-8	116-F-8, 1904-F Outfall Structure	100F	100-FR-1		RCCC
116-F-9	116-F-9, Animal Waste Leaching Trench	100F	100-FR-1		RCCC
116-H-1	116-H-1, 107-H Liquid Waste Disposal Trench	100H	100-HR-1		RCCC
116-H-2	116-H-2, 1608-H Liquid Waste Disposal Trench, 1608-H Crib & Trench	100H	100-HR-1		RCCC
116-H-3	116-H-3, 105-H Dummy Decontamination French Drain, Perf Decontamination Drain	100H	100-HR-1		RCCC
116-H-4	116-H-4, 105-H Pluto Crib	100H	100-HR-1		RCCC
116-H-5	116-H-5, 116-H-5 Outfall Structure, 1904-H Outfall Structure, 116-H-5 Outfall Structure	100H	100-HR-1		RCCC
116-H-6	116-H-6, 183-H Solar Evaporation Basins	100H	100-HR-1		RCCC
116-H-7	116-H-7, 107-H Retention Basin, 107-H	100H	100-HR-1		RCCC
116-H-9	116-H-9, 117-H Crib, 117-H Seal Pit Crib	100H	100-HR-1		RCCC
116-K-1	116-K-1, 100-K Crib, 100-K Pond, 116-K-1 Trench, 107-K Pond, 107-K(E) Sump, 100-K Emergency Pond	100K	100-KR-1		RCCC
116-K-2	116-K-2, 100-K Mile Long Trench, K Trench, 116-K-2 Trench, 100-K Emergency Trench, 107-K Effluent Trench, Bypass Crib Ditch	100K	100-KR-1		RCCC
116-K-3	116-K-3, 1904-K Outfall Structure, 1908-K Outfall Structure	100K	100-KR-1		RCCC
116-KE-1	116-KE-1, 115-KE Condensate Crib	100K	100-KR-2		RCCC
116-KE-2	116-KE-2, 1706-KER Waste Crib	100K	100-KR-2		RCCC
116-KE-3	116-KE-3, 105-KE Storage Basin French Drain, 105-KE Fuel Storage Basin Sub-Basin Drainage Disposal System Crib	100K	100-KR-2		RCCC
116-KE-4	116-KE-4, 107-KE Retention Basins, 107-KE	100K	100-KR-1		RCCC
116-KE-5	116-KE-5, 150-KE Heat Recovery Station	100K	100-KR-2		RCCC
116-KE-6A	116-KE-6A, 1706-KE Condensate Collection Tank, 1706-KE Waste Treatment System	100K	100-KR-2		RCCC
116-KE-6B	116-KE-6B, 1706-KE Evaporation Tank, 1706-KE Waste Treatment System	100K	100-KR-2		RCCC
116-KE-6C	116-KE-6C, 1706-KE Waste Accumulation Tank, 1706-KE Waste Treatment System	100K	100-KR-2		RCCC
116-KE-6D	116-KE-6D, 1706-KE Ion Exchange Column, 1706-KE Waste Treatment System	100K	100-KR-2		RCCC
116-KW-1	116-KW-1, 115-KW Condensate Crib	100K	100-KR-2		RCCC
116-KW-2	116-KW-2, 105-KW Storage Basin French Drain, 105-KW Basin Reverse Well, 105-KW Fuel Storage Basin Sub-Basin Drainage Disposal System Crib	100K	100-KR-2		RCCC
116-KW-3	116-KW-3, 107-KW Retention Basin, 107-KW	100K	100-KR-1		RCCC
116-KW-4	116-KW-4, 150-KW Heat Recovery Station	100K	100-KR-2		RCCC
116-N-1	116-N-1, 1301-N Liquid Waste Disposal Facility, 1301-N Crib and Trench	100N	100-NR-1		RCCC
116-N-2	116-N-2, 1310-N Chemical Waste Storage Tank, The Golf Ball, 1310-N Waste Storage Area	100N	100-NR-1		RCCC
116-N-3	116-N-3, 1325-N Liquid Waste Disposal Facility, 1325-N Crib and Trench	100N	100-NR-1		RCCC
116-N-4	116-N-4, 1300-N Emergency Dump Basin	100N	100-NR-1		RCCC
116-N-8	116-N-8, 163-N Mixed Waste and Hazardous Waste Container Storage Pad, 1330-N, 116-N-8 Storage Pad	100N	100-NR-1		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
118-B-1	118-B-1, 105-B Burial Ground, 105-B Solid Waste Burial Ground, Operations, Solid Waste Burial Ground, 108-B Burial Ground, Ext. to BG No. 1	100B	100-BC-2		RCCC
118-B-10	118-B-10, Ball 3X Storage Vault	100B	100-BC-1		RCCC
118-B-2	118-B-2, Construction Burial Ground No. 1, Minor Construction Burial, Ground No. 1	100B	100-BC-2		RCCC
118-B-3	118-B-3, Construction Burial Ground No. 2	100B	100-BC-2		RCCC
118-B-4	118-B-4, 105-B Spacer Burial Ground, 105-B Dummy Burial Ground	100B	100-BC-2		RCCC
118-B-5	118-B-5, Ball 3X Burial Ground	100B	100-BC-1		RCCC
118-B-6	118-B-6, 108-B Solid Waste Burial Ground, 108-B Solid Waste Burial Ground, No. 2	100B	100-BC-2		RCCC
118-B-7	118-B-7, 111-B Solid Waste Burial Site	100B	100-BC-1		RCCC
118-B-8	118-B-8, 105-B Reactor Building, B Reactor. Subsite :1, 105-B French Drains (See Subsites)	100B	100-BC-1		MSC
118-B-9	118-B-9, 104-B-1 Tritium Vault and 104-B-2 Tritium Laboratory, 104-B2 Storage Building	100B	100-BC-1		RCCC
118-C-1	118-C-1, 105-C Burial Ground, 105-C Solid Waste Burial Ground, 118-C-1, Burial Ground	100C	100-BC-2		RCCC
118-C-2	118-C-2, 105-C Ball Storage Tank, Ball 3X Storage Tank	100C	100-BC-2		RCCC
118-C-3	118-C-3, 105-C Reactor Building (See Subsites)	100C	100-BC-2		RCCC
118-C-4	118-C-4, 105-C Horizontal Control Rod Storage Cave	100C	100-BC-2		RCCC
118-D-1	118-D-1, 100-D Burial Ground No. 1	100D	100-DR-2		RCCC
118-D-2	118-D-2, 100-D Burial Ground No. 2	100D	100-DR-2		RCCC
118-D-3	118-D-3, 100-D Burial Ground No. 3	100D	100-DR-2		RCCC
118-D-4	118-D-4, Construction Burial Ground, Burial Ground 4F, 118-D-4F	100D	100-DR-2		RCCC
118-D-5	118-D-5, Ball 3X Burial Ground, Burial Ground 4G, 118-D-4G, Minor Construction Burial Ground Number 5	100D	100-DR-2		RCCC
118-D-6	118-D-6, 105-D Reactor Building (See Subsites)	100D	100-DR-1		RCCC
118-DR-1	118-DR-1, 105-DR Gas Loop Burial Ground	100D	100-DR-2		RCCC
118-DR-2	118-DR-2, 105-DR Reactor Building, 105-DR (See Subsites)	100D	100-DR-2		RCCC
118-F-1	118-F-1, Minor Construction Burial Ground No. 2, Burial Ground No. 1, Solid Waste Burial Ground No. 2	100F	100-FR-2		RCCC
118-F-2	118-F-2, Burial Ground No. 2, Solid Waste Burial Ground No. 1	100F	100-FR-2		RCCC
118-F-3	118-F-3, Minor Construction Burial Ground No. 1, Burial Ground No. 3	100F	100-FR-2		RCCC
118-F-4	118-F-4, 115-F Pit, 115-F Crib	100F	100-FR-2		RCCC
118-F-5	118-F-5, PNL Sawdust Pit, PNL Sawdust Respository, Battelle Sawdust Pit	100F	100-FR-2		RCCC
118-F-6	118-F-6, PNL Solid Waste Burial Ground	100F	100-FR-2		RCCC
118-F-7	118-F-7, 100-F Miscellaneous Hardware Storage Vault, Concrete Box	100F	100-FR-2		RCCC
118-F-8	118-F-8, 105-F Reactor Building (See Subsites)	100F	100-FR-1		RCCC
118-F-9	118-F-9, PNL Rad Site	100F	100-FR-2		RCCC
118-H-1	118-H-1, 100-H Burial Ground No. 1, 100-H-1	100H	100-HR-2		RCCC
118-H-2	118-H-2, H-1 Loop Burial Ground, 100-H Burial Ground No. 2, P-13 Test Loop	100H	100-HR-2		RCCC
118-H-3	118-H-3, Construction Burial Ground	100H	100-HR-2		RCCC
118-H-4	118-H-4, Ball 3X Burial Ground	100H	100-HR-2		RCCC
118-H-5	118-H-5, 105-H Thimble Pit	100H	100-HR-2		RCCC
118-H-6	118-H-6, 105-H Reactor Building (See Subsites)	100H	100-HR-1		RCCC
118-K-1	118-K-1, 100-K Burial Ground, 118-K	100K	100-KR-2		RCCC
118-KE-1	118-KE-1, 105-KE Reactor Building	100K	100-KR-2		RCCC
118-KE-2	118-KE-2, 105-KE Horizontal Control Rod Storage Cave	100K	100-KR-2		RCCC
118-KW-1	118-KW-1, 105-KW Reactor Building	100K	100-KR-2		RCCC
118-KW-2	118-KW-2, 105-KW Horizontal Control Rod Storage Cave	100K	100-KR-2		RCCC
118-N-1	118-N-1, 100-N Area Silos, 100-N Area Spacer Silos, 118-N, 1303-N Spacer Silos, 1303-N Radioactive Dummy Burial Facility	100N	100-NR-1		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
120-B-1	120-B-1, 105-B Battery Acid Sump	100B	100-BC-1		RCCC
120-D-1	120-D-1, 100-D Ponds	100D	100-DR-1		RCCC
120-D-2	120-D-2, 186-D Waste Acid Reservoir	100D	100-DR-1		RCCC
120-F-1	120-F-1, Glass Dump	100F	100-FR-2		RCCC
120-KE-1	120-KE-1, 183-KE Filter Waste Facility Dry Well, 100-KE-1, 183-KE Filter Water Facility, 183-KE Acid Neutralization Pit, 100-K-26	100K	100-KR-2		RCCC
120-KE-2	120-KE-2, 183-KE Filter Waste Facility French Drain, 100-KE-2, 183 KE Filter Water Facility	100K	100-KR-2		RCCC
120-KE-3	120-KE-3, 100-KE-3, 183-KE Filter Water Facility Trench	100K	100-KR-2		RCCC
120-KE-4	120-KE-4, 183-KE1 Sulfuric Acid Storage Tank	100K	100-KR-2		RCCC
120-KE-5	120-KE-5, 183-KE2 Sulfuric Acid Storage Tank	100K	100-KR-2		RCCC
120-KE-6	120-KE-6, 183-KE Sodium Dichromate Tank	100K	100-KR-2		RCCC
120-KE-8	120-KE-8, 165-KE Brine Pit, 165-KE Brine Mixing Tank	100K	100-KR-2		RCCC
120-KE-9	120-KE-9, 183-KE Brine Pit, 183-KE Salt Dissolving Pits and Brine Pump Pit	100K	100-KR-2		RCCC
120-KW-1	120-KW-1, 183-KW Filter Water Facility Dry Well, 100-KW-1, 183-KW Acid Neutralization Pit, 100-K-17	100K	100-KR-2		RCCC
120-KW-2	120-KW-2, 183-KW Filter Water Facility French Drain, 100-KW-2	100K	100-KR-2		RCCC
120-KW-3	120-KW-3, 183-KW1 Sulfuric Acid Storage Tank	100K	100-KR-2		RCCC
120-KW-4	120-KW-4, 183-KW2 Sulfuric Acid Storage Tank	100K	100-KR-2		RCCC
120-KW-5	120-KW-5, 183-KW Sodium Dichromate Storage Tank	100K	100-KR-2		RCCC
120-KW-6	120-KW-6, 165-KW Brine Pit, 165-KW Brine Mixing Tank	100K	100-KR-2		RCCC
120-KW-7	120-KW-7, 183-KW Brine Pit, 183-KW Salt Dissolving Pits and Brine Pump Pit	100K	100-KR-2		RCCC
120-N-1	120-N-1, 1324-NA Percolation Pond	100N	100-NR-1		RCCC
120-N-2	120-N-2, 1324-N Surface Impoundment	100N	100-NR-1		RCCC
120-N-3	120-N-3, 163-N Neutralization Pit and French Drain	100N	100-NR-1		RCCC
120-N-4	120-N-4, 1310-N Hazardous Waste Storage Area, 1310-N Waste Oil Storage Pad, 1310-N Non-Hazardous Waste Pad	100N	100-NR-1		RCCC
120-N-5	120-N-5, 108-N/163-N Transfer Line And Neutralization Pit	100N	100-NR-1		RCCC
120-N-6	120-N-6, 108-N Acid Tank Vent French Drains	100N	100-NR-1		RCCC
120-N-7	120-N-7, 108-N Acid Unloading Facility French Drain	100N	100-NR-1		RCCC
120-N-8	120-N-8, 163-N Sulfuric Acid Tank Vent French Drain	100N	100-NR-1		RCCC
122-DR-1	122-DR-1, 105-DR Sodium Fire Facility, 105-DR Large Sodium Fire Facility, 100-D-51 (See Subsites)	100D	100-DR-2		RCCC
124-C-4	124-C-4, Sanitary Waste Site	100C	100-BC-2		RCCC
124-N-1	124-N-1, 124-N-1 Septic Tank, 100-N Sanitary Sewer System No. 1	100N	100-NR-1		RCCC
124-N-10	124-N-10, 124-N-10 Sanitary Sewer System, 100-N Central Sewer System No. 10, Project H-677, 100-N Sewage Lagoon	100N	100-NR-1		RCCC
124-N-2	124-N-2, 124-N-2 Septic Tank, 100-N Sanitary Sewer System No. 2	100N	100-NR-1		RCCC
124-N-3	124-N-3, 124-N-3 Septic Tank, 100-N Sanitary Sewer System No. 3	100N	100-NR-1		RCCC
124-N-4	124-N-4, 100-N Sanitary Sewer System No. 4, 124-N-4 Septic Tank	100N	100-NR-1		RCCC
124-N-5	124-N-5, 100-N Sanitary Sewer System No. 5, 124-N-5 Septic Tank	100N	100-NR-1		RCCC
124-N-6	124-N-6, 100-N Sanitary Sewer System No. 6, 124-N-6 Septic Tank	100N	100-NR-1		RCCC
124-N-7	124-N-7, 100-N Sanitary Sewer System No. 7, 124-N-7 Septic Tank	100N	100-NR-1		RCCC
124-N-8	124-N-8, 100-N Sanitary Sewer System No. 8, 124-N-8 Septic Tank	100N	100-NR-1		RCCC
124-N-9	124-N-9, 124-N-9 Septic Tank, 100-N Sanitary Sewer System No. 9	100N	100-NR-1		RCCC
126-B-1	126-B-1, 184-B Power House Ash Pit, 188-B Ash Disposal Area	100B	100-BC-1		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
126-B-2	126-B-2, 183-B Clearwells	100B	100-BC-1		RCCC
126-B-3	126-B-3, 184-B Coal Pit	100B	100-BC-1		RCCC
126-B-4	126-B-4, B Area Brine and Salt Dilution Pits, 126-B-4 Brine Pit, 184-B Salt Dissolving Pit and Brine Pump House	100B	100-BC-1		RCCC
126-D-1	126-D-1, 184-D Powerhouse Ash Pit, 188-D Ash Disposal Area, 100-D Ash Disposal Basin	100D	100-DR-1		RCCC
126-D-2	126-D-2, 184-D Coal Pit, inert landfill	100D	100-DR-1		RCCC
126-D-3	126-D-3, D Area Brine and Salt Dilution Pits, 184-D Salt Dissolving Pit and Brine Pump House	100D	100-DR-1		RCCC
126-DR-1	126-DR-1, 190-DR Clearwell Tank Pit	100D	100-DR-2		RCCC
126-F-1	126-F-1, 184-F Powerhouse Ash Pit, 188-F Ash Disposal Area	100F	100-FR-2		RCCC
126-F-2	126-F-2, 183-F Clearwells	100F	100-FR-1		RCCC
126-H-1	126-H-1, 184-H Powerhouse Ash Pit, 188-H Ash Disposal Area	100H	100-HR-2		RCCC
126-H-2	126-H-2, 183-H Clearwells/Disposal Pit	100H	100-HR-1		RCCC
126-K-1	126-K-1, 100-K Gravel Pit	100K	100-KR-2		RCCC
126-KE-2	126-KE-2, 183-KE Liquid Alum Storage Tank #2	100K	100-KR-2		RCCC
126-KE-3	126-KE-3, 183-KE Liquid Alum Storage Tank #1	100K	100-KR-2		RCCC
128-B-1	128-B-1, 100 B/C Burning Pit, 100-B Burning Pit	100B	100-BC-1		RCCC
128-B-2	128-B-2, 100-B Burn Pit #2	600	100-BC-1		RCCC
128-B-3	128-B-3, 100-B Dump Site, 128-B-3 Coal Ash and Demolition Waste Site, 128-B-3 Burning Pit Site, 600-57	100B	100-BC-1		RCCC
128-C-1	128-C-1, 100-C Burning Pit	100C	100-BC-2		RCCC
128-D-1	128-D-1, 100 D/DR Burning Pit	100D	100-DR-2		RCCC
128-D-2	128-D-2, 128-D-2 Burn Pit	100D	100-DR-1		RCCC
128-F-1	128-F-1, 100-F Burning Pit, 100-F Burning Pit No. 1	100F	100-FR-2		RCCC
128-F-2	128-F-2, 100-F Burning Pit	100F	100-FR-1		RCCC
128-F-3	128-F-3, PNL Burn Pit	100F	100-FR-2		RCCC
128-H-1	128-H-1, 100-H Burning Pit, 100-H Burning Pit No. 1	100H	100-HR-2		RCCC
128-H-2	128-H-2, 100-H Burning Ground #2	100H	100-HR-2		RCCC
128-H-3	128-H-3, 100-H Burning Ground #3	100H	100-HR-2		RCCC
128-K-1	128-K-1, 100-K Burning Pit	100K	100-KR-2		RCCC
128-K-2	128-K-2, 100-K Construction Dump	100K	100-KR-2		RCCC
128-N-1	128-N-1, 100-N Burning Pit, 128-N-1 Burning Pit	100N	100-NR-1		RCCC
130-D-1	130-D-1, 1716-D Gasoline Storage Tank, 1706-D Gasoline Storage Tank	100D	100-DR-1		RCCC
130-K-1	130-K-1, 1717-K Gasoline Storage Tank	100K	100-KR-2		RCCC
130-K-2	130-K-2, 1717-K Waste Oil Storage Tank	100K	100-KR-2		RCCC
130-K-3	130-K-3, 182-K Emergency Diesel Oil Storage Tank, 130-K-3A and 130-K-3B	100K	100-KR-2		RCCC
130-KE-1	130-KE-1, 105-KE Emergency Diesel Oil Storage Tank, 105-KE Emergency Diesel Fuel Tank	100K	100-KR-2		RCCC
130-KE-2	130-KE-2, 166-KE Oil Storage Tank	100K	100-KR-2		RCCC
130-KW-1	130-KW-1, 105-KW Emergency Diesel Oil Storage Tank, 130-KW-1A/130-KW-1B Tanks, 105-KW Emergency Diesel Fuel Tank	100K	100-KR-2		RCCC
130-KW-2	130-KW-2, 166-KW Oil Storage Tank	100K	100-KR-2		RCCC
130-N-1	130-N-1, 183-N Backwash Discharge Pond, 126-N-1, 183-N Filter Backwash Pond,	100N	100-NR-1		RCCC
132-B-1	132-B-1, 108-B Tritium Separation Facility	100B	100-BC-1		RCCC
132-B-2	132-B-2, 116-B Reactor Exhaust Stack, 132-B-2 Stack	100B	100-BC-1		MSC
132-B-3	132-B-3, 108-B Ventilation Exhaust Stack Site, 108-B Tritium Pilot Facility, Ventilation Exhaust Stack Site	100B	100-BC-1		RCCC
132-B-4	132-B-4, 117-B Filter Building	100B	100-BC-1		RCCC
132-B-5	132-B-5, 115-B/C Gas Recirculation Facility	100B	100-BC-1		RCCC
132-B-6	132-B-6, 1904-B-2 Outfall Structure Site, 116-B-8, 1904-B2	100B	100-BC-1		RCCC
132-C-1	132-C-1, 116-C Reactor Exhaust Stack Site, 105-C Reactor Stack Site,	100C	100-BC-2		RCCC
132-C-2	132-C-2, 1904-C Outfall, 116-C-4	100B	100-BC-1		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
132-C-3	132-C-3, 117-C Filter Building	100C	100-BC-2		RCCC
132-D-1	132-D-1, 115-D/DR Gas Recirculating Facility	100D	100-DR-1		RCCC
132-D-2	132-D-2, 117-D Filter Building	100D	100-DR-1		RCCC
132-D-3	132-D-3, 1608-D Waste Water Pumping Station, 1608-D Effluent Pumping Station	100D	100-DR-1		RCCC
132-D-4	132-D-4, 105-D Reactor Exhaust Stack, 116-D Reactor Exhaust Stack	100D	100-DR-1		RCCC
132-DR-1	132-DR-1, 1608-DR Waste Water Pumping Station, 1608-DR Effluent Pumping Station	100D	100-DR-2		RCCC
132-DR-2	132-DR-2, 116-DR Reactor Exhaust Stack	100D	100-DR-2		RCCC
132-F-1	132-F-1, 132-F-1 Chronic Feeding Barn, 141-F, 141-F Sheep Barn	100F	100-FR-1		RCCC
132-F-2	132-F-2, 132-F-2 Inhalation Laboratory, 144-F, 144-FB	100F	100-FR-1		RCCC
132-F-3	132-F-3, 115-F Gas Recirculating Facility	100F	100-FR-1		RCCC
132-F-4	132-F-4, 116-F Reactor Stack, 116-F Reactor Exhaust Stack, 132-F-4 Reactor Stack Demolition Site (See Subsites)	100F	100-FR-1		RCCC
132-F-5	132-F-5, 117-F Filter Building	100F	100-FR-1		RCCC
132-F-6	132-F-6, 1608-F Waste Water Pumping Station, 1608-F Effluent Pumping Station, 132-F-6 Lift Station	100F	100-FR-1		RCCC
132-H-1	132-H-1, 116-H Reactor Exhaust Stack Burial Site	100H	100-HR-1		RCCC
132-H-2	132-H-2, 117-H Filter Building Site	100H	100-HR-2		RCCC
132-H-3	132-H-3, 1608-H Waste Water Pumping Station Site, 116-H-8, 1608-H Effluent Pumping Station Site	100H	100-HR-1		RCCC
132-KE-1	132-KE-1, 116-KE Reactor Exhaust Stack	100K	100-KR-2		RCCC
132-KW-1	132-KW-1, 116-KW Reactor Exhaust Stack	100K	100-KR-2		RCCC
141-C	141-C, 141-C Animal Barn, Large Animal Barn & Biology Laboratory, Hog Barn	100F	100-FR-1		RCCC
1607-B1	1607-B1, 1607-B1 Septic Tank System, 124-B-1, 1607-B1 Sanitary Sewer System	100B	100-BC-1		RCCC
1607-B10	1607-B10, 1607-B10 Septic Tank System, Sewage Disposal Field	100C	100-BC-2		RCCC
1607-B11	1607-B11, 1607-B11 Septic Tank System	100C	100-BC-2		RCCC
1607-B2	1607-B2, 1607-B2 Septic Tank System, 124-B-2, 1607-B2 Sanitary Sewer System (See subsites)	100B	100-BC-1		RCCC
1607-B3	1607-B3, 1607-B3 Septic Tank System, 124-B-3, 1607-B3 Sanitary Sewer System Site	100B	100-BC-1		RCCC
1607-B4	1607-B4, 1607-B4 Septic Tank System, 124-B-6, 1607-B4 Sanitary Sewer System, 1607-B4 Septic Tank	100B	100-BC-1		RCCC
1607-B5	1607-B5, 1607-B5 Septic Tank System, 1607-B4, 1607-B4 Septic Tank System, 124-B-4, 1607-B4 Sanitary Sewer System	100B	100-BC-1		RCCC
1607-B6	1607-B6, 1607-B6 Septic Tank System, 1607-B5, 1607-B5 Septic Tank System, 124-B-5, 1607-B5 Sanitary Sewer System	100B	100-BC-1		MSC
1607-B7	1607-B7, 1607-B7 Septic Tank System, 1607-B7 Sanitary Sewer System, 124-C-1	100B	100-BC-1		RCCC
1607-B8	1607-B8, 1607-B8 Septic Tank System, 124-C-2, 1607-B8 Sanitary Sewer System, Septic Tank & Disposal Field for 190-C Pumphouse	100B	100-BC-2		RCCC
1607-B9	1607-B9, 1607-B9 Septic Tank System, 1607-B9 Sanitary Sewer System, 124-C-3	100C	100-BC-2		RCCC
1607-D1	1607-D1, 1607-D1 Septic Tank and Associated Drain Field, 124-D-1, 1607-D1 Sanitary Sewer System, 1607-D1 Septic Tank	100D	100-DR-2		RCCC
1607-D2	1607-D2, 1607-D2 Septic Tank and Associated Drain Fields, 124-D-2, 1607-D2 Sanitary Sewer System, 1607-D2 Septic Tank (See Subsites)	100D	100-DR-1		RCCC
1607-D3	1607-D3, 1607-D3 Septic Tank and Associated Drain Field, 1607-D3 Sanitary Sewer System, 1607-D3 Septic Tank	100D	100-DR-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
1607-D4	1607-D4, 1607-D4 Septic Tank and Associated Drain Field, 124-D-4, 1607-D4 Sanitary Sewer System, 1607-D4 Septic Tank	100D	100-DR-1		RCCC
1607-D5	1607-D5, 1607-D5 Septic Tank and Associated Drain Field, 124-D-5, 1607-D5 Sanitary Sewer System, 1607-D5 Septic Tank	100D	100-DR-1		RCCC
1607-F1	1607-F1, 1607-F1 Septic Tank and Associated Drain Field, 124-F-1, 1607-F1 Sanitary Sewer System, 1607-F1 Septic Tank	100F	100-FR-2		RCCC
1607-F2	1607-F2, 1607-F2 Septic Tank, 124-F-2, 1607-F2 Sanitary Sewer System	100F	100-FR-1		RCCC
1607-F3	1607-F3, 1607-F3 Septic Tank, 124-F-3, 1607-F3 Sanitary Sewer System	100F	100-FR-1		RCCC
1607-F4	1607-F4, 1607-F4 Septic Tank, 124-F-4, 1607-F4 Sanitary Sewer System	100F	100-FR-1		RCCC
1607-F5	1607-F5, 1607-F5 Septic Tank, 124-F-5, 1607-F5 Sanitary Sewer System	100F	100-FR-1		RCCC
1607-F6	1607-F6, 1607-F6 Septic Tank, 124-F-6, 1607-F6 Sanitary Sewer System	100F	100-FR-1		RCCC
1607-F7	1607-F7, 141-M Building Septic Tank, 124-F-7	100F	100-FR-1		RCCC
1607-H1	1607-H1, 1607-H1 Septic Tank and Associated Drain Field, 124-H-1, 1607-H1 Sanitary Sewer System, 1607-H1 Septic Tank	100H	100-HR-2		RCCC
1607-H2	1607-H2, 1607-H2 Septic Tank and Associated Drain Field, Septic System, 1607-H2 Sanitary Sewer System, 124-H-2, 1607-H2 Septic Tank	100H	100-HR-1		RCCC
1607-H3	1607-H3, 1607-H3 Septic Tank and Associated Drain Field, 124-H-3, 1607-H3 Sanitary Sewer System, 1607-H3 Septic Tank	100H	100-HR-1		RCCC
1607-H4	1607-H4, 1607-H4 Septic Tank and Associated Drain Field, 1607-H4 Sanitary Sewer System, 124-H-4, 1607-H4 Septic Tank; Septic System	100H	100-HR-1		RCCC
1607-K1	1607-K1, 1607-K1 Septic Tank and Associated Drain Field, 124-K-1, 1607-K1 Sanitary Sewer System, 1607-K1 Septic Tank	100K	100-KR-2		PRC
1607-K2	1607-K2, 1607-K2 Septic Tank and Associated Drain Field, 124-KE-1, 1607-K2 Sanitary Sewer System, 1607-K2 Septic Tank	100K	100-KR-2		PRC
1607-K3	1607-K3, 1607-K3 Septic Tank and Associated Drain Field, 124-KW-2, 1607-K3 Sanitary Sewer System, 1607-K3 Septic Tank	100K	100-KR-2		RCCC
1607-K4	1607-K4, 1607-K4 Septic Tank and Associated Drain Field, 124-K-2, 1607-K4 Sanitary Sewer System, 1607-K4 Septic Tank	100K	100-KR-2		RCCC
1607-K5	1607-K5, 1607-K5 Septic Tank and Associated Drain Field, 124-KE-2, 1607-K5 Sanitary Sewer System, 1607-K5 Septic Tank	100K	100-KR-2		PRC
1607-K6	1607-K6, 1607-K6 Septic Tank and Associated Drain Field, 124-KW-1, 1607-K6 Sanitary Sewer System, 1607-K6 Septic Tank	100K	100-KR-2		PRC
182-F	182-F, 182-F Reservoir	100F	100-FR-1		RCCC
1908-N	1908-N Outfall, 1908-N Outfall	100N	100-NR-1		RCCC
1908-NE	1908-NE, HGP Outfall, 1908-NE Building, HGP-SWMU #7	100N	100-NR-1		RCCC
200 CP	200 CP, 200 Area Construction Pit, 200 Area Construction Waste Site, Hanford Site Gravel Pit 29	200E	200-SW-1	200-E Admin Zone	PRC
200 ETF	200 ETF, 200 Area Effluent Treatment Facility (ETF), 2025-E	200E	200-BP-11	ETF Zone	PRC
200-A TEDF	200-A TEDF, 200 Area Treated Effluent Disposal Facility, TEDF, 600-145, 216-E-43A and 216-E-43B	600	200-IU-3	200-E Ponds Zone	PRC
200-E BP	200-E BP, 200-E Burning Pit, 200 East Burn Pit	200E	200-SW-1	Solid Waste Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
200-E PAP	200-E PAP, 200-E Powerhouse Ash Pit and Ash Disposal Pile, Ash Basin	200E	200-SW-1	200-E Admin Zone, ILAW Zone	PRC
200-E PD	200-E PD 200-E Powerhouse Ditch, 200 East Powerhouse Pond	200E	200-CW-1	200-E Admin Zone, PUREX Zone, Semi-Works Zone	PRC
200-E-1	200-E-1, 284-E Landfill	200E	200-SW-1	200-E Admin Zone	PRC
200-E-10	200-E-10, Paint/Solvent Dump South of Sub Trenches, 200-E-3 Toluene Dump Site	200E	200-SW-1	Solid Waste Zone	PRC
200-E-100	200-E-100, Steam Trap 2P-Yard-MSS-TRP-019, Miscellaneous Stream #571	200E	200-MW-1	B Plant Zone	PRC
200-E-101	200-E-101, 200 East Deep Lysimeter Site	200E	200-UR-1	NRDWL/BC Control Zone	PRC
200-E-102	200-E-102, Contaminated Soil Trench	200E	200-MW-1	PUREX Zone	PRC
200-E-103	200-E-103, Radiologically Controlled Area - South Side of PUREX, PUREX Stabilized Area	200E	200-UR-1	PUREX Zone	PRC
200-E-105	200-E-105, Soil Contamination Area on the 216-B-61 Crib	200E	200-UR-1	B Farm Zone	PRC
200-E-106	200-E-106, ILAW, Immobilized Low-Activity Waste, Immobilized Low-Activity Tank Waste	200E	TBD		PRC
200-E-107	200-E-107, Contamination Area East of PUREX, PUREX E Field	200E	200-UR-1	PUREX Zone	PRC
200-E-108	200-E-108, Well Drilling Laydown Yard Pit	200E	200-MW-1		PRC
200-E-109	200-E-109, Contaminated Tumbleweed Accumulation, Contamination Spread in Northeast Corner of 200 East Area	200E	200-UR-1	200-E Ponds Zone, ETF Zone, Solid Waste Zone, WTP/A Farm Zone	PRC
200-E-11	200-E-11, Diesel Oil Spill at BX-BY Tank Farm	200E	200-UR-1		PRC
200-E-110	200-E-110, Contaminated Tumbleweed Dump Site	200E	200-UR-1	200-E Ponds Zone	PRC
200-E-111-PL	200-E-111-PL, Encased Pipeline From 241-ER-151 Diversion Box to 241-C Tank Farm and 244-AR Vault; 3-38 Encasement, V108/V837/8618/8653/8901PAS	200E	200-IS-1		PRC
200-E-112	200-E-112; B Plant Process Sewers, 2904-E-1- Pipeline from B Plant to 207-B Retention Basin; 2904-E-2 - Pipeline from B Plant to 207-B or 216-B Ditches	200E	200-CW-1	B Plant Zone, Solid Waste Zone	PRC
200-E-113	200-E-113; Pipeline from PUREX to 216-A-30 Crib, 216-A-42C Valve Box	200E	200-SC-1	PUREX Zone	PRC
200-E-114-PL	200-E-114-PL, Pipeline From 241-BY Tank Farm to 241-C Tank Farm and BC Cribs Trenches, 2805-E1, 2805-E2, 216-BC-2805	200E	200-TW-1	200-E Admin Zone, B Farm Zone, B Plant Zone, C Farm Zone, NRDWL/BC Control Zone, Solid Waste Zone	PRC
200-E-115	200-E-115; Contamination Area East of 241-C Tank Farm	200E	200-UR-1	WTP/A Farm Zone	PRC
200-E-116-PL	200-E-116-PL, Pipelines from 241-B-154 Diversion Box to 241-C-151 and 241-C-152 Diversion Boxes, Direct Buried Pipeline, V111/V210/V130, 8902	200E	200-IS-1	B Plant Zone, C Farm Zone, Semi-Works Zone	PRC
200-E-117	200-E-117, Contamination Zone South of B Plant	200E	200-UR-1	B Plant Zone	PRC
200-E-118	200-E-118, 216-B-3 Diverter Station and Shack, Main Diverter Structure #3	200E	200-CW-1	200-E Ponds Zone	PRC
200-E-119	200-E-119, 225-B West Side 90 Day Pad	200E	200-MW-1		PRC
200-E-12	200-E-12, Sand Piles from RCRA General Inspection 200EFY95 Item #5	200E	200-SW-1		PRC
200-E-120	200-E-120, Contaminated Soil at 241-B Tank Farm	200E	200-BP-7	B Farm Zone	TOC
200-E-121	200-E-121, Soil Contamination Area East and West of Baltimore Avenue	200E	200-UR-1	B Farm Zone	PRC
200-E-122	200-E-122, Construction Forces Bullpen, CF Bullpen, Equipment Storage Yard	200E	200-SW-1	B Plant Zone	PRC
200-E-123	200-E-123, Contamination Area South of 216-B-2 Stabilized Ditches.	200E	200-UR-1	Solid Waste Zone	PRC
200-E-124	200-E-124, URM on East Side of 275-EA	200E	200-UR-1	PUREX Zone	PRC
200-E-125	200-E-125, Contamination Area Northwest of 244-AR Building.	200E	200-UR-1	PUREX Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
200-E-126	200-E-126, Underground Pipeline From 207-B to 216-B-3 Ditch and B Pond Disposal System	200E	200-CW-1	200-E Ponds Zone, ETF Zone, Solid Waste Zone, WTP/A Farm Zone	PRC
200-E-127	200-E-127, PUREX Cooling Water Line, Pipeline From PUREX to Gable and B-Ponds (216-A-25 and 216-B-3)	200E	200-CW-1	200-E Ponds Zone, ETF Zone, PUREX Zone, Solid Waste Zone, WTP/A Farm Zone	PRC
200-E-128	200-E-128, Radioactive Contamination "Hot Spot" Under Gravel Road	200E	200-UR-1	Solid Waste Zone	PRC
200-E-129	200-E-129, Stabilized Area on East Side of B Plant Railroad Cut	200E	200-UR-1	B Plant Zone	PRC
200-E-13	200-E-13, Rubble Piles from RCRA General Inspection #200EFY95 Item #7	200E	200-SW-1	ILAW Zone	PRC
200-E-130	200-E-130, Stabilized Area on West Side of B Plant Chemical Spur	200E	200-UR-1	B Plant Zone	PRC
200-E-131	200-E-131, Contaminated Soil Associated with 241-A Tank Farm Complex	200E	200-PO-3	WTP/A Farm Zone	TOC
200-E-132	200-E-132, 241-BX/BY Tank Farm Contaminated Soil	200E	200-BP-7	B Farm Zone	TOC
200-E-133	200-E-133, Contaminated Soil at C Farm, Contaminated Soil at 241-C Tank Farm	200E	200-PO-3	C Farm Zone	TOC
200-E-134	200-E-134, Potentially Contaminated Soil in 241-AW Tank Farm	200E	200-PO-3	WTP/A Farm Zone	TOC
200-E-135	200-E-135, Contamination Area South of 241-C Tank Farm	200E	200-UR-1	C Farm Zone	PRC
200-E-136	200-E-136, 202-A TSD, PUREX	200E	200-PO-2	PUREX Zone	PRC
200-E-137	200-E-137, 291-B Exhaust Stack, 291-B-1	200E	200-BP-6	B Plant Zone	PRC
200-E-138	200-E-138, 296-B-1 Exhaust Stack, 291-B Replacement Stack, Canyon Exhaust System, Canyon Ventilation Upgrade	200E	200-BP-6	B Plant Zone	PRC
200-E-139	200-E-139, Contamination Area North of C Farm	200E	200-UR-1	WTP/A Farm Zone	PRC
200-E-14	200-E-14, 216-BC-201 Siphon Tank, 216-B-201, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	200-TW-1	NRDWL/BC Control Zone	PRC
200-E-140	200-E-140, Gravel Pit 32	200E	200-PO-2		PRC
200-E-141	200-E-141, 2715EC Paint Shop French Drain, Miscellaneous Stream #223	200E	TBD		PRC
200-E-142	200-E-142, Paint Brush Cleaning Station	200E	TBD		PRC
200-E-143-PL	200-E-143-PL, Tank Farm Transfer Line 8656, Encased Transfer Line From 244-CR-TK-003 to 241-AX-151	200E	200-IS-1		TOC
200-E-144-PL	200-E-144-PL, Tank Farm Transfer Line 4012, Transfer Line 4013, Encased Transfer Line From 241-CR-153 to 241-AX-151	200E	200-IS-1		TOC
200-E-145-PL	200-E-145-PL, Interplant Transfer Line, Tank Farm Transfer Line V228, Transfer Pipeline From 241-CR-153 to 241-ER-153, 241-ER-152 and 241-ER-151	200E	200-IS-1		PRC
200-E-146-PL	200-E-146-PL, Tank Farm Transfer Line A-4013, Transfer Line From 241-CR-152 to 241-AX-151	200E	200-IS-1		TOC
200-E-147-PL	200-E-147-PL, Interplant Transfer Line, Tank Farm Transfer Line PAS-244, Transfer Line From 244-CR-TK-003 to 241-ER-153	200E	200-IS-1		PRC
200-E-148-PL	200-E-148-PL, Tank Farm Transfer Line V109, Direct Buried Transfer Line From 241-C-151 to 241-A-01A	200E	200-IS-1		TOC
200-E-149-PL	200-E-149-PL, Tank Farm Transfer Line V175, Direct Buried Transfer Line From 241-C-252 to 201-C Hot Semi Works, Tank Farm Pipeline	200E	200-IS-1		PRC
200-E-150-PL	200-E-150-PL, Tank Farm Transfer Line 8900, Direct Buried Transfer Line From 244-CR-TK-003 to 201-C Hot Semi Works Valve Box, Tank Farm Pipeline	200E	200-IS-1		PRC
200-E-151-PL	200-E-151-PL, Tank Farm Transfer Line V050, Direct Buried Transfer Line From 241-C-104 to 241-A-152, Tank Farm Pipeline	200E	200-IS-1		TOC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
200-E-152-PL	200-E-152-PL, Tank Farm Transfer Line V051, Direct Buried Transfer Line From 241-C-104 to 241-A-152, Tank Farm Pipeline	200E	200-IS-1		TOC
200-E-153-PL	200-E-153-PL, Tank Farm Transfer Line V108/812, Direct Buried Transfer Line From 241-C-151 to 244-AR-TK-002, Tank Farm Pipeline	200E	200-IS-1		PRC
200-E-154-PL	200-E-154-PL, Tank Farm Transfer Line V113, Direct Buried Transfer Line From 241-C-151 To 241-AX-01A, Tank Farm Pipeline	200E	200-IS-1		TOC
200-E-155-PL	200-E-155-PL, Pipeline From 241-C-03A to Radioactive Process Sewer Line. 2904-CR-1, Tank Farm Pipeline	200E	200-IS-1		TOC
200-E-156-PL	200-E-156-PL, 216-C-1 Pipeline, Pipeline from 201-C to 216-C-1	200E	TBD		PRC
200-E-157-PL	200-E-157-PL, 216-C-10 Pipeline, Pipeline from 201-C to 216-C-10 Crib	200E	TBD		PRC
200-E-158-PL	200-E-158-PL, 216-A-1 Pipeline, Pipeline from Sample Pit #3 to 216-A-1 Crib	200E			PRC
200-E-159-PL	200-E-159-PL, Pipeline from 203-A to 216-A-28 Crib	200E	TBD		PRC
200-E-16	200-E-16, B Plant Waste Concentrator, Low Level Waste Concentrator, Single-Stage Thermal Siphon Reboiler	200E	200-BP-6	B Plant Zone	PRC
200-E-160-PL	200-E-160-PL, Pipeline from 270-E-1 to 216-B-12 Crib, V219	200E	TBD		PRC
200-E-161-PL	200-E-161-PL, Pipeline from 221-BB to 216-B-55 Crib, V841	200E	TBD		PRC
200-E-162-PL	200-E-162-PL, Pipeline from 221-BB to 216-B-62 Crib, V842, Lateral Line to 216-B-12 crib #2	200E	TBD		PRC
200-E-163-PL	200-E-163-PL, Pipeline from BCS Diverting Pit to 216-B-64 Retention Basin	200E	TBD		PRC
200-E-164-PL	200-E-164-PL, Pipeline to 216-A-8 Crib, Pipeline between the 216-A-8 Control Structure and the 216-A-508 Control Structure	200E	TBD		PRC
200-E-165-PL	200-E-165-PL, Pipeline to 216-A-24 Crib	200E	TBD		PRC
200-E-166-PL	200-E-166-PL, Pipeline to 216-A-34 Ditch	200E	TBD		PRC
200-E-167-PL	200-E-167-PL, Underground pipelines from 244-A Lift Station to 241-A-A and 241-A-B Valve Pits, Lines SN-215 and SN-216	200E	TBD		PRC
200-E-168-PL	200-E-168-PL, Underground Pipeline to 216-A-3	200E	TBD		PRC
200-E-17	200-E-17, 200 Area Liquid Effluent Retention Facility (LERF), LERF Basins	200E	200-BP-11	ETF Zone	PRC
200-E-19	200-E-19, 216-B-3 Borrow Pit, B Pond Borrow Area	200E	200-CW-1		PRC
200-E-2	200-E-2, Soil Stains at the 2101-M SW Parking Lot, MO-234 parking Lot	200E	200-SW-1	200-E Admin Zone	PRC
200-E-20	200-E-20, 218-E-10 Borrow Pit	200E	200-SW-2		PRC
200-E-21	200-E-21, 218-E-12A and 218-E-12B Borrow Pit, Pit 33, 200-E-22	200E	200-SW-2		PRC
200-E-23	200-E-23, UN-216-E-33 Borrow Pit, UPR-200-E-56 Borrow Pit	200E	200-PW-3		PRC
200-E-24	200-E-24, 6607-11, 2704-HV Septic System	200E	200-ST-1	200-E Admin Zone	MSC
200-E-25	200-E-25, 272-BB French Drain, Insulation Shop French Drain, Miscellaneous Stream #659	200E	200-MW-1	B Plant Zone	PRC
200-E-26	200-E-26, Heavy Equipment Storage Area, Diesel Fuel Contaminated Soil	200E	200-UR-1	B Plant Zone	PRC
200-E-27	200-E-27, 242AC Pipefitter Shop Lead Cutting Area, 242-AC	200E	200-PO-3	WTP/A Farm Zone	PRC
200-E-28	200-E-28, 221-B Building Steam Condensate Release	200E	200-BP-6	B Plant Zone	PRC
200-E-29	200-E-29, Unplanned Release From 241-ER-152 Diversion Box	200E	200-UR-1	B Plant Zone	PRC
200-E-3	200-E-3, Toluene Dump Site, Paint/Solvent Dump	200E	200-SW-1		PRC
200-E-30	200-E-30, 291-B Sand Filter, 221-B Stack Sand Filter	200E	200-BP-6	B Plant Zone	PRC
200-E-32	200-E-32, 226-B Pad East Side 90-Day Waste Accumulation Area	200E	200-MW-1		PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
200-E-33	200-E-33, PUREX 214-A 90-Day Waste Accumulation Areas	200E	200-MW-1		PRC
200-E-34	200-E-34, PUREX High Level Waste Room 90-Day Waste Accumulation Area	200E	200-MW-1		PRC
200-E-35	200-E-35, 209-E 90-Day Waste Accumulation Area, 209-EA	200E	200-MW-1		PRC
200-E-36	200-E-36, 241-AZ 90-Day Waste Accumulation Area	200E	200-MW-1		TOC
200-E-39	200-E-39, PUREX Room 52, Hood 32 90-Day Waste Accumulation Area	200E	200-MW-1		PRC
200-E-4	200-E-4, Critical Mass Laboratory Dry Well North, 209-E North Dry Well, Miscellaneous Stream #730	200E	200-MW-1	Semi-Works Zone	PRC
200-E-40	200-E-40, PUREX Sample Gallery 90-Day Waste Accumulation Area	200E	200-MW-1		PRC
200-E-41	200-E-41, Stabilized Hot Semiworks Area, UN-216-E-38, Strontium Semi-Works Stabilized Area	200E	200-UR-1	Semi-Works Zone	PRC
200-E-42	200-E-42, UN-216-E-34, PUREX Stack Release, 291-A Release	200E	200-UR-1	PUREX Zone	PRC
200-E-43	200-E-43, Tank Car Storage Area, Regulated Equipment Storage Area, TC-4 Spur Tank Car Storage Area	200E	200-UR-1	200-E Admin Zone	PRC
200-E-44	200-E-44, PUREX Railroad Cut	200E	200-UR-1	PUREX Zone	PRC
200-E-45	200-E-45, HI Shaft, Health Instrument Shaft, Contaminated Pump Run-in Caisson	200E	200-TW-2	B Farm Zone	PRC
200-E-46	200-E-46, RCRA Permit General Inspection #200EFY96 Item #3	200E	200-SW-1	200-E Admin Zone	PRC
200-E-47	200-E-47, RCRA Permit General Inspection #200EFY96 Item #7	200E	200-SW-1		PRC
200-E-48	200-E-48; RCRA Permit General Inspection #200EFY96 Item #15	200E	200-SW-1		PRC
200-E-49	200-E-49, Borrow Pit North of BC Cribs and Trenches	200E	200-TW-1		PRC
200-E-5	200-E-5, 2607-E2, 2607-E2 Septic Tank & Tile Field	200E	200-ST-1	200-E Admin Zone	PRC
200-E-50	200-E-50, 284-E Brine Pit, 284-E Salt Dissolving Pit and Brine Pump Pit	200E	200-MW-1		PRC
200-E-51	200-E-51, 284-E Powerhouse Coal Ramp Washdown Pit, 200 East Powerhouse Coal Ramp Washdown Pit, Miscellaneous Stream 177	200E	200-MW-1		PRC
200-E-52	200-E-52, 200 East Powerhouse Coal Pile	200E	200-SW-1	200-E Admin Zone	PRC
200-E-53	200-E-53, Contaminated Zone Adjacent to 218-E-12B and 218-E-8, Overground Storage Area, Above Ground Storage Area	200E	200-UR-1	Solid Waste Zone	PRC
200-E-54	200-E-54, Liquid Release to the Environment from PUREX Deep Filter Bed #1	200E	200-UR-1		PRC
200-E-55	200-E-55, Effluent Drain East of 291-B Sand Filter, Miscellaneous Stream #322	200E	200-MW-1	B Plant Zone	PRC
200-E-56	200-E-56, 241-C Waste Line Leak adjacent to 201-C, Waste Line Leak #1	200E	200-UR-1	Semi-Works Zone	PRC
200-E-57	200-E-57, 241-C Waste Line Leak east of 201-C, Waste Line Leak #2	200E	200-UR-1	Semi-Works Zone	PRC
200-E-58	200-E-58, 216-A-5 Neutralization Tank, Tank A5, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	200-PW-2	PUREX Zone	PRC
200-E-59	200-E-59, 241-BY-ITS2-TK-1, 241-BY-ITS2 Condenser Vessel, ITS-2, IMUST	200E	200-BP-7	B Farm Zone	TOC
200-E-6	200-E-6, Septic Tank, Sanitary Sewer Repair and Replacement 2607-E4	200E	200-ST-1	B Plant Zone	PRC
200-E-60	200-E-60, 241-BY-ITS2-TK-2, 241-BY-ITS2 Heater Flush Tank, ITS-2, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	200-BP-7	B Farm Zone	TOC
200-E-61	200-E-61, 202A Building Stormwater Runoff, Miscellaneous Stream #467	200E	200-MW-1	PUREX Zone	PRC
200-E-62	200-E-62, 202A Building Steam Condensate, Miscellaneous Stream #71, Injection Well (Z)	200E	200-MW-1	PUREX Zone	PRC
200-E-63	200-E-63, Line #8801 Steam Condensate, Miscellaneous Stream #72, Injection Well (AA)	200E	200-MW-1	PUREX Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
200-E-64	200-E-64, Line #8801 Steam Condensate, Miscellaneous Stream #69, Injection Well (W)	200E	200-MW-1	PUREX Zone	PRC
200-E-65	200-E-65, 202A Building Steam Condensate, Miscellaneous Stream #466 Injection Well (R)	200E	200-MW-1	PUREX Zone	PRC
200-E-67	200-E-67, 202A Building Steam Condensate, Miscellaneous Stream #494	200E	200-MW-1	PUREX Zone	PRC
200-E-68	200-E-68, 291A Control House Steam Condensate, Miscellaneous Stream #59, Injection Well (L)	200E	200-MW-1	PUREX Zone	PRC
200-E-69	200-E-69, Line #8801 Steam Condensate, Miscellaneous Stream #56, Injection Well (A)	200E	200-MW-1	PUREX Zone	PRC
200-E-7	200-E-7, 2607-EO Septic Tank & Tile Field	200E	200-ST-1	200-E Admin Zone	MSC
200-E-70	200-E-70, Line #8801 Steam Condensate, Miscellaneous Stream #64, Injection Well (Q)	200E	200-MW-1	PUREX Zone	PRC
200-E-71	200-E-71, Line #8801 Steam Condensate, Miscellaneous Stream #63, Injection Well (O)	200E	200-MW-1	PUREX Zone	PRC
200-E-72	200-E-72, Line #8801 Steam Condensate, Miscellaneous Stream #60, Injection Well (G)	200E	200-MW-1	PUREX Zone	PRC
200-E-73	200-E-73, Line #8801 Steam Condensate, Miscellaneous Stream #61, Injection Well (M)	200E	200-MW-1	PUREX Zone	PRC
200-E-74	200-E-74, Line #8801 Steam Condensate, Miscellaneous Stream #62, Injection Well (N)	200E	200-MW-1	PUREX Zone	PRC
200-E-75	200-E-75, Line #8801 Steam Condensate, Miscellaneous Stream #57, Injection Well (B)	200E	200-MW-1	PUREX Zone	PRC
200-E-76	200-E-76, Line #8801 Steam Condensate, Miscellaneous Stream #67, Injection Well (U)	200E	200-MW-1	PUREX Zone	PRC
200-E-77	200-E-77, Line #8801 Steam Condensate, Miscellaneous Stream #65, Injection Well (S)	200E	200-MW-1	PUREX Zone	PRC
200-E-78	200-E-78, Line #8801 Steam Condensate, Miscellaneous Stream #70, Injection Well (Y)	200E	200-MW-1	PUREX Zone	PRC
200-E-79	200-E-79, Line #8801 Steam Condensate, Miscellaneous Stream #66, Injection Well (T)	200E	200-MW-1	PUREX Zone	PRC
200-E-8	200-E-8, 200 East Trench 94 Diesel Spill	200E	200-UR-1		PRC
200-E8 BPDS	200-E8 BPDS, 200-E8 Borrow Pit Demolition Site, 200-E Burn Pit Demolition Site, 218-E-8 Borrow Pit Demolition Site	200E	200-PO-6	Solid Waste Zone	PRC
200-E-80	200-E-80, Line #8801 Steam Condensate, Miscellaneous Stream #68, Injection Well (V)	200E	200-MW-1	PUREX Zone	PRC
200-E-81	200-E-81, MO-035 Facility Water Valve, Miscellaneous Stream #533	200E	200-MW-1	PUREX Zone	PRC
200-E-82	200-E-82, Steam Trap 2P, Yard-MSS-TRP-040, Miscellaneous Stream #115	200E	200-MW-1	200-E Admin Zone	PRC
200-E-84	200-E-84, 202A Building Steam Condensate, Miscellaneous Stream #58, Injection Well (C)	200E	200-MW-1	PUREX Zone	PRC
200-E-85	200-E-85, 202A Building Pump Seal Water, Miscellaneous Stream #459	200E	200-MW-1	PUREX Zone	PRC
200-E-88	200-E-88, B Plant Yard Steam Condensate, Miscellaneous Stream #3	200E	200-MW-1	B Plant Zone	PRC
200-E-89	200-E-89, B Plant Yard Steam Condensate, Miscellaneous Stream #4	200E	200-MW-1	B Plant Zone	PRC
200-E-9	200-E-9, 2607-EN, 2727-E Septic System, 2607-EN Septic Tank/Pump Station	200E	200-ST-1	200-E Admin Zone	MSC
200-E-90	200-E-90, B Plant Yard Steam Condensate, Miscellaneous Stream #5	200E	200-MW-1	B Plant Zone	PRC
200-E-91	200-E-91, B Plant Yard Steam Condensate, Miscellaneous Stream #6	200E	200-MW-1	B Plant Zone	PRC
200-E-92	200-E-92, B Plant Yard Steam Condensate, Miscellaneous Stream #7	200E	200-MW-1	B Plant Zone	PRC
200-E-93	200-E-93, B Plant Yard Steam Condensate, Miscellaneous Stream #8	200E	200-MW-1	B Plant Zone	PRC
200-E-94	200-E-94, B Plant Yard Steam Condensate, Miscellaneous Stream #9	200E	200-MW-1	B Plant Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
200-E-95	200-E-95, 222B Steam Condensate, Miscellaneous Stream #308	200E	200-MW-1	B Plant Zone	PRC
200-E-97	200-E-97, 212B Building Steam Condensate, Miscellaneous Stream #470	200E	200-MW-1	B Plant Zone	PRC
200-E-98	200-E-98, 271B Building Ice Machine Overflow, Miscellaneous Stream #490	200E	200-MW-1	B Plant Zone	PRC
200-E-99	200-E-99, Steam Trap 2P-Yard-MSS-TRP-017, Miscellaneous Stream #570	200E	200-MW-1	B Plant Zone	PRC
200-N-3	200-N-3, Ballast Pits	600	200-SW-1	200-E Ponds Zone	PRC
200-W ADB	200-W ADB, 200-W Ash Disposal Basin	200W	200-SW-1	T Plant Zone	PRC
200-W ADS	200-W ADS, 200-W Ashpit Demolition Site	200W	200-SS-2	T Plant Zone	PRC
200-W BP	200-W BP, 200-W Burning Pit, Pit 34	200W	200-SW-1	T Plant Zone	PRC
200-W CSLA	200-W CSLA, 200-W Construction Surface Laydown Area, Non-Rad Burial Ground, Construction Surface Laydown Area	200W	200-SW-1		PRC
200-W PAP	200-W PAP, 200-W Powerhouse Ash Pit	200W	200-SW-1	T Plant Zone	PRC
200-W PP	200-W PP, 200-W Powerhouse Pond, 200 West Powerhouse Ponds, 284-W-B	200W	200-CW-5		PRC
200-W-1	200-W-1, REDOX Mud Pit West	200W	200-SW-1	REDOX Zone	PRC
200-W-10	200-W-10, Item 10 (RCRA General Inspection), Grout Wall Test	200W	200-SW-1	REDOX Zone	PRC
200-W-100	200-W-100, Encased Pipeline from 241-UX-154 to 241-SX-152 Diversion Box, lines 4700, 4701, 4853, V762, V503 and V505	200W	200-IS-1	REDOX Zone, S/U Farm Zone, U Plant Zone	PRC
200-W-101	200-W-101, Contaminated Material West of 216-S-12 Crib	200W	200-SW-2	REDOX Zone	PRC
200-W-102	200-W-102, Pipeline from Laundry/Powerhouse to 216-U-14 Ditch	200W	200-CW-5	T Plant Zone	PRC
200-W-103	200-W-103, 201-W Concrete Silo	200W	200-SW-1		PRC
200-W-104	200-W-104, 2714-U Building, UO3 Storage Warehouse, 2714-U Foundation	200W	200-UP-2		PRC
200-W-105	200-W-105, Encased Transfer Line Between 241-UX-154 Diversion Box and 241-TX Tank Farm; encased pipeline	200W	200-IS-1		PRC
200-W-106	200-W-106, Soil Contamination Area Adjacent to 200-W-55	200W	200-UR-1	T Farm Zone	PRC
200-W-107	200-W-107, Miscellaneous Stream #685, 222-U Building Stormwater Runoff	200W	200-MW-1	U Plant Zone	PRC
200-W-108	200-W-108, Miscellaneous Stream #687, 222-U Building Stormwater Runoff	200W	200-MW-1	U Plant Zone	PRC
200-W-109	200-W-109, Miscellaneous Stream #521, 222-U Building Stormwater Runoff	200W	200-MW-1	U Plant Zone	PRC
200-W-11	200-W-11, Concrete Foundation South of 241-S, S-Farm Foundation and Dump Site	200W	200-SW-1	200-W Ponds Zone	PRC
200-W-110	200-W-110, Miscellaneous Stream #393	200W	200-MW-1		PRC
200-W-111	200-W-111, Miscellaneous Stream #394, 222-U Building Stormwater Runoff	200W	200-MW-1	U Plant Zone	PRC
200-W-112	200-W-112, Miscellaneous Stream #52, Steam Condensate	200W	200-MW-1	U Plant Zone	PRC
200-W-113	200-W-113, Miscellaneous Stream #54, North Steam Pit	200W	200-MW-1	U Plant Zone	PRC
200-W-114	200-W-114, Miscellaneous Stream #55	200W	200-MW-1		PRC
200-W-115	200-W-115, Miscellaneous Stream #138, Steam Condensate MSS-003, 063	200W	200-MW-1	U Plant Zone	PRC
200-W-116	200-W-116, Miscellaneous Stream #139, Steam Condensate MSS-TRP-004	200W	200-MW-1	U Plant Zone	PRC
200-W-117	200-W-117, Miscellaneous Stream #140, Steam Condensate MSS-TRP-005	200W	200-MW-1	U Plant Zone	PRC
200-W-118	200-W-118, Miscellaneous Stream #141, Steam Condensate MSS-TRP-006	200W	200-MW-1	U Plant Zone	PRC
200-W-119	200-W-119, Miscellaneous Stream #142, Steam Trap 007	200W	200-MW-1	U Plant Zone	PRC
200-W-12	200-W-12, 201-W Soil Mound and Plastic Pipe	200W	200-SW-1	REDOX Zone	PRC
200-W-120	200-W-120, Miscellaneous Stream #143, Miscellaneous Steam Trap 008	200W	200-MW-1	U Plant Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
200-W-121	200-W-121, Miscellaneous Stream #144, Miscellaneous Steam Trap 009	200W	200-MW-1	U Plant Zone	PRC
200-W-122	200-W-122, Miscellaneous Stream #145, Miscellaneous Steam Trap 014	200W	200-MW-1	U Plant Zone	PRC
200-W-123	200-W-123, Gravel Pit 35	200W	200-TP-1		PRC
200-W-124	200-W-124, PFP Stormwater Pond, Z-9 Pond	200W	200-MW-1		PRC
200-W-125	200-W-125, 216-Z-1 Ditch Replacement Pipeline	200W	200-IS-1		PRC
200-W-126	200-W-126, Tank Farm Vertical Storage Units	200W	TBD		TOC
200-W-127	200-W-127, Surface Stabilized Area East of UPR-200-W-29/UPR-200-W-97 (UN-216-W-5)	200W	TBD		PRC
200-W-128	200-W-128, Underground Radioactive Material Area East of 218-W-4A	200W	TBD		PRC
200-W-129-PL	200-W-129-PL, Encasement Containing Lines V399, V405, and V411	200W	200-IS-1		PRC
200-W-13	200-W-13, 2713-WB Green Hut Complex	200W	200-TP-2	T Plant Zone	PRC
200-W-130-PL	200-W-130-PL, V445, V663, V601, V416; Pipeline from 241-T-151 Diversion Box to 241-U-151 Diversion Box	200W	200-IS-1		PRC
200-W-131-PL	200-W-131-PL, V601, Spur to 241-TX Tank Farm	200W	TBD		PRC
200-W-132-PL	200-W-132-PL, Pipeline from 221-T to 241-T-151 and 241-T-152, V653, V654, V667, V668, V669, V706, V707	200W	200-IS-1		PRC
200-W-133-PL	200-W-133-PL, V682 Spare Line	200W	200-IS-1		PRC
200-W-134-PL	200-W-134-PL, V683 Spare Line	200W	TBD		PRC
200-W-135-PL	200-W-135-PL, V662, Spare Line	200W	200-IS-1		PRC
200-W-136	200-W-136, Underground Radioactive Material Area including 222-U Building Foundation, demolished 203-U area and contaminated soil	200W	TBD		PRC
200-W-137-PL	200-W-137-PL, Pipeline from 241-S-151 Diversion Box to 216-S-1 & 2 cribs	200W	TBD		PRC
200-W-138-PL	200-W-138-PL, Pipeline from 240-S-151 to 216-S-7 Crib, V547	200W	TBD		PRC
200-W-139-PL	200-W-139-PL, Pipeline from 200-W-138-PL to 216-S-9 Crib, V547	200W	TBD		PRC
200-W-14	200-W-14, 200 West Heavy Equipment Storage Area	200W	200-UR-1	T Plant Zone	PRC
200-W-140-PL	200-W-140-PL, Pipeline from 292-T(200-W-40)	200W	TBD		PRC
200-W-141-PL	200-W-141-PL, Pipeline connecting 200-W-139-PL pipeline to 216-S-23 Crib	200W	TBD		PRC
200-W-142-PL	200-W-142-PL, Pipeline from 222-T to 216-T-8 crib	200W	TBD		PRC
200-W-143-PL	200-W-143-PL, Encased Pipeline from 241-TX-154 Diversion Box 241-TX-155 Diversion Box, lines V383, V384, V385, V387, V388, V391, V392, V393	200W	TBD		PRC
200-W-144	200-W-144, Room 4E 222-S Laboratory TSD	200W	TBD		PRC
200-W-145	200-W-145, Hidden Wells South of U-Plant, U Plant Dry Wells	200W	TBD		PRC
200-W-146-PL	200-W-146-PL, 216-S-22 Crib Pipeline	200W	TBD		PRC
200-W-147-PL	200-W-147-PL, Pipeline from 207-SL to 216-S-19 Pond	200W	TBD		PRC
200-W-148-PL	200-W-148-PL, 216-S-26 Crib Pipeline	200W	TBD		PRC
200-W-149-PL	200-W-149-PL, Pipelines related to 216-S-20 Crib, See subsites	200W	TBD		PRC
200-W-15	200-W-15, S Plant Project W-087 Hexone Discovery	200W	200-UR-1	REDOX Zone	PRC
200-W-150-PL	200-W-150-PL, Pipelines Associated with 216-S-13 Crib, See Subsites	200W	TBD		PRC
200-W-16	200-W-16, 292-T Underground Tanks, IMUST, Inactive Miscellaneous Underground Storage Tank, 292-TK-1, 292-TK-2	200W	200-IS-1	T Plant Zone	PRC
200-W-17	200-W-17, S Plant Project W-087 Aluminum Silicate Discovery	200W	200-SW-1		PRC
200-W-18	200-W-18, S Plant Project W-087 Aluminum Oxide Discovery	200W	200-SW-1		PRC
200-W-19	200-W-19, Steam Line Asbestos Release	200W	200-MW-1		PRC
200-W-2	200-W-2, REDOX Berms West	200W	200-SW-1	REDOX Zone	PRC
200-W-20	200-W-20, T Plant Complex	200W	200-TP-4	T Plant Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
200-W-21	200-W-21, 204-T Unloading Station, T-Plant Waste Railcar Unloading Facility	200W	200-LW-1	T Plant Zone	PRC
200-W-22	200-W-22, 203-S/204-S/205-S Stabilized Area	200W	200-PW-2	REDOX Zone	PRC
200-W-23	200-W-23, 203-S, 205-S, Underground Contaminated Zone	200W	200-PW-2		PRC
200-W-24	200-W-24, 216-S-10 Borrow Pit, S-10 Pond Borrow Area	200W	200-CS-1		PRC
200-W-25	200-W-25, 216-S-16 Borrow Pit	200W	200-CW-2		PRC
200-W-26	200-W-26, 216-S-17 Borrow Pit	200W	200-CW-2		PRC
200-W-27	200-W-27, 216-S-19 Borrow Pit	200W	200-LW-2		PRC
200-W-28	200-W-28, 216-U-10 Borrow Pit, U Pond Borrow Area	200W	200-CW-5		PRC
200-W-29	200-W-29, 216-U-11 Borrow Pit	200W	200-CW-5		PRC
200-W-3	200-W-3, 2713-W North Parking Lot, 220-W-1	200W	200-SW-1	T Plant Zone	PRC
200-W-30	200-W-30, 218-W-1A Borrow Pit	200W	200-SW-2		PRC
200-W-31	200-W-31, 218-W-2A Borrow Pit	200W	200-SW-2		PRC
200-W-32	200-W-32, 216-Z-19 Borrow Pit	200W	200-SW-2		PRC
200-W-33	200-W-33, Solid Waste Dumping Area, Debris near 609 gate	600	200-SW-1	WM Zone	PRC
200-W-34	200-W-34, 272-WA Septic System North of 213W, 2607-WL, Duplicate of 2607-WL	200W	200-ST-1		PRC
200-W-35	200-W-35, Various sites north of 201-W, 200-W-35-A Infiltration Test Site, 200-W-35-B Bentonite Slurry Test Site, 200-W-35-C Buried Garbage Can with Lid (See Subsites)	200W	200-SW-1	REDOX Zone	PRC
200-W-36	200-W-36, TK-SQ-143, EP 211-143	200W	200-TP-4	T Plant Zone	PRC
200-W-37	200-W-37, Buried Tygon Tubing near 241-S-101	200W	200-RO-4		PRC
200-W-4	200-W-4, U-Farm Landfill	200W	200-SW-1	S/U Farm Zone	PRC
200-W-40	200-W-40, 292-T, Emission Control Lab, Stack Gas Sampling Building	200W	200-TP-4	T Plant Zone	PRC
200-W-41	200-W-41, Abandoned Drums, Drums found east of T Plant	200W	200-SW-1	T Plant Zone	PRC
200-W-42	200-W-42, U Plant Radioactive Process Sewer from 221-U to 216-U-8 & 216-U-12 Cribs	200W	200-UW-1	U Plant Zone	PRC
200-W-43	200-W-43, 291-S Stack Sand Filter	200W	200-RO-3	REDOX Zone	PRC
200-W-44	200-W-44, 291-U Stack Sand Filter	200W	200-UP-2	U Plant Zone	PRC
200-W-45	200-W-45, 291-T Sand Filter, T Plant Stack Sand Filter	200W	200-TP-4	T Plant Zone	PRC
200-W-46	200-W-46, 222-S Laboratory Room 4-E 90-Day Waste Accumulation Area, Satellite Accumulation Area	200W	200-LW-2		PRC
200-W-47	200-W-47, 211-T Storage Pad 90-Day Waste Accumulation Area	200W	200-MW-1		PRC
200-W-48	200-W-48, 241-TX 90-Day Waste Accumulation Area	200W	200-TW-2		PRC
200-W-49	200-W-49, 222-S Laboratory Room 2-D 90-Day Waste Accumulation Area	200W	200-LW-2		PRC
200-W-5	200-W-5, Burial Ground/Burning Pit, U Plant Burning Pit, UPR-200-W-8	200W	200-SW-2		PRC
200-W-50	200-W-50, 2706-T 90-Day Waste Accumulation Area	200W	200-MW-1		PRC
200-W-51	200-W-51, Septic Tank (Abandoned)	200W	200-ST-1	S/U Farm Zone	PRC
200-W-52	200-W-52, 216-T-7 Crib, 241-T-3 Crib	200W	200-TW-2	T Farm Zone	TOC
200-W-53	200-W-53, UPR-200-W-166, UN-216-W-31	200W	200-UR-1	T Farm Zone	PRC
200-W-54	200-W-54, Contamination Migration from 241-SX Tank Farm	200W	200-UR-1		PRC
200-W-55	200-W-55, Dumping Area North of 231-Z	200W	200-SW-1	T Farm Zone	PRC
200-W-56	200-W-56, Debris North of 221-U	200W	200-UW-1	U Plant Zone	PRC
200-W-57	200-W-57, Excess Equipment Laydown Area identified in RCRA General Inspection #200W-FY97 Item #10, Area West of 2714-U Fence	200W	200-UW-1		PRC
200-W-58	200-W-58, Z-Plant Diversion Box #1	200W	200-IS-1	PFP Zone	PRC
200-W-59	200-W-59, Z-Plant Diversion Box #2	200W	200-IS-1	PFP Zone	PRC
200-W-6	200-W-6, 200-W Painter Shop paint solvent disposal area	200W	200-SW-1	T Plant Zone	PRC
200-W-60	200-W-60, 284-W Brine Pit, 284-W Salt Dissolving Pit and Brine Pump Pit	200W	200-MW-1		PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
200-W-61	200-W-61, 284 Powerhouse Coal Ramp Washdown Pit, 200 West Powerhouse Coal Ramp Washdown Pit, Miscellaneous Stream #471	200W	200-MW-1		PRC
200-W-62	200-W-62, 200 West Powerhouse Coal Pile	200W	200-SW-1	T Plant Zone	PRC
200-W-63	200-W-63, Contaminated Concrete Pad	200W	200-UR-1	T Farm Zone	PRC
200-W-64	200-W-64, 2724-W Contaminated Laundry Facility Building Foundation	200W	200-UR-1	T Plant Zone	PRC
200-W-65	200-W-65, Concrete Vault Northwest of WRAP, Water Pumping Station Vault, Abandoned Water System Pump Vault	200W	200-MW-1		PRC
200-W-66	200-W-66, Oil Spill at JCI Annex feeding 283-W/262-WC.	200W	200-UR-1		PRC
200-W-67	200-W-67, Contaminated Soil at the Corner of Cooper and 16th Street	200W	200-UR-1	S/U Farm Zone	PRC
200-W-68	200-W-68, RCRA General Inspection Report 200WFY99, Item #3, Historic Disposal Site	200W	200-SW-1		PRC
200-W-69	200-W-69, 222-S Laboratory Complex	200W	200-RO-3	REDOX Zone	TOC
200-W-7	200-W-7, 246-L, 241-S-TK-1, 243S-TK-1, 243-S-TK1, 200-W Personnel Decontamination Facility Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-IS-1	S/U Farm Zone	PRC
200-W-70	200-W-70, Old Burn Pit southeast of Z Plant, 200 West Original Burn Pit, 2731 Burning Pit	200W	200-SW-1		PRC
200-W-71	200-W-71, Undocumented Trench	200W	200-UW-1	U Plant Zone	PRC
200-W-72	200-W-72, 200-ZP-1 Pump and Treat Unplanned Release	200W	200-UR-1		PRC
200-W-73	200-W-73, Contaminated Debris near Railroad Track (east of 218-W-2A)	200W	200-UR-1	T Farm Zone, WM Zone	PRC
200-W-74	200-W-74, 90 Day Storage Area East Side of 622 F	200W	200-MW-1		PRC
200-W-75	200-W-75, Radiological Logging System (RLS) Calibration Silos	200W	200-SW-2	REDOX Zone	PRC
200-W-76	200-W-76, Room 2B 222-S Laboratory TSD	200W	200-RO-3	REDOX Zone	TOC
200-W-77	200-W-77, Posted Contamination Area East of 216-U-14 Ditch	200W	200-UW-1	U Plant Zone	PRC
200-W-78	200-W-78; Pipeline Between 241-TX/TY and 241-T Tank Farms, Lines 6012,6025, 7624 and 7630	200W	200-IS-1	T Farm Zone	PRC
200-W-79	200-W-79; 216-T-36 Crib pipeline	200W	200-SC-1	T Farm Zone, T Plant Zone	PRC
200-W-80	200-W-80; Mound of Contaminated Soil Southwest of T Plant	200W	200-UR-1	T Plant Zone	PRC
200-W-81	200-W-81; Contaminated Tumbleweed Fragments Along Railroad Track East of 218-W-3AE	200W	200-UR-1	WM Zone	PRC
200-W-82	200-W-82, Risers East of 216-TY-201 and 216-T-26, 216-T-27, and 216-T-28 Crib, Crib Unloading Station	200W	200-LW-1	T Farm Zone	PRC
200-W-83	200-W-83, Contamination Area North of 2727W	200W	200-UR-1	T Plant Zone	PRC
200-W-84	200-W-84, U Plant Process Sewer	200W	200-CW-5	S/U Farm Zone, U Plant Zone	PRC
200-W-85	200-W-85, Soil Contamination Area East of 2727 W	200W	200-UW-1	U Plant Zone	PRC
200-W-86	200-W-86, Contamination Area Around Light Pole	200W	200-UR-1	T Plant Zone	PRC
200-W-87	200-W-87, Unplanned Release on Chemical Spur Railroad Track Northwest of 221-U Plant	200W	200-UW-1	U Plant Zone	PRC
200-W-88	200-W-88, T Plant Process Sewer Pipelines	200W	200-CW-4	T Farm Zone, T Plant Zone	PRC
200-W-89	200-W-89, 252-U, U Plant Electrical Substation, C8S17 Substation, U-Cat Substation	200W	200-UW-1	U Plant Zone	PRC
200-W-9	200-W-9, Project W291 Excavation VCP Contamination	200W	200-UR-1	T Plant Zone	PRC
200-W-90	200-W-90, Underground Radioactive Material Areas posted along 23rd Street in 200 West Area	200W	200-UR-1	T Farm Zone, WM Zone	PRC
200-W-91	200-W-91, Underground Radioactive Material Area Adjacent to the North Side of 241-U Tank Farm	200W	200-UR-1		PRC
200-W-92	200-W-92, Contaminated Mound of Soil and Debris, Soil Mound West of 241-TY Tank Farm	200W	200-SW-2	T Farm Zone	PRC
200-W-93	200-W-93, Contaminated Soil at 241-T Tank Farm	200W	200-TP-6	T Farm Zone	TOC
200-W-94	200-W-94, Contaminated Soil at 241-TX/TY Tank Farm	200W	200-TP-5	T Farm Zone	TOC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
200-W-95	200-W-95, Contaminated Soil at 241-U Tank Farm	200W	200-UP-3	S/U Farm Zone	TOC
200-W-96	200-W-96, Contaminated Soil at 241-S/SX/SY Tank Farm	200W	200-RO-4	S/U Farm Zone	TOC
200-W-97	200-W-97, Encased Pipeline from 240-S-151 Diversion Box to 241-S-151 Diversion Box, Lines V508, V509, V512, V513, V514, V515, V516, V517/3603, V519/1115	200W	200-IS-1	REDOX Zone, S/U Farm Zone	PRC
200-W-98	200-W-98, Encased Pipeline from 240-S-151 to 241-U-153 Diversion Box, V458, V459, V460	200W	200-IS-1	REDOX Zone, S/U Farm Zone, T Plant Zone	PRC
200-W-99	200-W-99, Encased Pipeline from 241-U-151 to 241-S-151 Diversion Boxes, Lines V455 and V456	200W	200-IS-1	S/U Farm Zone, T Plant Zone	PRC
201-C	201-C, 201-C Process Building	200E	200-SO-1	Semi-Works Zone	PRC
202-A HWSA	202-A HWSA, 202-A Hazardous Waste Storage Area	200E	200-PO-2		PRC
202-A NU	202-A NU, 202-A Neutralization Unit, Elementary Neutralization Unit/202-A Building, PUREX	200E	200-PO-2	PUREX Zone	PRC
202-A-E5	202-A-E5, 202-A-TK-E5, PUREX Tank E5	200E	200-PO-2	PUREX Zone	PRC
202-A-E-F11	202-A-E-F11, 202-A-TK-E-F11, PUREX Tank E-F11	200E	200-PO-2	PUREX Zone	PRC
202-A-F15	202-A-F15, 202-A-TK-F15, PUREX Tank F-15	200E	200-PO-2	PUREX Zone	PRC
202-A-F16	202-A-F16, 202-A-TK-F16, PUREX Tank F16	200E	200-PO-2	PUREX Zone	PRC
202-A-F18	202-A-F18, 202-A-TK-F18, PUREX Tank F18	200E	200-PO-2	PUREX Zone	PRC
202-A-G7	202-A-G7, 202-A-TK-G7, PUREX Tank G7	200E	200-PO-2	PUREX Zone	PRC
202-A-U3	202-A-U3, 202-A-TK-U3, PUREX Tank U3	200E	200-PO-2	PUREX Zone	PRC
202-A-U4	202-A-U4, 202-A-TK-U4, PUREX Tank U4	200E	200-PO-2	PUREX Zone	PRC
202-A-WS-1	202-A-WS-1, PUREX Waste Piles	200E	200-PO-2	PUREX Zone	PRC
202-S	202-S, 202-S REDOX, S Plant (See Subsites)	200W	200-RO-3	REDOX Zone	PRC
203-S & 205-S	203-S & 205-S, 203-S/204-S/205-S Stabilized Area, 203-S Uranyl Nitrate Hexahydrate Tank Farm, 204-S Tank Farm & Pumphouse, 205-S Process Vault & Chemical Makeup Building, 205-S Uranyl Nitrate Hexahydrate Processing Facility	200W	200-RO-2	REDOX Zone	PRC
204-AR	204-AR, 204-AR Waste Unloading Station; 204-AR-TK-1	200E	200-PO-3	PUREX Zone	TOC
205-A	205-A, 205-A Silica Gel Facility	200E	200-PO-2	PUREX Zone	PRC
207-A-NORTH	207-A-NORTH, 207-A, 207-A Retention Basin, 207-A-NORTH Retention Basin, 207-A North	200E	200-SC-1	200-E Ponds Zone	PRC
207-A-SOUTH	207-A-SOUTH, 207-A, 207-A Retention Basin, 207-A-SOUTH Retention Basin, 207-A South	200E	200-PW-4	200-E Ponds Zone	PRC
207-B	207-B, B Plant Retention Basin, 207-B Retention Basin	200E	200-CW-1	Solid Waste Zone	PRC
207-S	207-S, REDOX Retention Basin, 207-S Retention Basin	200W	200-CW-2	200-W Ponds Zone	PRC
207-SL	207-SL, 222-S Retention Basin, REDOX Lab Retention Basin, 207-SL Retention Basin	200W	200-LW-2	REDOX Zone	TOC
207-T	207-T, T Plant Retention Basin, 207-T, 207-T Retention Basin	200W	200-CW-4	T Farm Zone	PRC
207-U	207-U, 207-U Retention Basin	200W	200-CW-5	T Plant Zone	PRC
207-Z	207-Z, 207-Z Retention Basin, 241-Z Retention Basin, 241-Z-RB	200W	200-SC-1	PPF Zone	PRC
209-E-WS-1	209-E-WS-1, 209-E French Drain	200E	200-MW-1		PRC
209-E-WS-2	209-E-WS-2, Critical Mass Lab French Drain	200E	200-MW-1	Semi-Works Zone	PRC
209-E-WS-3	209-E-WS-3, Critical Mass Laboratory Valve Pit and Hold Up Tank (209-E-TK-111), IMUST, Inactive Miscellaneous Underground Storage Tank (See Subsites)	200E	200-PW-4	Semi-Works Zone	PRC
2101-M POND	2101-M POND, 2101-M Pond	200E	200-SS-1	200-E Admin Zone	PRC
211-A NU	211-A NU, 211-A Neutralization Unit, Elementary Neutralization Unit/211-A Building, PUREX	200E	200-PO-2	PUREX Zone	PRC
212-N	212-N, 212-N Building, Metal and Fuel Storage Basin Facility, 212-N Fissile Storage Facility	600	200-NO-1	200-E Ponds Zone	PRC
212-P	212-P, 212-P Building PCB Storage Facility, 212-P Storage Facility	600	200-NO-1	200-E Ponds Zone	PRC
212-R	212-R, 212-R Storage Facility	600	200-NO-1	200-E Ponds Zone	PRC
213-W	213-W, 213-W Compactor Facility	200W	200-ZP-3	WM Zone	PRC
213-W-1	213-W-1, 213-W-TK-1, 213-W Compactor Facility Retention Tank	200W	200-ZP-3	WM Zone	PRC
215-C	215-C, 215-C Gas Preparation Building	200E	200-SO-1	Semi-Works Zone	PRC
216-A-1	216-A-1, 216-A-1 Cavern, 216-A-1 Trench	200E	200-PW-2	200-E Ponds Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
216-A-10	216-A-10, 216-A-10 Crib	200E	200-PW-2	PUREX Zone	PRC
216-A-11	216-A-11 French Drain, Miscellaneous Stream #465	200E	200-MW-1	PUREX Zone	PRC
216-A-12	216-A-12, Miscellaneous Stream #463	200E	200-MW-1	PUREX Zone	PRC
216-A-13	216-A-13, 216-A-13 French Drain, Miscellaneous Stream #460	200E	200-MW-1	PUREX Zone	PRC
216-A-14	216-A-14, French Drain - Vacuum Cleaner Filter Pit, Miscellaneous Stream #462	200E	200-MW-1	PUREX Zone	PRC
216-A-15	216-A-15, Miscellaneous Stream #461	200E	200-LW-2	PUREX Zone	PRC
216-A-16	216-A-16, 216-A-16 Dry Well	200E	200-PO-3	WTP/A Farm Zone	PRC
216-A-17	216-A-17, 216-A-17 Dry Well	200E	200-PO-3	WTP/A Farm Zone	PRC
216-A-18	216-A-18, 216-A-18 Excavation, 216-A-18 Grave, 216-A-18 Sump, 216-A-18 Crib	200E	200-PW-2	200-E Ponds Zone	PRC
216-A-19	216-A-19, 216-A-19 Test Hole, 216-A-19 Grave, 216-A-19 Sump, 216-A-19 Crib	200E	200-PW-2	200-E Ponds Zone	PRC
216-A-2	216-A-2, 216-A-2 Cavern, 216-A-2 Crib	200E	200-PW-3	PUREX Zone	PRC
216-A-20	216-A-20, 216-A-20 Test Hole, 216-A-20 Grave, 216-A-20 Sump, 216-A-20 Crib	200E	200-PW-2	200-E Ponds Zone	PRC
216-A-21	216-A-21, 216-A-21 Crib	200E	200-MW-1	PUREX Zone	PRC
216-A-22	216-A-22, 216-A-22 French Drain, 216-A-22 Crib	200E	200-MW-1	PUREX Zone	PRC
216-A-23A	216-A-23A, 216-A-23-A French Drain	200E	200-PO-3	WTP/A Farm Zone	PRC
216-A-23B	216-A-23B, 216-A-23-B French Drain	200E	200-PO-3	WTP/A Farm Zone	PRC
216-A-24	216-A-24, 216-A-24 Crib	200E	200-PW-3	200-E Ponds Zone	PRC
216-A-25	216-A-25, Gable Mountain Swamp, 216-A-25 Swamp, Gable Mountain Pond	200E	200-CW-1	200-E Ponds Zone	PRC
216-A-26	216-A-26, 216-A-26 French Drain, 216-A-26B, Miscellaneous Stream #464	200E	200-MW-1	PUREX Zone	PRC
216-A-26A	216-A-26A, 216-A-25 Crib, 216-A-26 French Drain, 291-A French Drain	200E	200-MW-1	PUREX Zone	PRC
216-A-27	216-A-27, 216-A-27 Crib	200E	200-MW-1	PUREX Zone	PRC
216-A-28	216-A-28, 216-A-28 French Drain, 216-A-28 Crib	200E	200-PW-2	PUREX Zone	PRC
216-A-29	216-A-29, Snow's Canyon, PUREX Chemical Sewer (CSL)	200E	200-CS-1	200-E Ponds Zone, WTP/A Farm Zone	PRC
216-A-3	216-A-3, 216-A-3 Cavern, 216-A-3 Crib	200E	200-PW-2	PUREX Zone	PRC
216-A-30	216-A-30, 216-A-30 Crib	200E	200-SC-1	PUREX Zone	PRC
216-A-31	216-A-31 Crib	200E	200-PW-3	PUREX Zone	PRC
216-A-32	216-A-32, 216-A-32 Crib	200E	200-MW-1	PUREX Zone	PRC
216-A-33	216-A-33, 216-A-33 Dry Well, 216-A-26B	200E	200-MW-1	PUREX Zone	PRC
216-A-34	216-A-34, 216-A-34 Ditch, 216-A-34 Crib	200E	200-PW-4	200-E Ponds Zone	PRC
216-A-35	216-A-35 French Drain, 216-A-35 Dry Well	200E	200-MW-1	PUREX Zone	PRC
216-A-36A	216-A-36A, 216-A-36 Crib	200E	200-PW-2	PUREX Zone	PRC
216-A-36B	216-A-36B, 216-A-36 Crib, Purex Ammonia Scrubber Distillate (ASD)	200E	200-PW-2	PUREX Zone	PRC
216-A-37-1	216-A-37-1, 216-A-37 Crib	200E	200-PW-4	PUREX Zone	PRC
216-A-37-2	216-A-37-2, 216-A-37-2 Crib	200E	200-SC-1	PUREX Zone	PRC
216-A-38-1	216-A-38-1, 216-A-38 Crib (See Subsites)	200E	200-MW-1	PUREX Zone	PRC
216-A-39	216-A-39, 216-A-39 Crib, 216-A-39 Trench	200E	200-PO-3	WTP/A Farm Zone	PRC
216-A-4	216-A-4, 216-A-4 Cavern	200E	200-MW-1	PUREX Zone	PRC
216-A-40	216-A-40 Retention Basin, 216-A-39 Crib, 216-A-39 Trench	200E	200-CW-1	PUREX Zone	PRC
216-A-41	216-A-41, Crib, 291-AR Stack Drain, 296-A-13 Stack Drain	200E	200-MW-1	PUREX Zone	PRC
216-A-42	216-A-42, 207-AA Retention Basin, 216-A-42 Trench, 216-A-42 Retention Basin	200E	200-CW-1	PUREX Zone	PRC
216-A-45	216-A-45, 216-A-45 Crib	200E	200-PW-4	PUREX Zone	PRC
216-A-5	216-A-5, 216-A-5 Cavern	200E	200-PW-2	PUREX Zone	PRC
216-A-508	216-A-508, Control Structure for 216-A-8 Crib, 216-A-8 Distribution Box	200E	200-PW-3	200-E Ponds Zone	PRC
216-A-524	216-A-524, 216-A-524 Control Structure, 216-A 524 Weir, 216-A-24 Control Structure	200E	200-PW-3	200-E Ponds Zone	PRC
216-A-6	216-A-6, 216-A-6 Cavern	200E	200-SC-1	PUREX Zone	PRC
216-A-7	216-A-7, 216-A-7 Cavern	200E	200-PW-3	200-E Ponds Zone	PRC
216-A-8	216-A-8, 216-A-8 Crib and Overflow Pond	200E	200-PW-3	200-E Ponds Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
216-A-9	216-A-9, 216-A-9 Crib	200E	200-CW-1	PUREX Zone, Semi-Works Zone	PRC
216-B-10A	216-B-10A, 222-B-1 Crib, 216-B-10 Crib, 292-B	200E	200-LW-2	B Plant Zone	PRC
216-B-10B	216-B-10B, 222-B-2 Crib, 216-B-10 Crib	200E	200-LW-2	B Plant Zone	PRC
216-B-11A&B	216-B-11A&B, 216-B-11 Crib, 242-B-1 Crib, 216-B-11A & B, 216-B-11B	200E	200-PW-5	B Farm Zone	PRC
216-B-12	216-B-12, 216-ER Crib, 216-ER-1,2,3 Cribs	200E	200-PW-2	B Plant Zone	PRC
216-B-13	216-B-13, 216-B-13 French Drain, 291-B Crib, 216-B-B, 216-B-13 Crib	200E	200-MW-1	B Plant Zone	PRC
216-B-14	216-B-14, 216-BC-1 Crib	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-15	216-B-15, 216-BC-2 Crib	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-16	216-B-16, 216-BC-3 Crib	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-17	216-B-17, 216-BC-4 Crib	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-18	216-B-18, 216-BC-5 Crib	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-19	216-B-19, 216-BC-6 Crib	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-20	216-B-20, 216-BC-7 Trench, 216-B-20 Trench	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-21	216-B-21, 216-BC-8 Trench, 216-B-21 Trench	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-2-1	216-B-2-1, 216-B-1, B Swamp Ditch, 216-B-2, B Ditch, 216-B-2W	200E	200-CW-1	Solid Waste Zone	PRC
216-B-22	216-B-22, 216-BC-9 Trench, 216-B-22 Trench	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-2-2	216-B-2-2, 216-B-2-2W, 216-B-1 Ditch	200E	200-CW-1	B Farm Zone, Solid Waste Zone	PRC
216-B-23	216-B-23, 216-BC-10 Trench, 216-B-23 Trench	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-2-3	216-B-2-3, B Pond Ditch, B Swamp Ditch, 216-B-2-2E	200E	200-CW-1	Solid Waste Zone	PRC
216-B-24	216-B-24, 216-BC-11 Trench, 216-B-24 Trench	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-25	216-B-25, 216-BC-12 Trench, 216-B-25 Trench	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-26	216-B-26, 216-BC-13 Trench, 216-B-26 Trench	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-27	216-B-27, 216-BC-14 Trench, 216-B-27 Trench	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-28	216-B-28, 216-BC-15 Trench, 216-B-28 Trench	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-29	216-B-29, 216-BC-16 Trench	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-3	216-B-3, B Pond, B-3 Pond, 216-B-3 Main Pond, B Swamp, 216-B-3 Swamp, B Plant Swamp	200E	200-CW-1	200-E Ponds Zone	PRC
216-B-30	216-B-30, 216-BC-17 Trench, 216-B-30 Trench	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-31	216-B-31, 216-BC-18 Trench, 216-B-31 Trench	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-3-1	216-B-3-1, B Swamp Ditch, 216-B-2, 216-B-3 Ditch, 216-B-2E	200E	200-CW-1	200-E Ponds Zone	PRC
216-B-32	216-B-32, 216-BC-19 Trench, 216-B-32 Trench	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-3-2	216-B-3-2, 216-B Ditch, 216-B-1 Ditch, B Swamp Ditch, 216-B-2-2E	200E	200-CW-1	200-E Ponds Zone	PRC
216-B-33	216-B-33, 216-BC-20 Trench, 216-B-33 Trench	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-3-3	216-B-3-3, B Swamp Ditch, 216-B-3-3 Ditch	200E	200-CW-1	200-E Ponds Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
216-B-34	216-B-34, 216-BC-21 Trench	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-35	216-B-35, 241-BX-1 Grave, 216-BX-1 Trench, 216-B-35 Trench	200E	200-TW-2	B Farm Zone	PRC
216-B-36	216-B-36, 241-BX-2 Grave, 216-BX-2 Trench, 216-B-36 Trench	200E	200-TW-2	B Farm Zone	PRC
216-B-37	216-B-37, 241-BX-3 Grave, 216-BX-3 Trench, 216-B-37 Trench	200E	200-TW-2	B Farm Zone	PRC
216-B-38	216-B-38, 241-BX-4 Grave, 216-BX-4 Trench, 216-B-38 Trench	200E	200-TW-2	B Farm Zone	PRC
216-B-39	216-B-39, 241-BX-5 Grave, 216-BX-5 Trench, 216-B-39 Trench	200E	200-TW-2	B Farm Zone	PRC
216-B-3A	216-B-3A, B Pond Lobe A, B Pond First Expansion Lobe, West Expansion Lobe	200E	200-CW-1	200-E Ponds Zone	PRC
216-B-3A RAD	216-B-3A RAD, 216-B-3A Expansion Lobe Residual Radioactive Waste, 216-B-3 1st Overflow Pond, West Expansion Lobe	200E	200-CW-1	200-E Ponds Zone	PRC
216-B-3B	216-B-3B, B Pond Lobe B, B Pond Second Expansion Lobe, East Expansion Lobe	200E	200-CW-1	200-E Ponds Zone	PRC
216-B-3B RAD	216-B-3B RAD, 216-B-3B Expansion Lobe Residual Radioactive Waste, East Expansion Lobe	200E	200-CW-1	200-E Ponds Zone	PRC
216-B-3C	216-B-3C, B Pond Lobe C, B Pond Third Expansion Lobe	200E	200-CW-1	200-E Ponds Zone	PRC
216-B-3C RAD	216-B-3C RAD, 216-B-3C Expansion Lobe Residual Radioactive Waste	200E	200-CW-1	200-E Ponds Zone	PRC
216-B-4	216-B-4, 216-B-4 French Drain, 216-B-4 Dry Well, 216-B-4 Reverse Well	200E	200-MW-1	B Plant Zone	PRC
216-B-40	216-B-40, 241-BX-6 Grave, 241-BX-6 Trench, 216-B-40 Trench, 216-BX-6 Trench	200E	200-TW-2	B Farm Zone	PRC
216-B-41	216-B-41, 241-BX-7 Grave, 216-BX-7 Trench, 216-B-41 Trench	200E	200-TW-2	B Farm Zone	PRC
216-B-42	216-B-42, 241-BX-8 Grave, 216-BX-8 Trench, 216-B-42 Trench	200E	200-TW-1	B Farm Zone	PRC
216-B-43	216-B-43, 216-BY-1 Crib, 216-BY-1 Cavern	200E	200-TW-1	B Farm Zone	PRC
216-B-44	216-B-44, 216-BY-2 Crib, 216-BY-2 Cavern	200E	200-TW-1	B Farm Zone	PRC
216-B-45	216-B-45, 216-BY-3 Crib, 216-BY-3 Cavern	200E	200-TW-1	B Farm Zone	PRC
216-B-46	216-B-46, 216-BY-4 Crib, 216-BY-4 Cavern	200E	200-TW-1	B Farm Zone	PRC
216-B-47	216-B-47, 216-BY-5 Crib, 216-BY-5 Cavern	200E	200-TW-1	B Farm Zone	PRC
216-B-48	216-B-48, 216-BY-6 Crib, 216-BY-6 Cavern	200E	200-TW-1	B Farm Zone	PRC
216-B-49	216-B-49, 216-BY-7 Crib, 216-BY-7 Cavern	200E	200-TW-1	B Farm Zone	PRC
216-B-5	216-B-5, 241-B-361 Reverse Well, 241-B-361 Dry Well, 241-B-5 Dry Well, 299-E28-29	200E	200-TW-2	B Plant Zone	PRC
216-B-50	216-B-50, 216-BY-8 Crib, 216-BY-8 Cavern	200E	200-PW-5	B Farm Zone	PRC
216-B-51	216-B-51, 216-BY-9 Crib	200E	200-TW-1	B Farm Zone	PRC
216-B-52	216-B-52, 216-B-52 Trench, 216-BC-22	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-53A	216-B-53A, 216-B-53A Trench, PRTR Trench	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-53B	216-B-53B, 216-B-53 Trench, 216-B-53B Trench	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-54	216-B-54, 216-B-54 Trench	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-55	216-B-55, 216-B-55 Enclosed Trench, 216-B-55 Crib	200E	200-SC-1	B Plant Zone	PRC
216-B-56	216-B-56, 216-B-56 Crib	200E	200-MW-1		PRC
216-B-57	216-B-57, 216-B-57 Enclosed Trench, Hanford Prototype Barrier	200E	200-PW-5	B Farm Zone	PRC
216-B-58	216-B-58, 216-B-58 Trench, 216-B-59 Crib	200E	200-TW-1	NRDWL/BC Control Zone	PRC
216-B-59	216-B-59, 216-B-58 Trench, 216-B-58 Ditch	200E	200-CW-1	B Plant Zone	PRC
216-B-59B	216-B-59B, 216-B-59 Retention Basin	200E	200-CW-1	B Plant Zone	PRC
216-B-6	216-B-6, 222-B-110 Reverse Well, 216-B-6 Dry Well, 216-B-6 Crib, 222-B-110 Dry Well	200E	200-LW-2	B Plant Zone	PRC
216-B-60	216-B-60, 216-B-60 Crib	200E	200-PW-2	B Plant Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
216-B-61	216-B-61, 216-B-61 Crib	200E	200-MW-1		PRC
216-B-62	216-B-62, 216-B-62 Enclosed Trench, 216-B-62 Crib	200E	200-PW-5	B Plant Zone	PRC
216-B-63	216-B-63, B Plant Chemical Sewer, 216-B-63 Trench, 216-B-63 Ditch	200E	200-CS-1	Solid Waste Zone	PRC
216-B-64	216-B-64, 216-B-64 Retention Basin, 216-B-64 Trench, 216-B-64 Crib	200E	200-SC-1	B Plant Zone	PRC
216-B-7A&B	216-B-7A&B, 241-B-201 Crib, 216-B-7 Crib, 216-B-7A Sump, 216-B-7B Sump, 241-B-1 and 2 Crib, 216-B-7A & B	200E	200-TW-2	B Farm Zone	PRC
216-B-8	216-B-8, 241-B-3 Crib, 216-B-8, 216-B-8TF	200E	200-TW-2	B Farm Zone	PRC
216-B-9	216-B-9, 241-B-361 Crib, 5-6 Crib and Tile Field, 216-B-361 Crib, 216-B-9TF	200E	200-TW-2	B Plant Zone, Solid Waste Zone	PRC
216-BY-201	216-BY-201, 241-BY Flush Tank, 216-BY-47, Supernatant Disposal Flush Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	200-TW-1	B Farm Zone	PRC
216-C-1	216-C-1, 216-C-1 Crib, 216-C Crib	200E	200-PW-2	Semi-Works Zone	PRC
216-C-10	216-C-10, 216-C-10 Crib	200E	200-PW-4	Semi-Works Zone	PRC
216-C-2	216-C-2, 291-C Dry Well, 216-C-2 Dry Well, 216-C-2 Reverse Well	200E	200-MW-1	Semi-Works Zone	PRC
216-C-3	216-C-3, 201-C Leaching Pit, 216-C-3 Crib	200E	200-PW-4	Semi-Works Zone	PRC
216-C-4	216-C-4, 216-C-4 Crib	200E	200-PW-3	Semi-Works Zone	PRC
216-C-5	216-C-5, 216-C-5 Crib	200E	200-PW-4	Semi-Works Zone	PRC
216-C-6	216-C-6, 241-CX Crib	200E	200-PW-5	Semi-Works Zone	PRC
216-C-7	216-C-7, 216-C-7 Crib	200E	200-PW-4	Semi-Works Zone	PRC
216-C-8	216-C-8, 271-CR Crib, 216-C-8 Crib, 216-C-8 French Drain	200E	200-PO-3	C Farm Zone	PRC
216-C-9	216-C-9, 216-C-7 Swamp, Former 221-C Canyon Excavation, 216-C-9 Swamp, Semi-Works Swamp, 216-C-9 C Canyon Excavation Semiworks Swamp	200E	200-CW-1	Semi-Works Zone	PRC
216-E-28	216-E-28, 216-E-25, 200 East Area Contingency Pond	200E	200-CW-1		PRC
216-N-1	216-N-1, 212-N Swamp, 216-N-1 Swamp, 216-N-1 Covered Pond	600	200-CW-3	200-E Ponds Zone	PRC
216-N-2	216-N-2, 212-N Storage Basin Crib #1, 212-N #1 Trench, 216-N-1 Trench, 216-N-2 Trench	600	200-CW-3	200-E Ponds Zone	PRC
216-N-3	216-N-3, 212-N Storage Basin Crib #2, 212-N #2 Trench, 212-N #2 Grave, 212-N-2 Trench, 212-N-3 Trench	600	200-CW-3	200-E Ponds Zone	PRC
216-N-4	216-N-4, 216-N-2, 216-N-4 Swamp, 212-P Swamp	600	200-CW-3	200-E Ponds Zone	PRC
216-N-5	216-N-5, 212-P Storage Basin Crib, 212-P Trench, 212-P Grave, 216-N-5 Trench	600	200-CW-3	200-E Ponds Zone	PRC
216-N-6	216-N-6, 212-R Swamp, 216-N-6 Swamp	600	200-CW-3	200-E Ponds Zone	PRC
216-N-7	216-N-7, 212-R Storage Basin Crib, 212-R Trench, 212-R Grave, 216-N-7 Trench	600	200-CW-3	200-E Ponds Zone	PRC
216-N-8	216-N-8, West Lake, West Pond, 216-N-8 Pond, Honeyhill Pond, Seepage Pond	600	200-UR-1	200-E Ponds Zone	PRC
216-S-1&2	216-S-1&2, 216-S-5 Crib, 216-S-1 & 2	200W	200-PW-2	REDOX Zone	PRC
216-S-10D	216-S-10D, 216-S-10D Ditch, 202 Chemical Sump #1 and Ditch, Chemical Sewer Trench, Open Ditch to the Chemical Sewer Trench, 216-S-10 Ditch	200W	200-CS-1	200-W Ponds Zone	PRC
216-S-10P	216-S-10P, 216-S-10P Pond, 202-S Chemical Sump #1 and Ditch, Chemical Sewer Trench	200W	200-CS-1	200-W Ponds Zone	PRC
216-S-11	216-S-11, 202-S Chemical Sump #2, Chemical Sewer Trenches, 216-S-11 Swamp	200W	200-CS-1	200-W Ponds Zone	PRC
216-S-12	216-S-12, UPR-200-W-30, 291-S Stack Wash Sump, REDOX Stack Flush Trench	200W	200-MW-1	REDOX Zone	PRC
216-S-13	216-S-13, 276-S Crib, 216-S-6	200W	200-PW-3	REDOX Zone	PRC
216-S-14	216-S-14, Buried Contaminated Hexone, Cold Organic Trench or Grave, 216-S-4 Burial Contaminated Hexone	200W	200-PW-3	200-W Ponds Zone	PRC
216-S-15	216-S-15, 216-S-2, 241-S-110 Pond, 110-S Tank Overflow Pond, UN-216-W-3	200W	200-RO-4	S/U Farm Zone	PRC
216-S-16D	216-S-16D, 202-S Swamp (New) and Ditch, 202-S Swamp #1, REDOX Pond #2, 216-S-24 Ditch	200W	200-CW-2	200-W Ponds Zone	PRC
216-S-16P	216-S-16P, 202-S Swamp and Ditch, 202-S Swamp #1, REDOX Pond #2	200W	200-CW-2	200-W Ponds Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
216-S-17	216-S-17, 202-S Swamp, 202-S REDOX Swamp, 216-S-1 REDOX Pond No. 1, REDOX Swamp, 216-S-1	200W	200-CW-2	200-W Ponds Zone	PRC
216-S-172	216-S-172, 216-S-172 Weir Box and Control Structure, 2904-S-172 Weir, 216-S-172 Control Structure	200W	200-CW-2	200-W Ponds Zone	PRC
216-S-18	216-S-18, 241-SX Steam Cleaning Pit, 216-S-14 Steam Cleaning Pit	200W	200-MW-1	S/U Farm Zone	PRC
216-S-19	216-S-19, 222-S Lab Swamp, 216-SL-1, REDOX Lab Swamp, 216-S-19 Pond	200W	200-LW-2	200-W Ponds Zone	PRC
216-S-20	216-S-20, 216-SL-1&2 Crib, 216-SL-2	200W	200-LW-2	REDOX Zone	PRC
216-S-21	216-S-21, 216-SX-1, 216-SX-1 Cavern or Crib	200W	200-PW-5	200-W Ponds Zone	PRC
216-S-22	216-S-22, 216-S-22 Crib	200W	200-PW-4	REDOX Zone	PRC
216-S-23	216-S-23, 216-S-23 Crib	200W	200-PW-4	S/U Farm Zone	PRC
216-S-25	216-S-25, 216-S-25 Crib	200W	200-SC-1	200-W Ponds Zone	PRC
216-S-26	216-S-26, 216-S-19 Replacement Facility, 216-S-26 Crib	200W	200-LW-2	200-W Ponds Zone	PRC
216-S-3	216-S-3, 216-S-5, 216-S-3 Crib	200W	200-RO-4	S/U Farm Zone	PRC
216-S-4	216-S-4, 216-S-7, 216-S-4 Sump or Crib, UN-216-W-1	200W	200-PW-4	200-W Ponds Zone	PRC
216-S-5	216-S-5, 216-S-5 Cavern #1, 216-S-6 Crib, 216-S-9	200W	200-SC-1	200-W Ponds Zone	PRC
216-S-6	216-S-6, 216-S-6 Cavern #2, 216-S-5 Crib, 216-S-13 Crib	200W	200-SC-1	200-W Ponds Zone	PRC
216-S-7	216-S-7, 216-S-7 Crib, 216-S-15	200W	200-PW-2	REDOX Zone	PRC
216-S-8	216-S-8, Cold Aqueous Trench, Cold Aqueous Crib, 216-S-3, Unirradiated Uranium Waste Trench, Cold Aqueous Grave	200W	200-PW-2	REDOX Zone	PRC
216-S-9	216-S-9 Crib	200W	200-PW-5	S/U Farm Zone	PRC
216-SX-2	216-SX-2, 216-SX-2 Crib	200W	200-MW-1	S/U Farm Zone	PRC
216-T-1	216-T-1, 221-T Ditch, 221-T Trench, 216-T-1 Trench	200W	200-CW-4	T Plant Zone, WM Zone	PRC
216-T-10	216-T-10, Decontamination Trenches, Equipment Decontamination Area	200W	200-MW-1	T Plant Zone	PRC
216-T-11	216-T-11, Decontamination Trenches, Equipment Decontamination Area	200W	200-MW-1	T Plant Zone	PRC
216-T-12	216-T-12, 207-T Sludge Grave, 207-T Sludge Pit, 216-T-11	200W	200-CW-4	T Farm Zone	PRC
216-T-13	216-T-13, 269-W Regulated Garage, 269-W Decontamination Pit or Trench, 216-T-12, 269-W Regulated Garage Decontamination Pit	200W	200-MW-1	T Farm Zone	PRC
216-T-14	216-T-14, 241-T-1 Trench, 216-T-1 Grave, 216-T-13	200W	200-TW-2	T Farm Zone	PRC
216-T-15	216-T-15, 241-T-2 Trench, 241-T-2 Grave, 216-T-14, 216-T-15 Crib	200W	200-TW-2	T Farm Zone	PRC
216-T-16	216-T-16, 241-T-3 Trench, 241-T-3 Grave, 216-T-15, 216-T-16 Crib	200W	200-TW-2	T Farm Zone	PRC
216-T-17	216-T-17, 241-T-4 Trench, 216-T-4 Grave, 216-T-16	200W	200-TW-2	T Farm Zone	PRC
216-T-18	216-T-18, Test Crib for 221-U Building, Scavenged TBP Waste, 216-T-17, 241-T-17 Crib	200W	200-TW-1	T Farm Zone	PRC
216-T-19	216-T-19, 241-TX-153 Crib and Tile Field, 216-TX-1, 241-TX-3, 216-T-19TF	200W	200-PW-1	T Farm Zone	PRC
216-T-2	216-T-2, 222-T-110 Dry Well, 222-T Reverse Well	200W	200-LW-2	T Plant Zone	PRC
216-T-20	216-T-20, 216-TX-2, 216-T-20 Crib, 241-TX-155 Contaminated Acid Grave	200W	200-PW-4	T Farm Zone	PRC
216-T-21	216-T-21, 241-TX-1 Trench, 216-TX-1 Grave, 216-TX-3	200W	200-TW-2	T Farm Zone	PRC
216-T-22	216-T-22, 241-TX-2 Trench, 216-TX-2 Grave, 216-TX-4	200W	200-TW-2	T Farm Zone	PRC
216-T-23	216-T-23, 241-TX-3 Trench, 216-TX-3 Grave, 216-TX-5, 241-TX-3 Grave	200W	200-TW-2	T Farm Zone	PRC
216-T-24	216-T-24, 241-TX-4 Trench, 216-TX-4 Grave, 216-TX-6	200W	200-TW-2	T Farm Zone	PRC
216-T-25	216-T-25, 241-TX-5 Trench, 216-TX-5 Grave, 216-TX-7	200W	200-TW-2	T Farm Zone	PRC
216-T-26	216-T-26, 216-TY-1 Cavern, 216-TY-1 Crib, 241-TX-1 Cavern, 216-TX-1 Crib	200W	200-TW-1	T Farm Zone	PRC
216-T-27	216-T-27, 216-TY-2 Cavern, 216-TY-2 Crib, 216-TX-2 Cavern, 216-TX-2 Crib	200W	200-LW-1	T Farm Zone	PRC
216-T-28	216-T-28, 216-TY-3 Cavern, 216-TY-3 Crib, 216-TX-3 Cavern, 216-TX-3 Crib	200W	200-LW-1	T Farm Zone	PRC
216-T-29	216-T-29, 291-T Sand Filter Sewer, 216-T-29 French Drain	200W	200-MW-1	T Plant Zone	PRC
216-T-3	216-T-3, 241-T-361-A Reverse Well, 361-T Reverse Well	200W	200-TW-2	T Plant Zone	PRC
216-T-31	216-T-31, 216-T-31 French Drain	200W	200-MW-1	T Farm Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
216-T-32	216-T-32, 241-T #1 & 2 Cribs, 216-T-6	200W	200-TW-2	T Farm Zone	PRC
216-T-33	216-T-33, 216-T-33 Crib	200W	200-MW-1	T Plant Zone	PRC
216-T-34	216-T-34, 216-T-34 Crib	200W	200-LW-1	T Plant Zone	PRC
216-T-35	216-T-35, 216-T-35 Crib	200W	200-LW-1	T Plant Zone	PRC
216-T-36	216-T-36 Crib	200W	200-SC-1	T Farm Zone	PRC
216-T-4-1D	216-T-4-1D, 216-T-4 Ditch, 216-T-4 Swamp	200W	200-CW-4	T Farm Zone, WM Zone	PRC
216-T-4-2	216-T-4-2, 216-T-4-2 Ditch	200W	200-CW-4	T Farm Zone, WM Zone	PRC
216-T-4A	216-T-4A, 216-T-4 Swamp, 216-T-4-1 (P), 216-T-4-1 Pond	200W	200-CW-4	WM Zone	PRC
216-T-4B	216-T-4B, 216-T-4 New Pond, 216-T-4-2 (P), 216-T-4-2 Pond	200W	200-CW-4	WM Zone	PRC
216-T-5	216-T-5, 216-T-5 Grave, 216-T-12, 216-T-5 Trench, 241-T-5 Trench	200W	200-TW-2	T Farm Zone	PRC
216-T-6	216-T-6, 241-T-361 (1&2 Cribs), 216-T-5, 361-T-1&2 Cribs	200W	200-TW-2	T Plant Zone	PRC
216-T-7	216-T-7, 216-T-7TF, 216-T-7 Tile Field, 241-T-3 Tile Field	200W	200-TW-2	T Farm Zone	PRC
216-T-8	216-T-8, 222-T-1 & 2 Cribs	200W	200-LW-2	T Plant Zone	PRC
216-T-9	216-T-9, Decontamination Trenches, Equipment Decontamination Area	200W	200-MW-1	T Plant Zone	PRC
216-TY-201	216-TY-201, Supernatant Disposal Flush Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-IS-1	T Farm Zone	PRC
216-U-1&2	216-U-1&2, 361-WR (Crib 2), 216-U-3, 216-UR #1&2 Cribs, 216-U-1 & 2, 216-U-1, 216-U-2	200W	200-UW-1	U Plant Zone	PRC
216-U-10	216-U-10, U Swamp, 216-U-1, 216-U-10 Pond, 231 Swamp	200W	200-CW-5	200-W Ponds Zone	PRC
216-U-11	216-U-11, U Swamp Extension Ditch, 216-U-12, 216-U-11 Trench, 216-U-11 Ditch, 216-U-11 (old ditch), 216-U-11 (new ditch)	200W	200-CW-5	200-W Ponds Zone	PRC
216-U-12	216-U-12, 216-U-12 Crib	200W	200-UW-1	U Plant Zone	PRC
216-U-13	216-U-13, 216-U-13 Cribs, 216-U-13, Vehicle Steam Cleaning Pit	200W	200-MW-1	S/U Farm Zone	PRC
216-U-14	216-U-14, 216-U-14 Ditch, Laundry Ditch	200W	200-CW-5	200-W Ponds Zone, S/U Farm Zone, T Plant Zone	PRC
216-U-15	216-U-15, UN-216-W-10, 388-U Tank Dumping, UPR-200-W-125, UN-200-W-158, U-152 Interface Crud Burial	200W	200-UW-1	U Plant Zone	PRC
216-U-16	216-U-16, UO3 Crib	200W	200-UW-1	U Plant Zone	PRC
216-U-17	216-U-17, 216-U-17 Crib	200W	200-UW-1	U Plant Zone	PRC
216-U-3	216-U-3, 216-U-11, 216-U-3 French Drain	200W	200-MW-1	S/U Farm Zone	PRC
216-U-4	216-U-4, 222-U Dry Well, 222-U-110 Dry Well, 216-U-2, 216-U-4 Dry Well	200W	200-UW-1	U Plant Zone	PRC
216-U-4A	216-U-4A, 216-U-4 Reverse Well Replacement French Drain, 216-U-4 Dry Well	200W	200-UW-1	U Plant Zone	PRC
216-U-4B	216-U-4B, 216-U-4B Dry Well, 216-U-4B French Drain	200W	200-UW-1	U Plant Zone	PRC
216-U-5	216-U-5, 216-U-4, 221-U Cold U Trench #2	200W	200-UW-1	U Plant Zone	PRC
216-U-6	216-U-6, U Facility Unirradiated Uranium Waste Trench, 221-U Cold U Trench, 216-U Cold U Trench #1, 216-U-5, 221-U Cold U Grave #1	200W	200-UW-1	U Plant Zone	PRC
216-U-7	216-U-7, 221-U Counting Box French Drain, 221-U Vessel Vent Blower Pit French Drain	200W	200-MW-1	U Plant Zone	PRC
216-U-8	216-U-8, 216-WR-1,2,3 Cribs, 216-U-9	200W	200-UW-1	U Plant Zone	PRC
216-U-9	216-U-9, U Swamp-S Swamp Ditch, 216-U-6	200W	200-CW-5	200-W Ponds Zone	PRC
216-W-LWC	216-W-LWC, 216-W-LC, Laundry Waste Crib, 216-W-LWC Crib, 216-W-1	200W	200-CW-5	T Plant Zone	PRC
216-Z-1&2	216-Z-1&2, 234-5 No. 1 Crib, 216-Z-7, 234-5 No. 2 Crib, 216-Z-1 & 2TF, 216-Z-1 and 216-Z-2 Cribs	200W	200-PW-1	PFP Zone	PRC
216-Z-10	216-Z-10, 216-Z-2, 231-W Reverse Well, 231-W-151 Dry Well or Reverse Well, 231-Z Well, 299-W15-51, 231-W-150	200W	200-PW-6	PFP Zone	PRC
216-Z-11	216-Z-11, 216-Z-11 Ditch, Z Plant Ditch	200W	200-CW-5	200-W Ponds Zone, PFP Zone	PRC
216-Z-12	216-Z-12, 241-Z-12 Crib	200W	200-PW-1	PFP Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
216-Z-13	216-Z-13, 234-5 Dry Well #1, 216-Z-13 Dry Well, Miscellaneous Stream #261, 216-Z-13 A and B	200W	200-MW-1	PFP Zone	PRC
216-Z-14	216-Z-14, 234-5 Dry Well #2, 216-Z-14 Dry Well, Miscellaneous Stream #262, 216-Z-14 A and B	200W	200-MW-1	PFP Zone	PRC
216-Z-15	216-Z-15, 234-5 Dry Well #3, 216-Z-15 Dry Well, Miscellaneous Stream #263	200W	200-MW-1	PFP Zone	PRC
216-Z-16	216-Z-16	200W	200-LW-2	PFP Zone	PRC
216-Z-17	216-Z-17, 216-Z-17 Ditch	200W	200-LW-2	PFP Zone	PRC
216-Z-18	216-Z-18, 216-Z-18 Crib	200W	200-PW-1	PFP Zone	PRC
216-Z-19	216-Z-19, 216-U-10 Ditch, Z Plant Ditch, 216-Z-19 Ditch	200W	200-CW-5	200-W Ponds Zone, PFP Zone	PRC
216-Z-1A	216-Z-1A, 216-Z-1A Tile Field, 216-Z-7, 234-5 Tile Field, 216-Z-1AA, 216-Z-1AB, 216-Z-1AC	200W	200-PW-1	PFP Zone	PRC
216-Z-1D	216-Z-1D, 216-Z-1, Drain Ditch to U Swamp, Z Plant Ditch	200W	200-CW-5	200-W Ponds Zone, PFP Zone	PRC
216-Z-20	216-Z-20, Z-19 Ditch Replacement Tile Field	200W	200-CW-5	PFP Zone	PRC
216-Z-21	216-Z-21, 216-Z-21 Seepage Basin, PFP Cold Waste Pond	200W	200-MW-1	PFP Zone	PRC
216-Z-3	216-Z-3, 216-Z-3 Culvert, 216-Z-8, 234-5 No. 3 & 4 Cribs	200W	200-PW-1	PFP Zone	PRC
216-Z-4	216-Z-4, 231-W-3 Pit, 231-W-3 Sump, 231-W-3 Crib, 216-Z-3, 216-Z-4 Crib	200W	200-PW-6	PFP Zone	PRC
216-Z-5	216-Z-5, 231-W Sumps, 231-W-1 & 2 Cribs	200W	200-PW-6	PFP Zone	PRC
216-Z-6	216-Z-6, 231-W-4 Crib, 231-Z-6, 216-W-4, 231-W Crib, 216-Z-4, 216-Z-6 & 6A Crib	200W	200-PW-6	PFP Zone	PRC
216-Z-7	216-Z-7, 231-W Crib, 231-W Trench, 216-Z-6	200W	200-LW-2	PFP Zone	PRC
216-Z-8	216-Z-8, 234-5 Recuplex French Drain, 216-Z-9, 216-Z-8 Crib	200W	200-PW-6	PFP Zone	PRC
216-Z-9	216-Z-9, 216-Z-9 Cavern, 234-5 Recuplex Cavern, 216-Z-10, 216-Z-9 Crib, 216-Z-9 Covered Trench	200W	200-PW-1	PFP Zone	PRC
217-B NU	217-B NU, 217-B Neutralization Unit, Elementary Neutralization Unit/217-B Building	200E	200-BP-6	B Plant Zone	PRC
218-C-9	218-C-9, Dry Waste No.0C9, 218-C-9 Burial Ground	200E	200-SW-2	Semi-Works Zone	PRC
218-E-1	218-E-1, 200 East Dry Waste No. 001	200E	200-SW-2	PUREX Zone	PRC
218-E-10	218-E-10, 200 East Industrial Waste No. 10, Equipment Burial Ground #10	200E	200-SW-2	Solid Waste Zone	PRC
218-E-12A	218-E-12A, 200 East Dry Waste No. 12A	200E	200-SW-2	C Farm Zone, Solid Waste Zone	PRC
218-E-12B	218-E-12B, 200 East Dry Waste No. 12B, 218-E-12B Burial Ground - Trench 94	200E	200-SW-2	Solid Waste Zone	PRC
218-E-14	218-E-14, PUREX Tunnel No. 1, PUREX Storage Tunnel	200E	200-PO-2	PUREX Zone	PRC
218-E-15	218-E-15, PUREX Tunnel No. 2, PUREX Storage Tunnel	200E	200-PO-2	PUREX Zone	PRC
218-E-2	218-E-2, 200 East Industrial Waste No. 002, Equipment Burial Ground #2	200E	200-SW-2	Solid Waste Zone	PRC
218-E-2A	218-E-2A, Regulated Equipment Storage Site No. 02A, Burial Trench	200E	200-SW-2	Solid Waste Zone	PRC
218-E-3	218-E-3, Construction Scrap Pit	200E	200-SW-2		PRC
218-E-4	218-E-4, 200 East Minor Construction No. 4, Equipment Burial Ground #4	200E	200-SW-2	Solid Waste Zone	PRC
218-E-5	218-E-5, 200 East Industrial Waste No. 05, Equipment Burial Ground #5	200E	200-SW-2	Solid Waste Zone	PRC
218-E-5A	218-E-5A, 200 East Industrial Waste No. 005A, Equipment Burial Ground #5A	200E	200-SW-2	Solid Waste Zone	PRC
218-E-6	218-E-6, B Stack Shack Burning Pit, Buried Contamination	200E	200-SW-1		PRC
218-E-7	218-E-7, 200 East 222-B Vaults	200E	200-SW-2	B Plant Zone	PRC
218-E-8	218-E-8, 200 East Construction Burial Grounds	200E	200-SW-2	Solid Waste Zone	PRC
218-E-9	218-E-9, 200 East Regulated Equipment Storage Site No. 009, Burial Vault (HISS)	200E	200-SW-2	Solid Waste Zone	PRC
218-W-1	218-W-1, 200-W Area Dry Waste No. 001, Solid Waste Burial Ground #1	200W	200-SW-2	WM Zone	PRC
218-W-11	218-W-11, Regulated Storage Site	200W	200-SW-2	WM Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
218-W-1A	218-W-1A, 200-W Area Industrial Waste Burial Ground #1, Equipment Burial Ground #1	200W	200-SW-2	WM Zone	PRC
218-W-2	218-W-2, 200-W Area Dry Waste No. 002, Dry Waste Burial Ground No. 2	200W	200-SW-2	WM Zone	PRC
218-W-2A	218-W-2A, Industrial Waste No. 02A, Equipment Burial Ground #2	200W	200-SW-2	WM Zone	PRC
218-W-3	218-W-3, Dry Waste No. 003	200W	200-SW-2	WM Zone	PRC
218-W-3A	218-W-3A, Dry Waste No. 003A	200W	200-SW-2	WM Zone	PRC
218-W-3AE	218-W-3AE, Industrial Waste No. 3AE, Dry Waste No. 3AE	200W	200-SW-2	WM Zone	PRC
218-W-4A	218-W-4A, Dry Waste No. 04A	200W	200-SW-2	WM Zone	PRC
218-W-4B	218-W-4B, Dry Waste No. 04B	200W	200-SW-2	WM Zone	PRC
218-W-4C	218-W-4C, Dry Waste No. 004C, 218-W-4C Annex	200W	200-SW-2	PFP Zone, WM Zone	PRC
218-W-5	218-W-5, Dry Waste Burial Ground, Low-Level Radioactive Mixed Waste Burial Grounds	200W	200-SW-2	WM Zone	PRC
218-W-6	218-W-6 Burial Ground	200W	200-SW-1	WM Zone	PRC
218-W-7	218-W-7, 222-S Vault	200W	200-SW-2	REDOX Zone	PRC
218-W-8	218-W-8, 222-T Vault	200W	200-SW-2	T Plant Zone	PRC
218-W-9	218-W-9, Dry Waste Burial Ground No. 9, Non-TRU Dry Waste No. 009	200W	200-SW-2	REDOX Zone	PRC
219-S-101	219-S-101, 219-S-TK-101, TK-101 Crib Waste Receiver, 219-S, TK-101 Receiver Tank	200W	200-RO-3	REDOX Zone	TOC
219-S-102	219-S-102, 219-S-TK-102, 219-S Storage Tank 102, 219-S Primary Treatment Tank TK-102	200W	200-RO-3	REDOX Zone	TOC
219-S-103	219-S-103, 219-S-TK-103, 219-S Storage Tank 103, 219-S Backup Treatment Tank TK-103, 219-S-104, TK-104	200W	200-RO-3	REDOX Zone	TOC
219-S-104	219-S-104, 219-S-TK-104, 219-S Storage Tank 104	200W	TBD		PRC
221-B NANU	221-B NANU, 221-B Nitric Acid Neutralization Unit, 221-B Elementary Neutralization Unit for Nitric Acid	200E	200-BP-6	B Plant Zone	PRC
221-B SDT	221-B SDT, 221-B Settle and Decant Tank, B Plant Settle and Decant Tank, 221-B-8-1 and 221-B-8-2, 221-B-TK-8-1 and 221-B-TK-8-2	200E	200-BP-6	B Plant Zone	PRC
221-B SHNU	221-B SHNU, 221-B Sodium Hydroxide Neutralization Unit, 221-B Elementary Neutralization Unit for Sodium Hydroxide	200E	200-BP-6	B Plant Zone	PRC
221-B-26-1	221-B-26-1, 221-B-TK-26-1, B Plant Radioactive Organic Waste Solvent Tank 1	200E	200-BP-6	B Plant Zone	PRC
221-B-27-2	221-B-27-2, 221-B-TK-27-2, 221-B Tank 27-2	200E	200-BP-6	B Plant Zone	PRC
221-B-27-3	221-B-27-3, 221-B-TK-27-3, B Plant Radioactive Organic Waste Solvent Tank 2	200E	200-BP-6	B Plant Zone	PRC
221-B-27-4	221-B-27-4, 221-B-TK-27-4, B Plant Radioactive Organic Waste Solvent Tank 3	200E	200-BP-6	B Plant Zone	PRC
221-B-28-3	221-B-28-3, 221-B-TK-28-3, B Plant Radioactive Organic Waste Solvent Tank 4	200E	200-BP-6	B Plant Zone	PRC
221-B-28-4	221-B-28-4, 221-B-TK-28-4, B Plant Radioactive Organic Waste Solvent Tank 5	200E	200-BP-6	B Plant Zone	PRC
221-B-29-4	221-B-29-4, 221-B-TK-29-4, B Plant Radioactive Organic Waste Storage Tank #7, 221-B TK-29-4	200E	200-BP-6	B Plant Zone	PRC
221-B-30-3	221-B-30-3, 221-B-TK-30-3, B Plant Radioactive Organic Waste Solvent Tank #6, 221-B TK-30-3	200E	200-BP-6	B Plant Zone	PRC
221-B-WS-1	221-B-WS-1, B Plant Storage	200E	200-BP-6	B Plant Zone	PRC
221-B-WS-2	221-B-WS-2, B Plant Waste Piles	200E	200-BP-6	B Plant Zone	PRC
221-T CSTF	221-T CSTF, 221-T Containment System Test Facility, T Plant Laboratory, 221-T Head End	200W	200-TP-4	T Plant Zone	PRC
221-T-11-R	221-T-11-R, 221-T-TK-11-R, Tank 11-R 221-T System, T Plant Complex	200W	200-TP-4	T Plant Zone	PRC
221-T-15-1	221-T-15-1, 221-T-TK-15-1, Tank 15-1 221-T System, T Plant Complex	200W	200-TP-4	T Plant Zone	PRC
221-T-5-6	221-T-5-6, 221-T-TK-5-6, Tank 5-6 221-T System, T Plant Complex	200W	200-TP-4	T Plant Zone	PRC
221-T-5-7	221-T-5-7, 221-T-TK-5-7, Tank 5-7 221-T System, T Plant Complex	200W	200-TP-4	T Plant Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
221-T-5-9	221-T-5-9, 221-T-TK-5-9, Tank 5-9 221-T System, T Plant Complex	200W	200-TP-4	T Plant Zone	PRC
221-T-6-1	221-T-6-1, 221-T-TK-6-1, Tank 6-1 221-T System, T Plant Complex	200W	200-TP-4	T Plant Zone	PRC
221-U	221-U, 221-U Canyon Building, 221-U Building, U Plant (See Subsites)	200W	200-UP-2	U Plant Zone	PRC
222-SD	222-SD, 222 SD, 222-S DMWSA, 222-S TSD Dangerous and Mixed Waste Storage Area	200W	200-RO-3	REDOX Zone	TOC
224-B	224-B, 224-B Concentration Facility	200E	200-BP-6	B Plant Zone	PRC
224-T	224-T, 224-T Canyon	200W	200-TP-4	T Plant Zone	PRC
224-U CNT	224-U CNT, 224-U Condensate Neutralization Tank, 224-U Process Condensate Neutralization Tank, Process Condensate Elementary Neutralization Unit, Tank TK-C-5, 224-U-TK-C-5	200W	200-UP-2	U Plant Zone	PRC
224-U HWSA	224-U HWSA, 224-U Hazardous Waste Storage Area	200W	200-UP-2		PRC
226-B HWSA	226-B HWSA, 226-B Hazardous Waste Storage Area	200E	200-BP-6		PRC
231-W-151	231-W-151, 231-W-151 Vault, 231-W-151-001 (Tank), 231-W-151-002 (Tank), 231-W-151 Sump, 231-Z-151 Sump, IMUST, Inactive Miscellaneous Underground Storage Tank (See Subsites)	200W	200-PW-6	PFP Zone	PRC
232-Z	232-Z, 232-Z Waste Incineration Facility, 232-Z Incineration Facility, 232-Z Incinerator	200W	200-ZP-2	PFP Zone	PRC
233-S	233-S, 233-S Plutonium Concentration Facility	200W	200-RO-3	REDOX Zone	PRC
233-SA	233-SA, 233-SA Exhaust Filter Building	200W	200-RO-3	REDOX Zone	PRC
234-5Z HWSA	234-5Z HWSA, 234-5Z Hazardous Waste Storage Area	200W	200-ZP-2		PRC
240-S-151	240-S-151, 240-S-151 Diversion Box	200W	200-IS-1	REDOX Zone	PRC
240-S-152	240-S-152, 240-S-152 Diversion Box	200W	200-IS-1	REDOX Zone	PRC
240-S-302	240-S-302, 240-S-302 Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-IS-1	REDOX Zone	PRC
241-A-101	241-A-101, 241-A-TK-101	200E	200-PO-3	WTP/A Farm Zone	TOC
241-A-102	241-A-102, 241-A-TK-102	200E	200-PO-3	WTP/A Farm Zone	TOC
241-A-103	241-A-103, 241-A-TK-103	200E	200-PO-3	WTP/A Farm Zone	TOC
241-A-104	241-A-104, 241-A-TK-104	200E	200-PO-3	WTP/A Farm Zone	TOC
241-A-105	241-A-105, 241-A-TK-105	200E	200-PO-3	WTP/A Farm Zone	TOC
241-A-106	241-A-106, 241-A-TK-106	200E	200-PO-3	WTP/A Farm Zone	TOC
241-A-151	241-A-151, 241-A-151 Diversion Box	200E	200-IS-1	PUREX Zone	TOC
241-A-152	241-A-152, 241-A-152 Diversion Box	200E	200-PO-3	WTP/A Farm Zone	TOC
241-A-153	241-A-153, 241-A-153 Diversion Box, 241-A-153 Transfer Station	200E	200-PO-3	WTP/A Farm Zone	TOC
241-A-302A	241-A-302A, 241-A-302-A Catch Tank	200E	200-IS-1	PUREX Zone	TOC
241-A-302B	241-A-302B, 241-A-302-B Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	200-IS-1	WTP/A Farm Zone	TOC
241-A-350	241-A-350, 241-A-350 Catch Tank, 241-A-350 Drainage Lift Station	200E	200-PO-3	WTP/A Farm Zone	TOC
241-A-417	241-A-417, 241-A-417 Condensate Tank	200E	200-PO-3	WTP/A Farm Zone	TOC
241-A-431	241-A-431, 241-A-431 Ventilation Building, 241-A-431 Tank Farm Ventilation Building	200E	200-PO-3	WTP/A Farm Zone	TOC
241-A-501	241-A-501, 241-A-501 Contact Condenser Valve Pit	200E	TBD		PRC
241-A-702-WS	241-A-702-WS-1, 702-A Drain Lines	200E	200-PO-3	WTP/A Farm Zone	TOC
241-A-A	241-A-A, 241-A-A Diversion Box, 241-A-A Structural Valve Pit	200E	200-PO-3	WTP/A Farm Zone	TOC
241-A-B	241-A-B, 241-A-B Diversion Box, 241-A-B Structural Valve Pit	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AN-101	241-AN-101, 241-AN-TK-101	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AN-102	241-AN-102, 241-AN-TK-102	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AN-103	241-AN-103, 241-AN-TK-103	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AN-104	241-AN-104, 241-AN-TK-104	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AN-105	241-AN-105, 241-AN-TK-105	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AN-106	241-AN-106, 241-AN-TK-106	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AN-107	241-AN-107, 241-AN-TK-107	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AN-A	241-AN-A, 241-AN-A Diversion Box	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AN-B	241-AN-B, 241-AN-B Diversion Box	200E	200-PO-3	WTP/A Farm Zone	TOC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
241-AP VP	241-AP VP, 241-AP Valve Pit	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AP-101	241-AP-101, 241-AP-TK-101	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AP-102	241-AP-102, 241-AP-TK-102	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AP-103	241-AP-103, 241-AP-TK-103	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AP-104	241-AP-104, 241-AP-TK-104	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AP-105	241-AP-105, 241-AP-TK-105	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AP-106	241-AP-106, 241-AP-TK-106	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AP-107	241-AP-107, 241-AP-TK-107	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AP-108	241-AP-108, 241-AP-TK-108	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AR-151	241-AR-151, 241-AR-151 Diversion Box	200E	200-PO-3	PUREX Zone	TOC
241-AW-101	241-AW-101, 241-AW-TK-101	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AW-102	241-AW-102, 241-AW-TK-102	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AW-103	241-AW-103, 241-AW-TK-103	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AW-104	241-AW-104, 241-AW-TK-104	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AW-105	241-AW-105, 241-AW-TK-105	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AW-106	241-AW-106, 241-AW-TK-106	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AW-A	241-AW-A, 241-AW-A Valve Pit, 241-AW-A Diversion Box	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AW-B	241-AW-B, 241-AW-B Valve Pit, 241-AW-B Diversion Box	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AX-101	241-AX-101, 241-AX-TK-101	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AX-102	241-AX-102, 241-AX-TK-102	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AX-103	241-AX-103, 241-AX-TK-103	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AX-104	241-AX-104, 241-AX-TK-104	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AX-151	241-AX-151, 241-AX-151 Diversion Box, 241-AX-151 Diverter Station, IMUST, Inactive Miscellaneous Underground Storage Tank (See Subsites)	200E	200-PO-3	PUREX Zone	TOC
241-AX-152CT	241-AX-152CT, 241-AX-152-CT Catch Tank	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AX-152DS	241-AX-152DS, 241-AX-152 Diverter Station, 241-AX-152-DS Diverter Station	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AX-153	241-AX-153, 241-AX-153 Isolation Jumper Pit	200E	TBD		PRC
241-AX-155	241-AX-155, 241-AX-155 Diversion Box	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AX-501	241-AX-501, 241-AX-501 Valve Pit, 241-AX-501 Condensate Valve Pit	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AX-A	241-AX-A, 241-AX-A Diversion Box, 241-AX-A Structural Valve Pit, 241-AX-A Valve Pit	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AX-B	241-AX-B, 241-AX-B Diversion Box, 241-AX-B Structural Valve Pit, 241-AX-B Valve Pit	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AX-IX	241-AX-IX, 241-AX Ion Exchanger, IMUST	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AY-101	241-AY-101, 241-AY-TK-101	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AY-102	241-AY-102, 241-AY-TK-102	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AY-151	241-AY-151, 241-AY-151 Diversion Box, 241-AY-151 Pump Out Pit	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AY-152	241-AY-152, 241-AY-152 Diverter Station, 241-AY-152 Sluice Transfer Box	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AY-501	241-AY-501, 241-AY-501 Condensate Valve Pit	200E	TBD		PRC
241-AZ VP	241-AZ VP, 241-AZ Valve Pit	200E	TBD		PRC
241-AZ-101	241-AZ-101, 241-AZ-TK-101	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AZ-102	241-AZ-102, 241-AZ-TK-102	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AZ-151CT	241-AZ-151CT, 241-AZ-151 Catch Tank	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AZ-151DS	241-AZ-151DS, 241-AZ-151-DS Diverter Station, 241-AZ-151 Diverter Station	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AZ-152	241-AZ-152, 241-AZ-152 Diversion Box, 241-AZ-152 Sluice Transfer Box	200E	200-PO-3	WTP/A Farm Zone	TOC
241-AZ-154	241-AZ-154, 241-AZ-154 Catch Tank	200E	TBD		PRC
241-AZ-155	241-AZ-155, 241-AZ-155 Contaminated Storage Pit	200E	TBD		PRC
241-AZ-301	241-AZ-301, Condensate Receiver Tank	200E	TBD		PRC
241-B-101	241-B-101, 241-B-TK-101	200E	200-BP-7	B Farm Zone	TOC
241-B-102	241-B-102, 241-B-TK-102	200E	200-BP-7	B Farm Zone	TOC
241-B-103	241-B-103, 241-B-TK-103	200E	200-BP-7	B Farm Zone	TOC
241-B-104	241-B-104, 241-B-TK-104	200E	200-BP-7	B Farm Zone	TOC
241-B-105	241-B-105, 241-B-TK-105	200E	200-BP-7	B Farm Zone	TOC
241-B-106	241-B-106, 241-B-TK-106	200E	200-BP-7	B Farm Zone	TOC
241-B-107	241-B-107, 241-B-TK-107	200E	200-BP-7	B Farm Zone	TOC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
241-B-108	241-B-108, 241-B-TK-108	200E	200-BP-7	B Farm Zone	TOC
241-B-109	241-B-109, 241-B-TK-109	200E	200-BP-7	B Farm Zone	TOC
241-B-110	241-B-110, 241-B-TK-110	200E	200-BP-7	B Farm Zone	TOC
241-B-111	241-B-111, 241-B-TK-111	200E	200-BP-7	B Farm Zone	TOC
241-B-112	241-B-112, 241-B-TK-112	200E	200-BP-7	B Farm Zone	TOC
241-B-151	241-B-151, 241-B-151 Diversion Box	200E	200-BP-7	B Farm Zone	TOC
241-B-152	241-B-152, 241-B-152 Diversion Box	200E	200-BP-7	B Farm Zone	TOC
241-B-153	241-B-153, 241-B-153 Diversion Box	200E	200-BP-7	B Farm Zone	TOC
241-B-154	241-B-154, 241-B-154 Diversion Box	200E	200-IS-1	B Plant Zone	TOC
241-B-201	241-B-201, 241-B-TK-201	200E	200-BP-7	B Farm Zone	TOC
241-B-202	241-B-202, 241-B-TK-202	200E	200-BP-7	B Farm Zone	TOC
241-B-203	241-B-203, 241-B-TK-203	200E	200-BP-7	B Farm Zone	TOC
241-B-204	241-B-204, 241-B-TK-204	200E	200-BP-7	B Farm Zone	TOC
241-B-252	241-B-252, 241-B-252 Diversion Box	200E	200-BP-7	B Farm Zone	TOC
241-B-301	241-B-301, 241-B-301-B Catch Tank, 241-B-301B, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	200-BP-7	B Farm Zone	TOC
241-B-302B	241-B-302B, 241-B-302-B Catch Tank, 241-B-302, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	200-IS-1	B Plant Zone	TOC
241-B-361	241-B-361, 241-B-361 Settling Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	200-TW-2	B Plant Zone	PRC
241-BR-152	241-BR-152, 241-BR-152 Diversion Box	200E	200-BP-7	B Farm Zone	TOC
241-BX-101	241-BX-101, 241-BX-TK-101	200E	200-BP-7	B Farm Zone	TOC
241-BX-102	241-BX-102, 241-BX-TK-102	200E	200-BP-7	B Farm Zone	TOC
241-BX-103	241-BX-103, 241-BX-TK-103	200E	200-BP-7	B Farm Zone	TOC
241-BX-104	241-BX-104, 241-BX-TK-104	200E	200-BP-7	B Farm Zone	TOC
241-BX-105	241-BX-105, 241-BX-TK-105	200E	200-BP-7	B Farm Zone	TOC
241-BX-106	241-BX-106, 241-BX-TK-106	200E	200-BP-7	B Farm Zone	TOC
241-BX-107	241-BX-107, 241-BX-TK-107	200E	200-BP-7	B Farm Zone	TOC
241-BX-108	241-BX-108, 241-BX-TK-108	200E	200-BP-7	B Farm Zone	TOC
241-BX-109	241-BX-109, 241-BX-TK-109	200E	200-BP-7	B Farm Zone	TOC
241-BX-110	241-BX-110, 241-BX-TK-110	200E	200-BP-7	B Farm Zone	TOC
241-BX-111	241-BX-111, 241-BX-TK-111	200E	200-BP-7	B Farm Zone	TOC
241-BX-112	241-BX-112, 241-BX-TK-112	200E	200-BP-7	B Farm Zone	TOC
241-BX-153	241-BX-153, 241-BX-153 Diversion Box	200E	200-BP-7	B Farm Zone	TOC
241-BX-154	241-BX-154, 241-BX-154 Diversion Box	200E	200-IS-1	B Plant Zone	TOC
241-BX-155	241-BX-155, 241-BX-155 Diversion Box	200E	200-IS-1	Solid Waste Zone	TOC
241-BX-302A	241-BX-302A, 241-BX-302-A Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	200-BP-7	B Farm Zone	TOC
241-BX-302B	241-BX-302B, 241-BX-302-B Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	200-IS-1	B Plant Zone	TOC
241-BX-302C	241-BX-302C, 241-BX-302-C Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	200-IS-1	Solid Waste Zone	TOC
241-BXR-151	241-BXR-151, 241-BXR-151 Diversion Box	200E	200-BP-7	B Farm Zone	TOC
241-BXR-152	241-BXR-152, 241-BXR-152 Diversion Box	200E	200-BP-7	B Farm Zone	TOC
241-BXR-153	241-BXR-153, 241-BXR-153 Diversion Box	200E	200-BP-7	B Farm Zone	TOC
241-BY-101	241-BY-101, 241-BY-TK-101	200E	200-BP-7	B Farm Zone	TOC
241-BY-102	241-BY-102, 241-BY-TK-102	200E	200-BP-7	B Farm Zone	TOC
241-BY-103	241-BY-103, 241-BY-TK-103	200E	200-BP-7	B Farm Zone	TOC
241-BY-104	241-BY-104, 241-BY-TK-104	200E	200-BP-7	B Farm Zone	TOC
241-BY-105	241-BY-105, 241-BY-TK-105	200E	200-BP-7	B Farm Zone	TOC
241-BY-106	241-BY-106, 241-BY-TK-106	200E	200-BP-7	B Farm Zone	TOC
241-BY-107	241-BY-107, 241-BY-TK-107	200E	200-BP-7	B Farm Zone	TOC
241-BY-108	241-BY-108, 241-BY-TK-108	200E	200-BP-7	B Farm Zone	TOC
241-BY-109	241-BY-109, 241-BY-TK-109	200E	200-BP-7	B Farm Zone	TOC
241-BY-110	241-BY-110, 241-BY-TK-110	200E	200-BP-7	B Farm Zone	TOC
241-BY-111	241-BY-111, 241-BY-TK-111	200E	200-BP-7	B Farm Zone	TOC
241-BY-112	241-BY-112, 241-BY-TK-112	200E	200-BP-7	B Farm Zone	TOC
241-BY-ITS1	241-BY-ITS1, ITS-1, In Tank Solidification System, IMUST	200E	200-BP-7	B Farm Zone	TOC
241-BYR-152	241-BYR-152, 241-BYR-152 Diversion Box	200E	200-BP-7	B Farm Zone	TOC
241-BYR-153	241-BYR-153, 241-BYR-153 Diversion Box	200E	200-BP-7	B Farm Zone	TOC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
241-BYR-154	241-BYR-154, 241-BYR-154 Diversion Box	200E	200-BP-7	B Farm Zone	TOC
241-C-101	241-C-101, 241-C-TK-101	200E	200-PO-3	C Farm Zone	TOC
241-C-102	241-C-102, 241-C-TK-102	200E	200-PO-3	C Farm Zone	TOC
241-C-103	241-C-103, 241-C-TK-103	200E	200-PO-3	C Farm Zone	TOC
241-C-104	241-C-104, 241-C-TK-104	200E	200-PO-3	C Farm Zone	TOC
241-C-105	241-C-105, 241-C-TK-105	200E	200-PO-3	C Farm Zone	TOC
241-C-106	241-C-106, 241-C-TK-106	200E	200-PO-3	C Farm Zone	TOC
241-C-107	241-C-107, 241-C-TK-107	200E	200-PO-3	C Farm Zone	TOC
241-C-108	241-C-108, 241-C-TK-108	200E	200-PO-3	C Farm Zone	TOC
241-C-109	241-C-109, 241-C-TK-109	200E	200-PO-3	C Farm Zone	TOC
241-C-110	241-C-110, 241-C-TK-110	200E	200-PO-3	C Farm Zone	TOC
241-C-111	241-C-111, 241-C-TK-111	200E	200-PO-3	C Farm Zone	TOC
241-C-112	241-C-112, 241-C-TK-112	200E	200-PO-3	C Farm Zone	TOC
241-C-151	241-C-151, 241-C-151 Diversion Box	200E	200-PO-3	C Farm Zone	TOC
241-C-152	241-C-152, 241-C-152 Diversion Box	200E	200-PO-3	C Farm Zone	TOC
241-C-153	241-C-153, 241-C-153 Diversion Box	200E	200-PO-3	C Farm Zone	TOC
241-C-154	241-C-154, 241-C-154 Diversion Box	200E	200-IS-1	Semi-Works Zone	TOC
241-C-201	241-C-201, 241-C-TK-201	200E	200-PO-3	C Farm Zone	TOC
241-C-202	241-C-202, 241-C-TK-202	200E	200-PO-3	C Farm Zone	TOC
241-C-203	241-C-203, 241-C-TK-203	200E	200-PO-3	C Farm Zone	TOC
241-C-204	241-C-204, 241-C-TK-204	200E	200-PO-3	C Farm Zone	TOC
241-C-252	241-C-252, 241-C-252 Diversion Box	200E	200-PO-3	C Farm Zone	TOC
241-C-301	241-C-301, 241-C-301-C Catch Tank, 241-C-301C, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	200-PO-3	C Farm Zone	TOC
241-C-801	241-C-801, 241-C-801 Cesium Loadout Facility	200E	200-PO-3	C Farm Zone	TOC
241-CR-151	241-CR-151, 241-CR-151 Diversion Box	200E	200-PO-3	C Farm Zone	TOC
241-CR-152	241-CR-152, 241-CR-152 Diversion Box	200E	200-PO-3	C Farm Zone	TOC
241-CR-153	241-CR-153, 241-CR-153 Diversion Box	200E	200-PO-3	C Farm Zone	TOC
241-CX-70	241-CX-70, 241-CX-TK-70 Tank, Strontium Hot Semi-works, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	200-IS-1	Semi-Works Zone	PRC
241-CX-71	241-CX-71, 241-CX-TK-71, 241-CX Neutralization Tank, Strontium Hot Semi-works, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	200-IS-1	Semi-Works Zone	PRC
241-CX-72	241-CX-72, 241-CX-TK-72 Vault and Tank, 241-CX-72 Waste Self Concentrator, Strontium Hot Semi-works, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	200-IS-1	Semi-Works Zone	PRC
241-ER-151	241-ER-151, 241-ER-151 Diversion Box	200E	200-IS-1	B Plant Zone	PRC
241-ER-152	241-ER-152, 241-ER-152 Diversion Box	200E	200-IS-1	B Plant Zone	PRC
241-ER-153	241-ER-153, 241-ER-153 Diversion Box	200E	200-PO-3	PUREX Zone	PRC
241-ER-311	241-ER-311, 241-ER-311 Catch Tank, 241-ER-311A Replacement Tank	200E	200-IS-1	B Plant Zone	PRC
241-ER-311A	241-ER-311A, 241-ER-311A Catch Tank, old 241-ER-311, Original 241-ER-311 Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	200-IS-1	B Plant Zone	PRC
241-EW-151	241-EW-151, 241-EW-151 Vent Station Catch Tank, 241-EW-151 Vent Station, Vent Station, 200 Area East-West Vent Station	600	200-IS-1	ERDF Zone	PRC
241-S-101	241-S-101, 241-S-TK-101	200W	200-RO-4	S/U Farm Zone	TOC
241-S-102	241-S-102, 241-S-TK-102	200W	200-RO-4	S/U Farm Zone	TOC
241-S-103	241-S-103, 241-S-TK-103	200W	200-RO-4	S/U Farm Zone	TOC
241-S-104	241-S-104, 241-S-TK-104	200W	200-RO-4	S/U Farm Zone	TOC
241-S-105	241-S-105, 241-S-TK-105	200W	200-RO-4	S/U Farm Zone	TOC
241-S-106	241-S-106, 241-S-TK-106	200W	200-RO-4	S/U Farm Zone	TOC
241-S-107	241-S-107, 241-S-TK-107	200W	200-RO-4	S/U Farm Zone	TOC
241-S-108	241-S-108, 241-S-TK-108	200W	200-RO-4	S/U Farm Zone	TOC
241-S-109	241-S-109, 241-S-TK-109	200W	200-RO-4	S/U Farm Zone	TOC
241-S-110	241-S-110, 241-S-TK-110	200W	200-RO-4	S/U Farm Zone	TOC
241-S-111	241-S-111, 241-S-TK-111	200W	200-RO-4	S/U Farm Zone	TOC
241-S-112	241-S-112, 241-S-TK-112	200W	200-RO-4	S/U Farm Zone	TOC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
241-S-151	241-S-151, 241-S-151 Diversion Box	200W	200-RO-4	S/U Farm Zone	TOC
241-S-152	241-S-152, 241-S-152 Diversion Box	200W	200-RO-4	S/U Farm Zone	TOC
241-S-302A	241-S-302A, 241-S-302-A Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-RO-4	S/U Farm Zone	TOC
241-S-302B	241-S-302B, 241-S-302-B Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-RO-4	S/U Farm Zone	TOC
241-S-304	241-S-304, 241-S-304 Catch Tank	200W	200-RO-4	S/U Farm Zone	TOC
241-S-A	241-S-A, 241-S-A Valve Pit, 241-S-A Diversion Box	200W	200-RO-4	S/U Farm Zone	TOC
241-S-B	241-S-B, 241-S-B Valve Pit, 241-S-B Diversion Box	200W	200-RO-4	S/U Farm Zone	TOC
241-S-C	241-S-C, 241-S-C Valve Pit, 241-S-C Diversion Box	200W	200-RO-4	S/U Farm Zone	TOC
241-S-D	241-S-D, 241-S-D Valve Pit, 241-S-D Diversion Box	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-101	241-SX-101, 241-SX-TK-101	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-102	241-SX-102, 241-SX-TK-102	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-103	241-SX-103, 241-SX-TK-103	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-104	241-SX-104, 241-SX-TK-104	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-105	241-SX-105, 241-SX-TK-105	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-106	241-SX-106, 241-SX-TK-106	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-107	241-SX-107, 241-SX-TK-107	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-108	241-SX-108, 241-SX-TK-108	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-109	241-SX-109, 241-SX-TK-109	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-110	241-SX-110, 241-SX-TK-110	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-111	241-SX-111, 241-SX-TK-111	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-112	241-SX-112, 241-SX-TK-112	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-113	241-SX-113, 241-SX-TK-113	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-114	241-SX-114, 241-SX-TK-114	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-115	241-SX-115, 241-SX-TK-115	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-151	241-SX-151, 241-SX-151 Diversion Box	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-152	241-SX-152, 241-SX-152 Diversion Box, 241-SX-152 Transfer Box	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-302	241-SX-302, 241-SX-302 Catch Tank, SX-304, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-IS-1	S/U Farm Zone	TOC
241-SX-401	241-SX-401, 241-SX-401 Condenser Shielding Building, 241-SX-401 Waste Disposal Condenser House	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-402	241-SX-402, 241-SX-402 Condenser Shielding Building, 241-SX-402 Waste Disposal Condenser House	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-A	241-SX-A, 241-SX-A Diversion Box	200W	200-RO-4	S/U Farm Zone	TOC
241-SX-B	241-SX-B, 241-SX-B Diversion Box	200W	200-RO-4	S/U Farm Zone	TOC
241-SY-101	241-SY-101, 241-SY-TK-101	200W	200-RO-4	S/U Farm Zone	TOC
241-SY-102	241-SY-102, 241-SY-TK-102	200W	200-RO-4	S/U Farm Zone	TOC
241-SY-103	241-SY-103, 241-SY-TK-103	200W	200-RO-4	S/U Farm Zone	TOC
241-SY-A	241-SY-A, 241-SY-A Diversion Box, 241-SY-A Valve Pit	200W	200-RO-4	S/U Farm Zone	TOC
241-SY-B	241-SY-B, 241-SY-B Diversion Box, 241-SY-B Valve Pit	200W	200-RO-4	S/U Farm Zone	TOC
241-T-101	241-T-101, 241-T-TK-101	200W	200-TP-6	T Farm Zone	TOC
241-T-102	241-T-102, 241-T-TK-102	200W	200-TP-6	T Farm Zone	TOC
241-T-103	241-T-103, 241-T-TK-103	200W	200-TP-6	T Farm Zone	TOC
241-T-104	241-T-104, 241-T-TK-104	200W	200-TP-6	T Farm Zone	TOC
241-T-105	241-T-105, 241-T-TK-105	200W	200-TP-6	T Farm Zone	TOC
241-T-106	241-T-106, 241-T-TK-106	200W	200-TP-6	T Farm Zone	TOC
241-T-107	241-T-107, 241-T-TK-107	200W	200-TP-6	T Farm Zone	TOC
241-T-108	241-T-108, 241-T-TK-108	200W	200-TP-6	T Farm Zone	TOC
241-T-109	241-T-109, 241-T-TK-109	200W	200-TP-6	T Farm Zone	TOC
241-T-110	241-T-110, 241-T-TK-110	200W	200-TP-6	T Farm Zone	TOC
241-T-111	241-T-111, 241-T-TK-111	200W	200-TP-6	T Farm Zone	TOC
241-T-112	241-T-112, 241-T-TK-112	200W	200-TP-6	T Farm Zone	TOC
241-T-151	241-T-151, 241-T-151 Diversion Box	200W	200-TP-6	T Farm Zone	TOC
241-T-152	241-T-152, 241-T-152 Diversion Box	200W	200-TP-6	T Farm Zone	TOC
241-T-153	241-T-153, 241-T-153 Diversion Box	200W	200-TP-6	T Farm Zone	TOC
241-T-201	241-T-201, 241-T-TK-201	200W	200-TP-6	T Farm Zone	TOC
241-T-202	241-T-202, 241-T-TK-202	200W	200-TP-6	T Farm Zone	TOC
241-T-203	241-T-203, 241-T-TK-203	200W	200-TP-6	T Farm Zone	TOC
241-T-204	241-T-204, 241-T-TK-204	200W	200-TP-6	T Farm Zone	TOC
241-T-252	241-T-252, 241-T-252 Diversion Box	200W	200-TP-6	T Farm Zone	TOC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
241-T-301B	241-T-301B, 241-T-301 Catch Tank, 241-T-301-B, 241-T-0301, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-TP-6	T Farm Zone	TOC
241-T-302	241-T-302, 241-T-302 Catch Tank	200W	200-TP-6		TOC
241-T-361	241-T-361, 241-T-361 Settling Tank, 361-T-TANK, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-TW-2	T Plant Zone	PRC
241-TR-152	241-TR-152, 241-TR-152 Diversion Box	200W	200-TP-6	T Farm Zone	TOC
241-TR-153	241-TR-153, 241-TR-153 Diversion Box, 241-TR-153 Booster Pump Pit	200W	200-TP-6	T Farm Zone	TOC
241-TX-101	241-TX-101, 241-TX-TK-101	200W	200-TP-5	T Farm Zone	TOC
241-TX-102	241-TX-102, 241-TX-TK-102	200W	200-TP-5	T Farm Zone	TOC
241-TX-103	241-TX-103, 241-TX-TK-103	200W	200-TP-5	T Farm Zone	TOC
241-TX-104	241-TX-104, 241-TX-TK-104	200W	200-TP-5	T Farm Zone	TOC
241-TX-105	241-TX-105, 241-TX-TK-105	200W	200-TP-5	T Farm Zone	TOC
241-TX-106	241-TX-106, 241-TX-TK-106	200W	200-TP-5	T Farm Zone	TOC
241-TX-107	241-TX-107, 241-TX-TK-107	200W	200-TP-5	T Farm Zone	TOC
241-TX-108	241-TX-108, 241-TX-TK-108	200W	200-TP-5	T Farm Zone	TOC
241-TX-109	241-TX-109, 241-TX-TK-109	200W	200-TP-5	T Farm Zone	TOC
241-TX-110	241-TX-110, 241-TX-TK-110	200W	200-TP-5	T Farm Zone	TOC
241-TX-111	241-TX-111, 241-TX-TK-111	200W	200-TP-5	T Farm Zone	TOC
241-TX-112	241-TX-112, 241-TX-TK-112	200W	200-TP-5	T Farm Zone	TOC
241-TX-113	241-TX-113, 241-TX-TK-113	200W	200-TP-5	T Farm Zone	TOC
241-TX-114	241-TX-114, 241-TX-TK-114	200W	200-TP-5	T Farm Zone	TOC
241-TX-115	241-TX-115, 241-TX-TK-115	200W	200-TP-5	T Farm Zone	TOC
241-TX-116	241-TX-116, 241-TX-TK-116	200W	200-TP-5	T Farm Zone	TOC
241-TX-117	241-TX-117, 241-TX-TK-117	200W	200-TP-5	T Farm Zone	TOC
241-TX-118	241-TX-118, 241-TX-TK-118	200W	200-TP-5	T Farm Zone	TOC
241-TX-152	241-TX-152, 241-TX-152 Diversion Box	200W	200-IS-1	T Farm Zone	TOC
241-TX-153	241-TX-153, 241-TX-153 Diversion Box	200W	200-TP-5	T Farm Zone	TOC
241-TX-154	241-TX-154, 241-TX-154 Diversion Box	200W	200-IS-1	T Plant Zone	TOC
241-TX-155	241-TX-155, 241-TX-155 Diversion Box	200W	200-IS-1	T Farm Zone	TOC
241-TX-302A	241-TX-302A, 241-TX-302-A Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-TP-5	T Farm Zone	TOC
241-TX-302B	241-TX-302B, 241-TX-302-B Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-IS-1	T Farm Zone	TOC
241-TX-302BR	241-TX-302BR, 241-TX-302BR Catch Tank, 241-TXR-302BR, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-IS-1	T Farm Zone	TOC
241-TX-302C	241-TX-302C, 241-TX-302-C Catch Tank	200W	200-IS-1	T Plant Zone	TOC
241-TX-302XB	241-TX-302XB, 241-TX-302B Catch Tank, 241-TX-302-X, 241-TX-302-X (B), IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-TP-5	T Farm Zone	TOC
241-TXR-151	241-TXR-151, 241-TXR-151 Diversion Box	200W	200-TP-5	T Farm Zone	TOC
241-TXR-152	241-TXR-152, 241-TXR-152 Diversion Box	200W	200-TP-5	T Farm Zone	TOC
241-TXR-153	241-TXR-153, 241-TXR-153 Diversion Box	200W	200-TP-5	T Farm Zone	TOC
241-TY-101	241-TY-101, 241-TY-TK-101	200W	200-TP-5	T Farm Zone	TOC
241-TY-102	241-TY-102, 241-TY-TK-102	200W	200-TP-5	T Farm Zone	TOC
241-TY-103	241-TY-103, 241-TY-TK-103	200W	200-TP-5	T Farm Zone	TOC
241-TY-104	241-TY-104, 241-TY-TK-104	200W	200-TP-5	T Farm Zone	TOC
241-TY-105	241-TY-105, 241-TY-TK-105	200W	200-TP-5	T Farm Zone	TOC
241-TY-106	241-TY-106, 241-TY-TK-106	200W	200-TP-5	T Farm Zone	TOC
241-TY-153	241-TY-153, 241-TY-153 Diversion Box	200W	200-TP-5	T Farm Zone	TOC
241-TY-302A	241-TY-302A, 241-TY-302-A Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-TP-5	T Farm Zone	TOC
241-TY-302B	241-TY-302B, 241-TY-302-B Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-TP-5	T Farm Zone	TOC
241-U-101	241-U-101, 241-U-TK-101	200W	200-UP-3	S/U Farm Zone	TOC
241-U-102	241-U-102, 241-U-TK-102	200W	200-UP-3	S/U Farm Zone	TOC
241-U-103	241-U-103, 241-U-TK-103	200W	200-UP-3	S/U Farm Zone	TOC
241-U-104	241-U-104, 241-U-TK-104	200W	200-UP-3	S/U Farm Zone	TOC
241-U-105	241-U-105, 241-U-TK-105	200W	200-UP-3	S/U Farm Zone	TOC
241-U-106	241-U-106, 241-U-TK-106	200W	200-UP-3	S/U Farm Zone	TOC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
241-U-107	241-U-107, 241-U-TK-107	200W	200-UP-3	S/U Farm Zone	TOC
241-U-108	241-U-108, 241-U-TK-108	200W	200-UP-3	S/U Farm Zone	TOC
241-U-109	241-U-109, 241-U-TK-109	200W	200-UP-3	S/U Farm Zone	TOC
241-U-110	241-U-110, 241-U-TK-110	200W	200-UP-3	S/U Farm Zone	TOC
241-U-111	241-U-111, 241-U-TK-111	200W	200-UP-3	S/U Farm Zone	TOC
241-U-112	241-U-112, 241-U-TK-112	200W	200-UP-3	S/U Farm Zone	TOC
241-U-151	241-U-151, 241-U-151 Diversion Box	200W	200-IS-1	S/U Farm Zone	TOC
241-U-152	241-U-152, 241-U-152 Diversion Box	200W	200-IS-1	S/U Farm Zone	TOC
241-U-153	241-U-153, 241-U-153 Diversion Box	200W	200-UP-3	S/U Farm Zone	TOC
241-U-201	241-U-201, 241-U-TK-201	200W	200-UP-3	S/U Farm Zone	TOC
241-U-202	241-U-202, 241-U-TK-202	200W	200-UP-3	S/U Farm Zone	TOC
241-U-203	241-U-203, 241-U-TK-203	200W	200-UP-3	S/U Farm Zone	TOC
241-U-204	241-U-204, 241-U-TK-204	200W	200-UP-3	S/U Farm Zone	TOC
241-U-252	241-U-252, 241-U-252 Diversion Box	200W	200-UP-3	S/U Farm Zone	TOC
241-U-301	241-U-301, 241-U-301B	200W	200-UP-3	S/U Farm Zone	TOC
241-U-361	241-U-361, 241-U-361 Settling Tank, 361-U-TANK, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-UW-1	U Plant Zone	PRC
241-U-A	241-U-A, 241-U-A Diversion Box, 241-U-A Valve Pit	200W	200-UP-3	S/U Farm Zone	TOC
241-U-B	241-U-B, 241-U-B Diversion Box, 241-U-B Valve Pit	200W	200-UP-3	S/U Farm Zone	TOC
241-U-C	241-U-C, 241-U-C Diversion Box, 241-U-C Valve Pit	200W	200-UP-3	S/U Farm Zone	TOC
241-U-D	241-U-D, 241-U-D Diversion Box, 241-U-D Valve Pit	200W	200-UP-3	S/U Farm Zone	TOC
241-UR-151	241-UR-151, 241-UR-151 Diversion Box	200W	200-UP-3	S/U Farm Zone	TOC
241-UR-152	241-UR-152, 241-UR-152 Diversion Box	200W	200-UP-3	S/U Farm Zone	TOC
241-UR-153	241-UR-153, 241-UR-153 Diversion Box	200W	200-UP-3	S/U Farm Zone	TOC
241-UR-154	241-UR-154, 241-UR-154 Diversion Box	200W	200-UP-3	S/U Farm Zone	TOC
241-UX-154	241-UX-154, 241-UX-154 Diversion Box	200W	200-IS-1	U Plant Zone	TOC
241-UX-302A	241-UX-302A, 241-U-302 Catch Tank, 241-UX-302 Catch Tank, 241-UX-302	200W	200-IS-1	U Plant Zone	TOC
241-WR VAULT	241-WR VAULT, 241-WR Vault (Tanks -001 through -009), 241-WR-01 thru 09, 241-WR Diversion Station Vault, 244-WR Vault, 296-U-6 Stack, IMUST, Inactive Miscellaneous Underground Storage Tank (See Subsites)	200W	200-IS-1	U Plant Zone	PRC
241-Z	241-Z, 241-Z Treatment and Storage Tanks, 241-Z Tank Farm, 241-Z Treatment and Storage System, 241-Z-D-4, 241-Z-D-5, 241-Z-D-7, 241-Z-D-8, 241-Z Sump, 241-Z Tank Pit	200W	200-IS-1	PFP Zone	PRC
241-Z-361	241-Z-361, 241-Z-361 Settling Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-PW-1	PFP Zone	PRC
241-Z-8	241-Z-8, 241-Z-TK-8, Silica Slurry Tank, 216-Z-8, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-PW-6	PFP Zone	PRC
242-A	242-A, 242-A Evaporator	200E	200-PO-3	WTP/A Farm Zone	TOC
242-B	242-B, 242-B Evaporator	200E	200-BP-7	B Farm Zone	PRC
242-B-151	242-B-151, 242-B Evaporator Building Diversion Box	200E	200-BP-7	B Farm Zone	PRC
242-S	242-S, 242-S Evaporator	200W	200-RO-4	S/U Farm Zone	TOC
242-T	242-T, 242-T Evaporator Facility, 241-T Evaporator	200W	200-TP-5	T Farm Zone	PRC
242-T-135	242-T-135, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-TP-5	T Farm Zone	PRC
242-T-151	242-T-151, 242-T-151 Diversion Box	200W	200-TP-5	T Farm Zone	PRC
242-TA-R1	242-TA-R1, 242-TA, Receiver TK-Vault, 242-TA Receiver Tank Vault, Z Waste, Receiver Tank TK-R1, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-TP-5	T Farm Zone	PRC
244-A DCRT	244-A DCRT, 244-A Double-Contained Receiver Tank, 244-A RT, 244-A Receiver Tank, 244-A-TK/SMP	200E	200-PO-3	PUREX Zone	TOC
244-A LS	244-A LS, 244-A Lift Station, 244-AR Lift Station, 244-AR LS' SN-232, SN-233, SN-234	200E	200-PO-3	PUREX Zone	TOC
244-AR VAULT	244-AR VAULT, 244-AR Vault	200E	200-PO-3	PUREX Zone	PRC
244-BX DCRT	244-BX DCRT, 244-BX Double-Contained Receiver Tank, 244-BX RT, 244-BX Receiver Tank, 244-BX-TK/SMP, 244-BX Receiver Vault,	200E	200-BP-7	B Farm Zone	TOC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
244-BXR VAULT	244-BXR VAULT, 244-BXR Vault, 244-BXR Receiving Vault. (Subsites 244-BXR-001, 244-BXR-002, 244-BXR-003, 244-BXR-011), IMUST, Inactive Miscellaneous Underground Storage Tank (See Subsites)	200E	200-BP-7	B Farm Zone	TOC
244-CR VAULT	244-CR VAULT, 244-CR Vault (See Subsites)	200E	200-PO-3	C Farm Zone	TOC
244-CR-WS-1	244-CR-WS-1, 244-CR French Drain	200E	200-PO-3	C Farm Zone	TOC
244-S DCRT	244-S DCRT, 244-S Double-Contained Receiver Tank, 244-S RT, 244-S Receiver Tank, 244-S Catch Station, 244-S-TK/SMP, lines 5350 and 5351	200W	200-RO-4	S/U Farm Zone	TOC
244-TX DCRT	244-TX DCRT, 244-TX Double-Contained Receiver Tank, 244-TX RT, 244-TX Receiver Tank, 244-TX Receiver Vessel, 244-TX-TK/SMP	200W	200-TP-5	T Farm Zone	TOC
244-TXR VAULT	244-TXR VAULT, 244-TXR, 244-TXR Vault (Tanks TXR-001, -002, -003), IMUST, Inactive Miscellaneous Underground Storage Tank, 241-TXR-244 (See Subsites)	200W	200-TP-5	T Farm Zone	TOC
244-U DCRT	244-U DCRT, 244-U Double-Contained Receiver Tank, 244-U RT, 244-U Receiver Tank, 244-U Receiving Vault, 244-U-TK/SMP	200W	200-UP-3	S/U Farm Zone	TOC
244-U-2904	244-U-2904, 244-U Flush Pit	200W	TBD		PRC
244-UR VAULT	244-UR VAULT, 244-UR Vault, (Tanks -001 through -004), IMUST, Inactive Miscellaneous Underground Storage Tank (See Subsites)	200W	200-UP-3	S/U Farm Zone	TOC
2607-E1	2607-E1, Septic Tank and Tile Field	200E	200-ST-1	200-E Admin Zone	PRC
2607-E10	2607-E10	200E	200-PO-3	WTP/A Farm Zone	MSC
2607-E11	2607-E11, Septic Tank	200E	200-ST-1	200-E Admin Zone	PRC
2607-E12	2607-E12, 2607-E12 Septic System	200E	200-ST-1	200-E Ponds Zone, WTP/A Farm Zone	MSC
2607-E13	2607-E13, Septic Holding Tank South of 277-A	200E	TBD	PUREX Zone	MSC
2607-E14	2607-E14, A Farm Pipefitters Shop Septic, 242-AC Septic	200E	Not Applic	WTP/A Farm Zone	MSC
2607-E1A	2607-E1A, 2607-E1A Septic System, L-272 Regional System	200E	200-ST-1	200-E Admin Zone, B Plant Zone	MSC
2607-E3	2607-E3, 2607-E3 Septic Tank and Drainfield, 2607-E3 Septic System, TFS of 218-E-4, Tile Field South of 218-E-4	200E	200-ST-1	B Plant Zone	PRC
2607-E4	2607-E4, 2607-E4 Septic Tank and Tile Field	200E	200-ST-1	B Plant Zone	PRC
2607-E5	2607-E5	200E	200-ST-1	Semi-Works Zone	PRC
2607-E6	2607-E6, Septic Tank and Tile Field	200E	200-ST-1	200-E Admin Zone	PRC
2607-E7A	2607-E7A, 2607-E7	200E	200-ST-1	Semi-Works Zone	PRC
2607-E7B	2607-E7B, 2607-E7B Septic System, 2607-E7	200E	200-ST-1	Semi-Works Zone	PRC
2607-E8	2607-E8, 2607-E8 Septic Tank and Tile Field	200E	200-ST-1	200-E Admin Zone	PRC
2607-E8A	2607-E8A, 2607-E8A Regional Septic System	200E	200-ST-1		MSC
2607-E9	2607-E9, 242B/BL Septic Tank and Drain Field, 2607-E9 Septic System	200E	200-ST-1	B Farm Zone	PRC
2607-EA	2607-EA, 2607-EA Septic Tank and Drywell	200E	200-ST-1	PUREX Zone	TOC
2607-EB	2607-EB, 241-BY-254 (ITS #2) Sanitary Septic System	200E	200-BP-7	B Farm Zone	PRC
2607-EC	2607-EC	200E	200-ST-1	WTP/A Farm Zone	TOC
2607-ED	2607-ED	200E	200-PO-3	WTP/A Farm Zone	TOC
2607-EE	2607-EE, 2607-EE Septic System	200E	200-ST-1	PUREX Zone	PRC
2607-EG	2607-EG	200E	200-PO-3	C Farm Zone	TOC
2607-EH	2607-EH, 2607-EH Septic System	200E	200-ST-1		PRC
2607-EJ	2607-EJ, 2607-EJ Septic System	200E	200-PO-3	WTP/A Farm Zone	PRC
2607-EK	2607-EK	200E	200-ST-1	200-E Admin Zone	PRC
2607-EL	2607-EL, 2607-EL Septic Tank/Pump Station	200E	200-ST-1	200-E Admin Zone	MSC
2607-EM	2607-EM	200E	200-ST-1	200-E Admin Zone	MSC
2607-EP	2607-EP	200E	200-ST-1	200-E Admin Zone	MSC
2607-EQ	2607-EQ	200E	200-ST-1	200-E Admin Zone	MSC
2607-ER	2607-ER	200E	200-ST-1	200-E Admin Zone	PRC
2607-ES	2607-ES, Septic Tank and Dry Well North of 204-AR	200E	TBD	PUREX Zone	MSC
2607-FSM	2607-FSM, 609 Building Septic Tank 2607-FSM, 100 Area Fire Station Septic Tank, 1607-FSM, 6607-FSM	600	200-ST-1		MSC
2607-FSN	2607-FSN, 609A Building Septic Tank 2607-FSN	600	200-ST-1	ERDF Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
2607-GF	2607-GF, 2607-GF Septic System, 2607-GF Septic Tank and Drain Field	200E	200-ST-1		PRC
2607-N	2607-N, 212-N Septic Tank and Tile Field	600	200-ST-1	200-E Ponds Zone	PRC
2607-P	2607-P, 212-P Septic Tank and Tile Field	600	200-ST-1	200-E Ponds Zone	PRC
2607-R	2607-R, 212-R Septic Tank and Tile Field	600	200-ST-1	200-E Ponds Zone	PRC
2607-W1	2607-W1	200W	200-ST-1	T Plant Zone	MSC
2607-W10	2607-W10, Septic Servicing 278-WA, MO-281 and MO-438	200W	Not Applic	WM Zone	MSC
2607-W11	2607-W11, Septic Servicing MO-720	200W	Not Applic	WM Zone	MSC
2607-W12	2607-W12, Septic Servicing MO-721 and MO-743	200W	Not Applic	WM Zone	MSC
2607-W14	2607-W14, WRAP Facility Septic, 2336 Bldg. Septic	200W	Not Applic	WM Zone	MSC
2607-W15	2607-W15, Septic System for 2740W and 2620W	200W	Not Applic	WM Zone	MSC
2607-W16	2607-W16, 200 West Area Regional Wastewater System, Large Onsite Sewer System (LOSS)	200W	TBD	T Plant Zone	MSC
2607-W2	2607-W2	200W	200-ST-1	T Plant Zone	PRC
2607-W3	2607-W3	200W	200-ST-1	T Plant Zone	PRC
2607-W4	2607-W4, T Plant Septic Tank and Drain Field	200W	200-ST-1	T Plant Zone	PRC
2607-W5	2607-W5, Septic Tank and Drain Field	200W	200-UW-1	U Plant Zone	MSC
2607-W6	2607-W6	200W	200-ST-1	200-W Ponds Zone	MSC
2607-W7	2607-W7, Septic Tank	200W	200-UW-1	U Plant Zone	PRC
2607-W8	2607-W8	200W	200-ST-1	PFP Zone	PRC
2607-W9	2607-W9, 2707-SX Septic Tank	200W	200-ST-1	S/U Farm Zone	PRC
2607-WA	2607-WA	200W	200-ST-1	PFP Zone	MSC
2607-WB	2607-WB, 2607-WB Septic System	200W	200-ST-1	PFP Zone	PRC
2607-WC	2607-WC, 2607-WC Septic System	200W	200-ST-1	200-W Ponds Zone	MSC
2607-WL	2607-WL, 2607-WL Septic System	200W	200-ST-1	WM Zone	PRC
2607-WT	2607-WT, 241-T-601 Control Bldg. Tile Field	200W	200-TP-5	T Farm Zone	PRC
2607-WTX	2607-WTX	200W	200-TP-5	T Farm Zone	PRC
2607-WUT	2607-WUT	200W	200-UP-3	S/U Farm Zone	PRC
2607-WWA	2607-WWA, 2607-WWA Septic System	200W	200-ST-1		PRC
2607-WZ	2607-WZ	200W	200-ST-1	S/U Farm Zone	PRC
2607-Z	2607-Z	200W	200-ST-1	PFP Zone	PRC
2607-Z1	2607-Z1, Septic Tank and Drainfield	200W	200-ST-1	PFP Zone	PRC
2607-Z8	2607-Z8	200W	200-ST-1		Delete
2703-E HWSA	2703-E HWSA, 2703-E Hazardous Waste Storage Area	200E	200-SS-1		PRC
2704-C-WS-1	2704-C-WS-1, 2704-C French Drain, Gatehouse French Drain	200E	200-MW-1	Semi-Works Zone	PRC
2704-E HWSA	2704-E HWSA, 2704-E Hazardous Waste Storage Area	200E	200-MW-1		PRC
270-E-1	270-E-1, 270-E CNT, 270-E Condensate Neutralization Tank, 216-ER-1, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	200-PW-2	B Plant Zone	PRC
270-W	270-W, 270-W Tank, 270-W Neutralization Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-PW-2	U Plant Zone	PRC
2711-S	2711-S, 2711-S Stack Monitoring Building	200W	200-RO-3	REDOX Zone	PRC
2715-EA HWSA	2715-EA HWSA, 2715-EA Hazardous Waste Storage Area, 2715-EA Paint Spray Booth Annex	200E	200-SS-1		PRC
2718-E-WS-1	2718-E-WS-1, 2718 French Drains	200E	200-MW-1		PRC
2718-S	2718-S, 2718-S Sand Filter Monitor, 2718-S Sand Filter Sampler, 2718-S Filter Monitoring Building	200W	200-RO-3	REDOX Zone	PRC
271-U	271-U, 271-U Office Building, 271-U Building	200W	200-UP-2	U Plant Zone	PRC
2727-S	2727-S, 2727-S Nonradioactive Dangerous Waste Storage Facility, 2727-S NRDWS Facility	200W	200-RO-3	REDOX Zone	PRC
2727-WA	2727-WA, 2727-WA SRE Sodium Storage Building	200W	200-UP-2	T Plant Zone	TOC
276-S	276-S, 276-S Solvent Handling Facility, 276-S Solvent Facility	200W	200-RO-2	REDOX Zone	PRC
276-S-141	276-S-141, 276-S-TK-141, 276-S-306A, 276-S-141 Solvent Storage Tank, Tank 276-141, Hexone Storage Tank, 244-SX-15, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-IS-1	REDOX Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
276-S-142	276-S-142, 276-S-TK-142, 276-S-306B, 276-S-142 Solvent Storage Tank, Tank 276-142, Hexone Storage Tank, 244-SX-15, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	200-IS-1	REDOX Zone	PRC
276-U	276-U, 276-U Solvent Handling Facility, 276-U Solvent Facility, 276-U Solvent Recovery Facility	200W	200-UP-2	U Plant Zone	PRC
2904-S-160	2904-S-160, 2904-S-160 Control Structure, 2904-S-160 Weir	200W	200-CW-2	200-W Ponds Zone	PRC
2904-S-170	2904-S-170, 2904-S-170 Weir Box, 2904-S-170 Control Structure	200W	200-CW-2	REDOX Zone	PRC
2904-S-171	2904-S-171, 2904-S-171 Weir Box, 2904-S-171 Control Structure, 216-S-171	200W	200-CW-2	200-W Ponds Zone	PRC
2904-SA	2904-SA, 2904-SA Cooling Water Sampler Building, 2904-SA Sample Building	200W	200-RO-2	REDOX Zone	PRC
291-C	291-C, 291-C Filter/Fan House, 291-C Fan and Filter Building, 201-C Air Tunnel	200E	200-SO-1	Semi-Works Zone	PRC
291-C-1	291-C-1, 291-C-1 Stack, 291-C Stack Burial Trench	200E	200-SW-2	Semi-Works Zone	PRC
291-S	291-S, 291-S Fan Control Building, 291-S Fan House, 291-S Fan and Filter Building	200W	200-RO-3	REDOX Zone	PRC
291-S-1	291-S-1, 291-S-1 Stack, REDOX Process and Canyon Exhaust	200W	200-RO-3	REDOX Zone	PRC
291-U	291-U, 291-U Fan Control House	200W	200-UP-2	U Plant Zone	PRC
291-U-1	291-U-1, 291-U-1 Stack, 291-U Stack	200W	200-UP-2	U Plant Zone	PRC
292-S	292-S, 292-S Fan and Filter Building	200W	200-RO-3	REDOX Zone	PRC
293-S	293-S, 293-S Offgas Treatment Facility, 293-S Off Gas Treatment, 293-S Off-Gas Treatment and Recovery	200W	200-RO-3	REDOX Zone	PRC
296-A-13	296-A-13, 291-AR Filter Building Stack	200E	200-PO-2	PUREX Zone	TOC
296-S-1	296-S-1, 296-S-1 Stack	200W	200-RO-3	REDOX Zone	PRC
296-S-12	296-S-12, 296-S-12 Stacks	200W	200-RO-2	REDOX Zone	PRC
296-S-13	296-S-13, 222-S Stack	200W	200-RO-3	REDOX Zone	TOC
296-S-16	296-S-16, 219-S Stack	200W	200-RO-3	REDOX Zone	TOC
296-S-2	296-S-2, REDOX North Sample Gallery, Hoods Ventilation and PR Cage, 296-S-2 Stack	200W	200-RO-3	REDOX Zone	PRC
296-S-21	296-S-21, 222-S Stack	200W	200-RO-3	REDOX Zone	TOC
296-S-4	296-S-4, REDOX Decontamination Room, Regulated Shop, Regulated Tool Room, Low-Level Decontamination Sink and Special Work Permit Lobby Vent	200W	200-RO-3	REDOX Zone	PRC
296-S-6	296-S-6, 296-S-6 Stack, REDOX Silo Ventilation	200W	200-RO-3	REDOX Zone	PRC
296-S-7	296-S-7, 296-S-7E, 296-S-7W, REDOX Product Building (233-S) Ventilation, Dual Stacks, 296-S-7 East and West Stacks	200W	200-RO-3	REDOX Zone	PRC
296-U-10	296-U-10, 296-U-10 Stack	200W	200-UP-2	U Plant Zone	PRC
299-E24-111	299-E24-111, Experimental Test Well Site, Miscellaneous Stream 803	200E	200-MW-1	PUREX Zone	PRC
300 ASH PITS	300 ASH PITS, 300 Ash Pits, 300 Area Ash Pits	300	300-FF-1		RCCC
300 FBP	300 FBP, 300 Area Filter Backwash Pond (See Subsites)	300	300-FF-1		RCCC
300 IFBD	300 IFBD, 300 Area Interim Filter Backwash Disposal	300	300-FF-2		RCCC
300 PHWSA	300 PHWSA, 300 Area Powerhouse HWSA, 300 Area Powerhouse Hazardous Waste Storage Area	300	300-FF-2		RCCC
300 RFBP	300 RFBP, 300 Area Retired Filter Backwash Pond, Pond 5, East Bay of South Process Pond	300	300-FF-1		RCCC
300 RLWS	300 RLWS, 300 Area RLWS, 300 Area Radioactive Liquid Waste Sewer	300	300-FF-2		RCCC
300 RRLWS	300 RRLWS, 300 Area Retired RLWS, 300 Area Retired Radioactive Liquid Waste Sewer System, Crib Waste System, Contaminated Sewer, Intermediate Level Radioactive Liquid Waste System	300	300-FF-2		RCCC
300 SE	300 SE, 300 Area Solvent Evaporator, Solvent Evaporator, 300 ASE	300	300-FF-2		RCCC
300 SSS	300 SSS, 300 Area Sanitary Sewer System	300	300-FF-2		RCCC
300 VTS	300 VTS, 300 Area Vitrification Test Site, In-Situ Vitrification (ISV) Test Site	300	300-FF-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
3000 JYHWSA	3000 JYHWSA, 3000 Area Jones Yard HWSA, 3000 Area Jones Yard Hazardous Waste Storage Area, Hazardous Waste Storage Area (Jones Yard)	3000	1100-EM-3		PRC
3000 UUOT	3000 UUOT, 3000 Area Underground Used Oil Tank, 3000-12	3000	1100-EM-3		PRC
3000/1208 HWSA	3000/1208 HWSA, 3000 Area 1208 HWSA, 3000 Area 1208 Building Hazardous Waste Storage Area, Hazardous Waste Storage Area (1208)	3000	1100-EM-3		PRC
3000/1226 HWSA	3000/1226 HWSA, 3000 Area 1226 HWSA, 3000 Area 1226 Building Hazardous Waste Storage Area, Hazardous Waste Storage Area (1226)	3000	1100-EM-3		PRC
3000/1234	3000/1234, 1234 Laydown Yard, 3000 Area 1234 Storage Yard, 1234 Building Storage Yard	3000	1100-EM-3		PRC
3000/1240 HWSA	3000/1240 HWSA, 3000 Area 1240 HWSA, 3000 Area 1240 Building Hazardous Waste Storage Area, Hazardous Waste Storage Area (1240)	3000	1100-EM-3		PRC
300-1	300-1, Old North Richland Automotive Maintenance Yard	300	300-FF-2		RCCC
300-10	300-10, Burial Trench West of Process Trenches	300	300-FF-2		RCCC
300-100	300-100, 325 Building Stormwater Runoff, Miscellaneous Stream #408	300	300-FF-2		RCCC
300-101	300-101, 326 Building Stormwater Runoff and Steam Condensate, Miscellaneous Stream #409	300	300-FF-2		RCCC
300-102	300-102, 328 Building Steam Condensate, Miscellaneous Stream #353	300	300-FF-2		RCCC
300-103	300-103, 329 Building Stormwater Runoff, Miscellaneous Stream #422	300	300-FF-2		RCCC
300-104	300-104, 329 Building Stormwater Runoff, Miscellaneous Stream #546	300	300-FF-2		RCCC
300-105	300-105, 331 Building Steam Condensate, Miscellaneous Stream #513, Pit U1	300	300-FF-2		RCCC
300-106	300-106, 331 Building Steam Condensate, Miscellaneous Stream #574	300	300-FF-2		RCCC
300-107	300-107, 331 Building Stormwater Runoff, Miscellaneous Stream #447, Injection Well #32	300	300-FF-2		RCCC
300-108	300-108, 331 Building Stormwater Runoff, Miscellaneous Stream #448, Injection Well #37	300	300-FF-2		RCCC
300-109	300-109, 333 Building Stormwater Runoff, Miscellaneous Stream #455	300	300-FF-2		RCCC
300-11	300-11, Pumphouse Underground Gasoline Tank, 382 Pumphouse UGT, 382-1	300	300-FF-2		RCCC
300-110	300-110, 333 Building Stormwater Runoff, Miscellaneous Stream #456	300	300-FF-2		RCCC
300-111	300-111, 337 Building Stormwater Runoff, Miscellaneous Stream #516	300	300-FF-2		RCCC
300-112	300-112, 340 P-3 Pump Pit, Retention Process Sewer Pump Pit #3 French Drain, Miscellaneous Stream #428	300	300-FF-2		RCCC
300-113	300-113, 340 Building Steam Condensate/ Water Heater Overflow, Miscellaneous Stream #341	300	300-FF-2		RCCC
300-114	300-114, 340A Building Steam Condensate, Miscellaneous Stream #427	300	300-FF-2		RCCC
300-115	300-115, 340B Building Backflow Preventer Emergency Drain, Miscellaneous Stream #426	300	300-FF-2		RCCC
300-116	300-116, 3506A Building Steam Condensate, Miscellaneous Stream #381	300	300-FF-2		RCCC
300-117	300-117, 3506A Building Steam Condensate, Miscellaneous Stream #382	300	300-FF-2		RCCC
300-118	300-118, 3621D Building Steam Condensate, Miscellaneous Stream #700, Pit U-7.	300	300-FF-2		RCCC
300-119	300-119, 3621D HVAC Condensate, Miscellaneous Stream #401, 3621D Air/Condensate Blowdown Drain	300	300-FF-2		RCCC
300-12	300-12, 325 Laboratory Diesel Fuel Tank	300	300-FF-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
300-120	300-120, 3621D Building Diesel Generator Cooling System Condensate, Miscellaneous Stream #402, 3621D Air Driven Starter Motor Discharge Drain	300	300-FF-2		RCCC
300-121	300-121, 3621D Building Stormwater Runoff, Miscellaneous Stream #403, Injection Well #26	300	300-FF-2		RCCC
300-122	300-122, 366 Building Fuel Oil Bunker Loading Station Steam Condensate, Miscellaneous Stream #344	300	300-FF-2		RCCC
300-123	300-123, 366 Building Fuel Oil Bunker Loading Station Steam Condensate French Drain, Miscellaneous Stream #342	300	300-FF-2		RCCC
300-124	300-124, 366 Building Fuel Oil Bunker Steam Condensate, Miscellaneous Stream #653	300	300-FF-2		RCCC
300-125	300-125, 3702 Building Steam Condensate, Miscellaneous Stream #346	300	300-FF-2		RCCC
300-126	300-126, 3703 Building Steam Condensate, Miscellaneous Stream #431	300	300-FF-2		RCCC
300-127	300-127, 3705 Building Stormwater Runoff, Miscellaneous Stream #410	300	300-FF-2		RCCC
300-128	300-128, 3705 Building Stormwater Runoff, Miscellaneous Stream #411	300	300-FF-2		RCCC
300-129	300-129, 3705 Building Stormwater Runoff, Miscellaneous Stream #412	300	300-FF-2		RCCC
300-13	300-13, 350 Building Release To Sanitary Sewer System	300	300-FF-2		RCCC
300-130	300-130, 3705 Building Stormwater Runoff, Miscellaneous Stream #413	300	300-FF-2		RCCC
300-131	300-131, 3706 Fire Sprinkler System Water, Miscellaneous Stream #515	300	300-FF-2		RCCC
300-132	300-132, 3706 Building Steam Condensate, Miscellaneous Stream #368	300	300-FF-2		RCCC
300-133	300-133, 3706 Building Steam Condensate, Miscellaneous Stream #367, Injection Well #27	300	300-FF-2		RCCC
300-134	300-134, 3706 Building Steam Condensate, Miscellaneous Stream #362	300	300-FF-2		RCCC
300-135	300-135, 3706 Building Steam Condensate, Miscellaneous Stream #365	300	300-FF-2		RCCC
300-136	300-136, 3706 Building Steam Condensate, Miscellaneous Stream #366	300	300-FF-2		RCCC
300-137	300-137, 3706 Building Steam Condensate, Miscellaneous Stream #440	300	300-FF-2		RCCC
300-138	300-138, 3706 Building Steam Condensate, Miscellaneous Stream #360	300	300-FF-2		RCCC
300-139	300-139, 3706 Building Steam Condensate, Miscellaneous Stream #357	300	300-FF-2		RCCC
300-14	300-14, 331 Building Animal Waste Tanks Pit	300	300-FF-2		RCCC
300-140	300-140, 3706 Building Steam Condensate, Miscellaneous Stream #356	300	300-FF-2		RCCC
300-141	300-141, 3706 Building Steam Condensate, Miscellaneous Stream #439, Injection Well #29	300	300-FF-2		RCCC
300-142	300-142, 3706 Building Steam Condensate, Miscellaneous Stream #369, Injection Well #30	300	300-FF-2		RCCC
300-143	300-143, 3706 Building Steam Condensate, Miscellaneous Stream #361	300	300-FF-2		RCCC
300-144	300-144, 3706 Building Steam Condensate, Miscellaneous Stream #358	300	300-FF-2		RCCC
300-145	300-145, 3706 Building Steam Condensate, Miscellaneous Stream #438, Injection Well #25	300	300-FF-2		RCCC
300-146	300-146, 3706 Building Stormwater Runoff, Miscellaneous Stream #364	300	300-FF-2		RCCC
300-147	300-147, 3706 Building Stormwater Runoff, Miscellaneous Stream #363	300	300-FF-2		RCCC
300-148	300-148, 3706 Building Stormwater Runoff, Miscellaneous Stream #359, Injection Well #22	300	300-FF-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
300-149	300-149, 3706A Building Steam Condensate, Miscellaneous Stream #432, Injection Well #28	300	300-FF-2		RCCC
300-15	300-15, 300 Area Process Sewer System	300	300-FF-2		RCCC
300-150	300-150, 3706 Building Steam Condensate, Miscellaneous Stream #430	300	300-FF-2		RCCC
300-151	300-151, 3707B Building Steam Condensate, Miscellaneous Stream #327	300	300-FF-2		RCCC
300-152	300-152, 3707B Building Steam Condensate, Miscellaneous Stream #326, U57	300	300-FF-2		RCCC
300-153	300-153, 3707B Building Steam Condensate, Miscellaneous Stream #328	300	300-FF-2		RCCC
300-154	300-154, 3707B Building Steam Condensate, Miscellaneous Stream #325	300	300-FF-2		RCCC
300-155	300-155, 3707C Building Steam Condensate, Miscellaneous Stream #179, Injection Well #24	300	300-FF-2		RCCC
300-156	300-156, 3707C Building Steam Condensate, Miscellaneous Stream #178, Injection Well #23	300	300-FF-2		RCCC
300-157	300-157, 3707C Building Steam Condensate, Miscellaneous Stream #337	300	300-FF-2		RCCC
300-158	300-158, 3707C Building Steam Condensate, Miscellaneous Stream #336, F.D. #31	300	300-FF-2		RCCC
300-159	300-159, 3707C Building Steam Condensate, Miscellaneous Stream #335, F.D. #4	300	300-FF-2		RCCC
300-16	300-16, Solid Waste Near 314 Building, Contamination Found During Utility Pole Replacements	300	300-FF-2		RCCC
300-160	300-160, 3707D Building Steam Condensate, Miscellaneous Stream #443, Injection Well #10	300	300-FF-2		RCCC
300-161	300-161, 3707D Building Stormwater Runoff, Miscellaneous Stream #441	300	300-FF-2		RCCC
300-162	300-162, 3707D Building Stormwater Runoff, Miscellaneous Stream #442	300	300-FF-2		RCCC
300-163	300-163, 3708 Building Steam Condensate, Miscellaneous Stream #423	300	300-FF-2		RCCC
300-164	300-164, 3709 Building Steam Condensate, Miscellaneous Stream #338, F.D. #3	300	300-FF-2		RCCC
300-165	300-165, 3709A Building Condensate, Miscellaneous Stream #347	300	300-FF-2		RCCC
300-166	300-166, 3709A Building Steam Trap, Miscellaneous Stream #355	300	300-FF-2		RCCC
300-167	300-167, 3711 Building Steam Condensate, Miscellaneous Stream #343	300	300-FF-2		RCCC
300-168	300-168, 3711 Building Steam Condensate, Miscellaneous Stream #433	300	300-FF-2		RCCC
300-169	300-169, 3712 Building Steam Condensate, Miscellaneous Stream #351	300	300-FF-2		RCCC
300-17	300-17, 331 Building Trench, 331-D Ditch, Outfall A	300	300-FF-2		RCCC
300-170	300-170, 3712 Building Steam Condensate, Miscellaneous Stream #437	300	300-FF-2		RCCC
300-171	300-171, 3713 Building Steam Condensate and Stormwater Runoff, Miscellaneous Stream #333, F.D. #7	300	300-FF-2		RCCC
300-172	300-172, 3713 Building Steam Condensate, Miscellaneous Stream #435	300	300-FF-2		RCCC
300-173	300-173, 3713 Building Steam Condensate, Miscellaneous Stream #512	300	300-FF-2		RCCC
300-174	300-174, 3713 Building Stormwater Runoff and Steam Condensate, Miscellaneous Stream #544	300	300-FF-2		RCCC
300-175	300-175, 3714 Building Steam Condensate, Miscellaneous Stream #434	300	300-FF-2		RCCC
300-176	300-176, 3715 Building Steam Condensate, Miscellaneous Stream #678	300	300-FF-2		RCCC
300-177	300-177, 3717 Building Steam Condensate, Miscellaneous Stream #330	300	300-FF-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
300-178	300-178, 3717 Building Steam Condensate, Miscellaneous Stream #329	300	300-FF-2		RCCC
300-179	300-179, 3717 Building Steam Condensate, Miscellaneous Stream #324	300	300-FF-2		RCCC
300-18	300-18, SCA #4, Surface Contaminated Area #4	300	300-FF-2		RCCC
300-180	300-180, 3717 Building Stormwater Runoff, Miscellaneous Stream #545	300	300-FF-2		RCCC
300-181	300-181, 3717 Building Steam Condensate, Miscellaneous Stream #180	300	300-FF-2		RCCC
300-182	300-182, 3717B Building Steam Condensate, Miscellaneous Stream #323	300	300-FF-2		RCCC
300-183	300-183, 3718 Building Steam Condensate, Miscellaneous Stream #340, F.D. #40	300	300-FF-2		RCCC
300-184	300-184, 3718A Building Stormwater Runoff, Miscellaneous Stream #270	300	300-FF-2		RCCC
300-185	300-185, 3722 Building Steam Condensate, Miscellaneous Stream #436, Injection Well #6	300	300-FF-2		RCCC
300-186	300-186, 3730 Building Steam Condensate, Miscellaneous Stream #383	300	300-FF-2		RCCC
300-187	300-187, 3730 Building Steam Condensate, Miscellaneous Stream #421	300	300-FF-2		RCCC
300-188	300-188, 3730 Building Steam Condensate, Miscellaneous Stream #420	300	300-FF-2		RCCC
300-189	300-189, 3731 Building Steam Condensate, Miscellaneous Stream #269	300	300-FF-2		RCCC
300-19	300-19, 324 Sodium Removal Pilot Plant, 324 Building Sodium Removal Pilot Plant	300	300-FF-2		RCCC
300-190	300-190, 3731 Building Stormwater Runoff, Miscellaneous Stream #517	300	300-FF-2		RCCC
300-191	300-191, 3731 Building Stormwater Runoff, Miscellaneous Stream #518	300	300-FF-2		RCCC
300-192	300-192, 3732 Building Steam Condensate, Miscellaneous Stream #349	300	300-FF-2		RCCC
300-193	300-193, 3732 Building Steam Condensate, Miscellaneous Stream #419, Injection Well #15	300	300-FF-2		RCCC
300-194	300-194, 3734 Building Steam Condensate, Miscellaneous Stream #334, F.D. #8	300	300-FF-2		RCCC
300-195	300-195, 3734A Building Steam Condensate, Miscellaneous Stream #519	300	300-FF-2		RCCC
300-196	300-196, 3745 Building Steam Condensate, Miscellaneous Stream #399	300	300-FF-2		RCCC
300-197	300-197, 3745 Building Steam Condensate, Miscellaneous Stream #398, Injection Well #5	300	300-FF-2		RCCC
300-198	300-198, 3745 Building Steam Condensate, Miscellaneous Stream #397, Injection Well #1	300	300-FF-2		RCCC
300-199	300-199, 3745B Building Steam Condensate, Miscellaneous Stream #380	300	300-FF-2		RCCC
300-2	300-2, Contaminated Light Water Disposal	300	300-FF-2		RCCC
300-200	300-200, 3745B Building Steam Condensate, Miscellaneous Stream #379	300	300-FF-2		RCCC
300-201	300-201, 3762 Building Steam Condensate, Miscellaneous Stream #491, Injection Well #42	300	300-FF-2		RCCC
300-202	300-202, 3765 Building HVAC Condensate, Miscellaneous Stream #345	300	300-FF-2		RCCC
300-203	300-203, 377 Building Steam Condensate, Miscellaneous Stream #446, Injection Well #36	300	300-FF-2		RCCC
300-204	300-204, 3790 Building Stormwater Runoff, Miscellaneous Stream #378, F.D. #19, Injection Well #19	300	300-FF-2		RCCC
300-205	300-205, 3790 Building Stormwater Runoff, Miscellaneous Stream #377, F.D. #18, Injection Well #18	300	300-FF-2		RCCC
300-206	300-206, 3790 Building Stormwater Runoff, Miscellaneous Stream #373	300	300-FF-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
300-207	300-207, 3790 Building Stormwater Runoff, Miscellaneous Stream #375, F.D. #16, Injection Well #16	300	300-FF-2		RCCC
300-208	300-208, 3790 Building Stormwater Runoff, Miscellaneous Stream #376, F.D. #17, Injection Well #17	300	300-FF-2		RCCC
300-209	300-209, 3790 Building Stormwater Runoff, Miscellaneous Stream #374	300	300-FF-2		RCCC
300-21	300-21, 333 Building Underground Limestone Tank	300	300-FF-2		RCCC
300-210	300-210, 3790 Building Stormwater Runoff, Miscellaneous Stream #514	300	300-FF-2		RCCC
300-211	300-211, 382 Building Steam Condensate, Miscellaneous Stream #429	300	300-FF-2		RCCC
300-212	300-212, MO010 Building Steam Condensate Sump, Miscellaneous Stream #400	300	300-FF-2		RCCC
300-213	300-213, West High Tank (Water Tower) Overflow and Steam Condensate, Miscellaneous Stream #332	300	300-FF-2		RCCC
300-214	300-214, 300 Area Retention Process Sewer	300	300-FF-2		RCCC
300-215	300-215, 300 Area South	300	300-FF-2		RCCC
300-217	300-217, 300 Area Laydown Yard	300	300-FF-2		RCCC
300-218	300-218, 314 and 314A Buildings, 314/314A Buildings, Engineering Development Laboratory	300	300-FF-2		RCCC
300-219	300-219, 300 Area Waste Acid Transfer Line	300	300-FF-2		RCCC
300-22	300-22, 309 Building B-Cell Cleanout Leak	300	300-FF-2		RCCC
300-220	300-220, Gravel Pit #7, Pit 7	300	300-FF-2		RCCC
300-222	300-222, 384-W Brine Pit, 384-W Salt Dissolving Pit and Brine Pump Pit	300	300-FF-2		RCCC
300-223	300-223, 384 Powerhouse Fuel Oil Day Tanks #1 and #2	300	300-FF-2		RCCC
300-224	300-224, WATS and U-Bearing Piping Trench	300	300-FF-2		RCCC
300-225	300-225, 3790 Building Stormwater Runoff, Miscellaneous Stream #767	300	300-FF-2		RCCC
300-226	300-226, 3709A Building Miscellaneous Stream #768, Drip Station U39	300	300-FF-2		RCCC
300-227	300-227, 3709A Building Miscellaneous Stream #769, Drip Station U38	300	300-FF-2		RCCC
300-228	300-228, Miscellaneous Stream #770, Drip Station U28, Steam Trap 3G-U28, HPD-TRP-026	300	300-FF-2		RCCC
300-23	300-23, PRTR Diesel Storage Tank, 309-1 UST	300	300-FF-2		RCCC
300-230	300-230, Steam Trap 3G-U44, HPD-TRP-29, U44, Miscellaneous Stream #771	300	300-FF-2		RCCC
300-231	300-231, Vitrification Test Site Transformer Pad, Substation C3-S15	300	300-FF-2		RCCC
300-235	300-235, 3713 Building Storm Water Runoff and Steam Condensate, Miscellaneous Stream #766	300	300-FF-2		RCCC
300-236	300-236, Steam Trap 3G-U45, HPD-TRP-020, U-45, Miscellaneous Stream #772	300	300-FF-2		RCCC
300-237	300-237, Steam Trap HPD-TRP-010, Miscellaneous Stream #773	300	300-FF-2		RCCC
300-238	300-238, Steam Trap 3G-U24, HPD-TRP-016, U-24, Miscellaneous Stream #774	300	300-FF-2		RCCC
300-239	300-239, Steam Trap 3G-U26, HPD-TRP-058, U26, Miscellaneous Stream #775	300	300-FF-2		RCCC
300-24	300-24, Soil Contamination at the 314 Metal Extrusion Building	300	300-FF-2		RCCC
300-240	300-240, 314 Building Stormwater Drain, Miscellaneous Stream #789	300	300-FF-2		RCCC
300-241	300-241, 320 Building Irrigation Line Effluent, Miscellaneous Stream #790	300	300-FF-2		RCCC
300-242	300-242, 325 Building Stormwater Runoff, Miscellaneous Stream #791	300	300-FF-2		RCCC
300-243	300-243, 318 Building Stormwater Runoff, Miscellaneous Stream #792	300	300-FF-2		RCCC
300-244	300-244, 318 Building Stormwater Runoff, Miscellaneous Stream #793	300	300-FF-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
300-248	300-248, 340B Steam Condensate Sump Pit	300	300-FF-2		RCCC
300-249	300-249, 304 Building, Residual Rad Contamination	300	300-FF-2		RCCC
300-25	300-25, 324 Building	300	300-FF-2		RCCC
300-250	300-250, Valve Pit Southeast of 303A	300	300-FF-2		RCCC
300-251	300-251, Unplanned Release Outside the 303-K Building	300	300-FF-2		RCCC
300-253	300-253, 384-W Original Brine Pit, 384-W Original Salt Dissolving Pit and Brine Pump Pit	300	300-FF-2		RCCC
300-255	300-255, 309 Tank Farm Contaminated Soil	300	300-FF-2		RCCC
300-256	300-256, 306E Fabrication and Testing Laboratory Releases	300	300-FF-2		RCCC
300-257	300-257, 309 Process Sewer To River	300	300-FF-2		RCCC
300-258	300-258, Abandoned Pipe Trench Between 334 Tank Farm and 306E	300	300-FF-2		RCCC
300-259	300-259, Contamination Area Surrounding 618-1 Burial Ground	300	300-FF-2		RCCC
300-26	300-26, Powerhouse Fuel Oil Spill, 384 Powerhouse #6 Fuel Oil Spill, Delivery Truck Spillage on Roads	300	300-FF-2		RCCC
300-260	300-260, Contaminated Soil West of 313 Building	300	300-FF-2		RCCC
300-261	300-261, 315 Filter Plant Process Sewer to River	300	300-FF-2		RCCC
300-262	300-262, Contaminated Soil West of South Process Pond	300	300-FF-2		RCCC
300-263	300-263, 324 Building Diversion Tank	300	300-FF-2		RCCC
300-264	300-264, 327 Building, Postirradiation Testing Laboratory (PTL)	300	300-FF-2		RCCC
300-265	300-265, Pipe Trench Between 324 and 325 Buildings	300	300-FF-2		RCCC
300-266	300-266, Soil Under 3728 Building Drain Pipe	300	300-FF-2		RCCC
300-267	300-267, French Drain on Northeast Corner of 3728 Building	300	300-FF-2		RCCC
300-268	300-268, 3741 Building Foundation; Special Machine Shop; Box Storage Building Foundation	300	300-FF-2		RCCC
300-269	300-269, 331-A Virology Laboratory Foundation	300	300-FF-2		RCCC
300-27	300-27, Soil Contamination at 329 Biophysics Laboratory	300	300-FF-2		RCCC
300-270	300-270, Unplanned Release at 313 Building	300	300-FF-2		RCCC
300-271	300-271, 324/327 Buildings 90 Day Storage Pad, HS-027	300	300-FF-2		RCCC
300-272	300-272, Underground Storage Tank Near the 377 Building	300	300-FF-2		RCCC
300-273	300-273, Fuel Oil Transfer Pipeline, 366 Bunker Pipeline	300	300-FF-2		RCCC
300-274	300-274, 300-FF-1 Surface Debris	300	300-FF-2		RCCC
300-275	300-275, Potential Landfill on River Edge	300	300-FF-1		RCCC
300-276	300-276, 3607 Sanitary System Miscellaneous Components, 300 Area Sanitary Sewer Disposal System, 3607 Sanitary Sewer System	300	300-FF-2		RCCC
300-277	300-277, 300 Area Queue Contamination	300	300-FF-2		RCCC
300-28	300-28, Contamination Found Along Ginko Street, Solid Waste Site Near 303-G Building	300	300-FF-2		RCCC
300-29	300-29, 305-B Berm, Source Location of UPR-600-11 Contaminated Soil	300	300-FF-2		RCCC
300-3	300-3, 300-FF-1 Aluminum Hydroxide	300	300-FF-1		RCCC
300-30	300-30, 3705 Photography Building	300	300-FF-2		RCCC
300-32	300-32, 333 Building, 333 N Fuels Manufacturing Building, New Fuel Cladding Facility	300	300-FF-2		RCCC
300-33	300-33, 306W Metal Fabrication Development Building Releases	300	300-FF-2		RCCC
300-34	300-34, 300 Area Process Sewer Leak (found during Project L-070 excavation at manhole PS-87)	300	300-FF-2		RCCC
300-35	300-35, 3706A Fuel Storage Tank	300	300-FF-2		RCCC
300-36	300-36, 384 Powerhouse Oil Release to French Drain	300	300-FF-2		RCCC
300-37	300-37, PCB Leak to Soil Adjacent to 335A	300	300-FF-2		RCCC
300-39	300-39, 309 Building Ex-vessel Irradiated Fuel Storage Basin, 309 Building Irradiated Fuel Storage Basin, 309 Fuel Storage Basin	300	300-FF-2		RCCC
300-4	300-4, DOE 351 Substation Soil Contamination	300	300-FF-2		RCCC
300-40	300-40, Corrosion of Vitrified Clay Process Sewer Pipe	300	300-FF-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
300-41	300-41, 306E Neutralization Tank, Underground Lime Tank and Valve Pit	300	300-FF-2		RCCC
300-42	300-42, 306E Fabrication and Testing Laboratory	300	300-FF-2		RCCC
300-43	300-43, Unplanned Release Outside the 304 Building	300	300-FF-2		RCCC
300-44	300-44, R-32, UPR-300-FF-1, UN-300-FF-1	300	300-FF-1		RCCC
300-45	300-45, Surface Contamination Area, Location 3: Bird Droppings Area (Southwest corner of the 316-5 process Trenches Fence Line). SCA #1	300	300-FF-2		RCCC
300-46	300-46, Soil Contamination Surrounding 3706 Building	300	300-FF-2		RCCC
300-47	300-47, Residual Hazardous Substances Northwest of 3708 Building	300	300-FF-2		RCCC
300-48	300-48, Thorium Oxide and Fuel Fabrication Chemical Wastes Around 3732 Building	300	300-FF-2		RCCC
300-49	300-49, Landfill 1a, UPR-300-FF-1, UN-300-FF-1	300	300-FF-1		RCCC
300-5	300-5, 300 Area Fire Station Fuel Tanks, 3709A Fire Station	300	300-FF-2		RCCC
300-50	300-50, Landfill 1b, UPR-300-FF-1, UN-300-FF-1	300	300-FF-1		RCCC
300-51	300-51, Landfill 1c, UPR-300-FF-1, UN-300-FF-1	300	300-FF-1		RCCC
300-52	300-52, 300 Area Sanitary Trenches	300	300-FF-1		RCCC
300-53	300-53, Unplanned Release East Side of 303-G	300	300-FF-2		RCCC
300-55	300-55, 309 Rupture Loop Holding Tank, Rupture Loop Hold-up Tank, RLT-2, 307-D	300	300-FF-2		RCCC
300-56	300-56, 306-E 90-Day Waste Accumulation Area	300	300-FF-2		RCCC
300-57	300-57, 335 Building 90-Day Waste Accumulation Area	300	300-FF-2		RCCC
300-58	300-58, 305B Steam Condensate Injection Well, Miscellaneous Stream #449	300	300-FF-2		RCCC
300-59	300-59, 305 Building Steam Condensate, Miscellaneous Stream #417	300	300-FF-2		RCCC
300-6	300-6, 366/366A Fuel Oil Bunkers	300	300-FF-2		RCCC
300-60	300-60, 303A Building Steam Condensate, Miscellaneous Stream #339, F.D. #26	300	300-FF-2		RCCC
300-61	300-61, 303B Building Steam Condensate, Miscellaneous Stream #444, Injection Well #12	300	300-FF-2		RCCC
300-62	300-62, 303C Building - Steam Condensate, Miscellaneous Stream #495	300	300-FF-2		RCCC
300-63	300-63, 305B Building Stormwater Runoff, Miscellaneous Stream #458	300	300-FF-2		RCCC
300-64	300-64, 303F Building Steam Condensate, Miscellaneous Stream #352	300	300-FF-2		RCCC
300-65	300-65, 303J Building - Steam Condensate Mud Leg (Part of 300 Main Supply), Miscellaneous Stream #266	300	300-FF-2		RCCC
300-66	300-66, 303J Building HVAC Condensate, Miscellaneous Stream #267	300	300-FF-2		RCCC
300-67	300-67, Steam Condensate from 300 Area Main Steam Header, Miscellaneous Stream #414	300	300-FF-2		RCCC
300-68	300-68, 305 Building - Steam Condensate, Miscellaneous Stream #451, Pit U23	300	300-FF-2		RCCC
300-69	300-69, 305 Building Steam Condensate, Miscellaneous Stream #415	300	300-FF-2		RCCC
300-7	300-7, Undocumented Solid Waste Burial Ground Adjacent to 618-8, Possible Early Burial Ground Site	300	300-FF-2		RCCC
300-70	300-70, 305 Building Steam Condensate, Miscellaneous Stream #416	300	300-FF-2		RCCC
300-71	300-71, 306E Building - HVAC Condensate, Miscellaneous Stream #454	300	300-FF-2		RCCC
300-72	300-72, 308 Building Stormwater Runoff, Miscellaneous Stream #404	300	300-FF-2		RCCC
300-73	300-73, 308 Building Stormwater Runoff, Miscellaneous Stream #405	300	300-FF-2		RCCC
300-74	300-74, 308 Building Stormwater Runoff, Miscellaneous Stream #406	300	300-FF-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
300-75	300-75, 309 Building Stormwater Runoff and Chiller Water, Miscellaneous Stream #445, Injection Well #20	300	300-FF-2		RCCC
300-76	300-76, 306W Building Steam Condensate, Miscellaneous Stream #418	300	300-FF-2		RCCC
300-77	300-77, 309 Building Stormwater Runoff, Miscellaneous Stream #450	300	300-FF-2		RCCC
300-78	300-78, 300 Area Main Header Steam Trap (Southwest Corner of 313 Building), Miscellaneous Stream #331	300	300-FF-2		RCCC
300-79	300-79, 313 Building Stormwater Runoff, Miscellaneous Stream #457	300	300-FF-2		RCCC
300-8	300-8, Aluminum Recycle Storage Area, North of Railroad and North of 618-8, Aluminum Shavings Area	300	300-FF-2		RCCC
300-80	300-80, 314 Building Stormwater Runoff and Steam Condensate, Miscellaneous Stream #268	300	300-FF-2		RCCC
300-81	300-81, 321 Building Steam Condensate, Miscellaneous Stream #370	300	300-FF-2		RCCC
300-82	300-82, 321 Building Steam Condensate, Miscellaneous Stream #371	300	300-FF-2		RCCC
300-83	300-83, 321 Building Steam Condensate, Miscellaneous Stream #372	300	300-FF-2		RCCC
300-84	300-84, 321 Building Vent Valve on Water Line, Miscellaneous Stream #348	300	300-FF-2		RCCC
300-85	300-85, 323 Building Steam Valve Pit, Miscellaneous Stream #453	300	300-FF-2		RCCC
300-86	300-86, 300 Area South Parking Lot Stormwater Runoff, Miscellaneous Stream #524	300	300-FF-2		RCCC
300-87	300-87, 309 Building Stormwater Runoff, Miscellaneous Stream #679	300	300-FF-2		RCCC
300-88	300-88, 320 Building Irrigation Line Effluent, Miscellaneous Stream #626	300	300-FF-2		RCCC
300-89	300-89, 320 Building Irrigation Line Effluent, Miscellaneous Stream #627	300	300-FF-2		RCCC
300-9	300-9, Possible Early Burial Ground Sites North of RR and North of 618-8, Solid Waste Burial Ground	300	300-FF-2		RCCC
300-90	300-90, 320 Building Irrigation Line Effluent, Miscellaneous Stream #628	300	300-FF-2		RCCC
300-91	300-91, 320 Building, Miscellaneous Stream #350	300	300-FF-2		RCCC
300-92	300-92, 321 Building Stormwater Runoff, Miscellaneous Stream #680	300	300-FF-2		RCCC
300-93	300-93, 324 Building Stormwater Runoff, Miscellaneous Stream #354	300	300-FF-2		RCCC
300-94	300-94, 324 Building Stormwater Runoff, Miscellaneous Stream #711, 300-234	300	300-FF-2		RCCC
300-95	300-95, 324/336 Buildings Stormwater Runoff and Steam Condensate; Miscellaneous Stream #425	300	300-FF-2		RCCC
300-96	300-96, 325 Building Steam Condensate, Miscellaneous Stream #707	300	300-FF-2		RCCC
300-97	300-97, 325 Building Stormwater Runoff and Fire System Testing Water, Miscellaneous Stream #706	300	300-FF-2		RCCC
300-98	300-98, 325 Building South Stairwell Drain, Miscellaneous Stream #264, 300-229	300	300-FF-2		RCCC
300-99	300-99, 325 Building Nitrogen Tank Blowdown Miscellaneous Stream #265, Injection Well #399-3	300	300-FF-2		RCCC
303-K CWS	303-K CWS, 303-K Contaminated Waste Storage	300	300-FF-2		RCCC
303-M SA	303-M SA, 303-M Storage Area, 303-M Building Storage Area	300	300-FF-2		RCCC
303-M UOF	303-M UOF, 303-M Uranium Oxide Facility	300	300-FF-2		RCCC
304 CF	304 CF, 304 Concretion Facility	300	300-FF-2		RCCC
304 SA	304 SA, 304 Storage Area, 304 Building Storage Area	300	300-FF-2		RCCC
305-B SF	305-B SF, 305-B Storage Facility	300	300-FF-2		RCCC
307 RB	307 RB, 307 Retention Basins	300	300-FF-2		RCCC
309-TW-1	309-TW-1, 309-TW Tank #1, 309 Holdup Tanks	300	300-FF-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
309-TW-2	309-TW-2, 309-TW Tank #2, 309 Holdup Tanks	300	300-FF-2		RCCC
309-TW-3	309-TW-3, 309-TW Tank #3, 309 Holdup Tank	300	300-FF-2		RCCC
309-WS-1	309-WS-1, 309 Plutonium Recycle Test Reactor Ion Exchanger Vault, Reactor Ion Exchange Pit, PRTR Ion Exchange Vault	300	300-FF-2		RCCC
309-WS-2	309-WS-2, Rupture Loop Ion Exchange Pit, Ion Exchange Vault, Rupture Loop Annex Ion Exchange Loop Vault, RLAIX, PRTR Rupture Loop	300	300-FF-2		RCCC
309-WS-3	309-WS-3, 309 Brine Tank	300	300-FF-2		RCCC
311 MT1	311 MT1, 311 Methanol Tank 1, 311 Tank Farm Underground Methanol Tank #1, 311-1	300	300-FF-2		RCCC
311 MT2	311 MT2, 311 Methanol Tank 2, 311 Tank Farm Underground Methanol Tank #2, 311-2	300	300-FF-2		RCCC
311-TK-40	311-TK-40, 311 Neutralized Waste Tank 1	300	300-FF-2		RCCC
311-TK-50	311-TK-50, 311 Neutralized Waste Tank 2, 311 Neutralization Tank #2	300	300-FF-2		RCCC
313 CENTRIFUG	313 CENTRIFUGE, 313 Centrifuge, 300 Area WATS	300	300-FF-2		RCCC
313 CRO	313 CRO, 313 Copper Remelt Operations, 313 Building Copper Remelt Operations	300	300-FF-2		RCCC
313 ESSP	313 ESSP, 313 East Side Storage Pad, 313 Building East Site Storage Pad	300	300-FF-2		RCCC
313 FP	313 FP, 313 Filter Press, 300 Area Waste Acid Treatment System	300	300-FF-2		RCCC
313 MT	313 MT, 313 Methanol Tank, 313 Building Underground Methanol Storage Tank	300	300-FF-2		RCCC
313 URO	313 URO, 313 Uranium Recovery Operations, Uranium Recovery Operations	300	300-FF-2		RCCC
313-TK-2	313-TK-2, 313 Waste Acid Neutralization Tank, 300 Area Waste Acid Treatment System	300	300-FF-2		RCCC
315 RSDF	315 RSDF, 315 Retired Sanitary Drain Field	300	300-FF-2		RCCC
316-1	316-1, South (old) Pond, 300 Area South Process Pond	300	300-FF-1		RCCC
316-2	316-2, North (new) Pond, 300 Area North Process Pond	300	300-FF-1		RCCC
316-3	316-3, 307 Disposal Trenches, Process Water Trenches	300	300-FF-2		RCCC
316-4	316-4, 321 Cribs, 300 North Cribs, 316-N-1, 616-4	600	300-FF-2	618-10/11 Zone	RCCC
316-5	316-5, 3904 Process Waste Trenches, 300 Area Process Trenches, 300 APT	300	300-FF-1		RCCC
323 TANK 1	323 Tank 1, 321 Building Underground Waste Tanks, 321 Tank Farm #3	300	300-FF-2		RCCC
323 TANK 2	323 Tank 2, 321 Building Underground Waste Tanks, 321 Tank Farm #3	300	300-FF-2		RCCC
323 TANK 3	323 Tank 3, 321 Building Underground Waste Tanks, 321 Tank Farm #3	300	300-FF-2		RCCC
323 TANK 4	323 Tank 4, 321 Building Underground Waste Tanks, 321 Tank Farm #3	300	300-FF-2		RCCC
325 WTF	325 WTF, 325 Waste Treatment Facility, 325 Hazardous Waste Treatment Units	300	300-FF-2		RCCC
331 LSLDF	331 LSLDF, 331 LSL Drain Field, 331 Life Sciences Laboratory Drainfield	300	300-FF-2		RCCC
331 LSLT1	331 LSLT1, 331 LSL Trench 1, 331 Life Sciences Laboratory Trench #1	300	300-FF-2		RCCC
331 LSLT2	331 LSLT2, 331 LSL Trench 2, 331 Life Sciences Laboratory Trench #2	300	300-FF-2		RCCC
331-C HWSA	331-C HWSA, 331-C Hazardous Waste Storage Area, 331-C Low Level Radioactive Storage Area	300	300-FF-2		RCCC
332 SF	332 SF, 332 Storage Facility, 332 Hazardous Waste Storage Area, 332 Interim Holding Facility. 332 Packaging Test Facility	300	300-FF-1		RCCC
333 ESHTSSA	333 ESHTSSA, 333 East Side Heat Treat Salt Storage Area	300	300-FF-2		RCCC
333 ESHWSA	333 ESHWSA, 333 East Side HWSA, 333 Building East Side Hazardous Waste Storage Area	300	300-FF-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
333 LHWSA	333 LHWSA, 333 Laydown HWSA, 333 Laydown Hazardous Waste Storage Area	300	300-FF-2		RCCC
333 WSTF	333 WSTF, 333 West Side Tank Farm, 333 West Side Waste Oil Tank, 333 West Side Uranium Bearing Acid Tanks, 333 WSWOT	300	300-FF-2		RCCC
333-TK-11	333-TK-11, 333 West Side Storage Tank for Uranium Bearing Acid, 333 Chromium Treatment Tank 2	300	300-FF-2		RCCC
333-TK-7	333-TK-7, 333 West Side Storage Tank for Uranium Bearing Acid, 333 Chromium Treatment Tank 1	300	300-FF-2		RCCC
334 TFWAST	334 TFWAST, 334 Tank Farm Waste Acid Storage Tank, Tank 4	300	300-FF-2		RCCC
334-A-TK-B	334-A-TK-B, 334-A Waste Acid Storage Tank 1	300	300-FF-2		RCCC
334-A-TK-C	334-A-TK-C, 334-A Waste Acid Storage Tank 2	300	300-FF-2		RCCC
335 & 336 RSD	335 & 336 RSDF, 335 & 336 Retired Sanitary Drain Field	300	300-FF-2		RCCC
340 CHWSA	340 CHWSA, 340 Complex HWSA, 340 Complex Hazardous Waste Storage Area	300	300-FF-2		RCCC
340 COMPLEX	340 COMPLEX, 340 Radioactive Liquid Waste Handling Facility	300	300-FF-2		RCCC
350 HWSA	350 HWSA, 350 Building Hazardous Waste Storage Area, 350-D Hazardous Waste Staging Area	300	300-FF-2		RCCC
3712 USSA	3712 USSA, 3712 Uranium Scrap Storage Area, 3712 Building Uranium Scrap Storage Area, 3712 Fuels Warehouse	300	300-FF-2		RCCC
3713 PSHWSA	3713 PSHWSA, 3713 Paint Shop Hazardous Waste Satellite Area	300	300-FF-2		RCCC
3713 SSHWSA	3713 SSHWSA, 3713 Sign Shop Hazardous Waste Satellite Area	300	300-FF-2		RCCC
3718-F BS	3718-F BS, 3718-F Burn Shed	300	300-FF-2		RCCC
3718-F SF	3718-F SF, 3718-F Storage Facility, 3718-F Alkali Metal Treatment Facility	300	300-FF-2		RCCC
3718-F TT1	3718-F TT1, 3718-F Treatment Tank 1	300	300-FF-2		RCCC
3718-F TT2	3718-F TT2, 3718-F Treatment Tank 2	300	300-FF-2		RCCC
3746-D SR	3746-D SR, 3746-D Silver Recovery, 3746-D Silver Recovery Process	300	300-FF-2		RCCC
400 FD10	400 FD10, 400 Area French Drain 10, 482A Building - T-58 Stormwater, Miscellaneous Stream #25, Injection Well #10	400	300-FF-2		PRC
400 FD10A	400 FD10A, 400 Area French Drain 10A, 482A Building -T-87 Stormwater, Miscellaneous Stream #24, Injection Well #10A	400	300-FF-2		PRC
400 FD1A	400 FD1A, 400 Area French Drain 1A, 4717 Reactor Service Building HVAC Condensate, Miscellaneous Stream #14, Injection Well #1A	400	300-FF-2		PRC
400 FD1B	400 FD1B, 400 Area French Drain 1B, 4703 Building (FFTF Control Building) HVAC Condensate, Miscellaneous Stream #15, Injection Well #1B	400	300-FF-2		PRC
400 FD2	400 FD2, 400 Area French Drain 2, 4621E Building HVAC Condensate and Stormwater, Miscellaneous Stream #16, Injection Well #02	400	300-FF-2		PRC
400 FD3	400 FD3, 400 Area French Drain 3, 408A East Dump Heat Exchanger Stormwater, Miscellaneous Stream #17, Injection Well #03	400	300-FF-2		PRC
400 FD4	400 FD4, 400 Area French Drain 4, 491E Heat Transport Building Stormwater and HVAC Condensate, Miscellaneous Stream #18	400	300-FF-2		PRC
400 FD5	400 FD5, 400 Area French Drain 5, 408 South Building Stormwater and Condensate, Miscellaneous Stream #19, Injection Well #05	400	300-FF-2		PRC
400 FD6	400 FD6, 400 Area French Drain 6, 408C West Dump Heat Exchanger Sump Stormwater, Miscellaneous Stream #20	400	300-FF-2		PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
400 FD7	400 FD7, 400 Area French Drain 7, 4621W Auxiliary Equipment Building HVAC Condensate and Stormwater, Miscellaneous Stream #21, 453C Switch Gear Pad Stormwater, Miscellaneous Stream #27, Injection Well #07	400	300-FF-2		PRC
400 FD8	400 FD8, 400 Area French Drain 8, 4621W Auxiliary Equipment Building HVAC Condensate, Miscellaneous Stream #22, Injection Well #08	400	300-FF-2		PRC
400 FD9	400 FD9, 400 Area French Drain 9, 481 Pumphouse Sanitary Water and Salt Water, Miscellaneous Stream #23, Injection Well #09	400	300-FF-2		PRC
400 PPSS	400 PPSS, 400 Area Process Pond and Sewer System, 4904 Process Sewer System, 4904 Process Sewer Main, 4608 Percolation Pond, 4608B Control Structure and Process Sewer Sampling Site	400	300-FF-2	FFTF Zone	PRC
400 RFD	400 RFD, 400 Area Retired French Drains	400	300-FF-2		PRC
400 RSP	400 RSP, 400 Area Retired Sanitary Pond	400	300-FF-2		PRC
400 RST	400 RST, 400 Area Retired Septic Tanks	400	300-FF-2		PRC
400 SBT	400 SBT, 400 Area Sand Bottom Trench, 400 Area Retired Sand Bottom Trench, Cooling Tower Overflow Trench	400	300-FF-2		PRC
400 SS	400 SS, 400 Area Sanitary Sewer, 4608 Sanitary Sewer, 4608 SS	400	300-FF-2		PRC
400 STF	400 STF, 400 Area Sanitary Tile Field, 4608 Sanitary Tile Field, 4608 STF	400	300-FF-2		PRC
400-1	400-1, 400-1 Dump Site	400	300-FF-2		PRC
400-10	400-10, 400 FD11, 400 Area French Drain #11, 453B Switch Gear Pad Stormwater, Miscellaneous Stream #26, Injection Well #11	400	300-FF-2		PRC
400-11	400-11, 4607 SSL, 4607 Sanitary Sewer Lagoon, 400 Area Wetlands	400	300-FF-2		PRC
400-12	400-12, 4607 STF, 4607 Sanitary Tile Field, 4608A Sanitary Sewer Leaching Field, 4608A Leaching Field	400	300-FF-2		PRC
400-13	400-13, Waste Dumping Site (East of FFTF)	400	300-FF-2		PRC
400-14	400-14, Burn Pit (East of FFTF)	400	300-FF-2		PRC
400-15	400-15, Diesel Fuel Tank Fitting Leak	400	300-FF-2		PRC
400-16	400-16, 4831 Flammable Storage Facility, 4831 FSF	400	300-FF-2		PRC
400-17	400-17, Buried Construction Waste Area #1, Buried Construction Waste Area	400	300-FF-2		PRC
400-18	400-18, Buried Construction Waste Area #2, Buried Construction Waste Area	400	300-FF-2		PRC
400-19	400-19, Hazardous Waste Temporary Storage Facility, 400-30, 440 Building 90-Day Waste Accumulation Area	400	300-FF-2		PRC
400-2	400-2, Concrete Batch Plant	400	300-FF-2		PRC
400-20	400-20, Altitude Valve Pit T-58, Miscellaneous Stream #31	400	300-FF-2		PRC
400-21	400-21, Altitude Valve Pit T-87, Miscellaneous Stream #32	400	300-FF-2		PRC
400-22	400-22, Altitude Valve Pit T-330 French Drain, Miscellaneous Stream #30	400	300-FF-2		PRC
400-23	400-23, Well Pump P-14 French Drain, Miscellaneous Stream #34, 480-A Pump House French Drain	400	300-FF-2		PRC
400-24	400-24, Well Pump P-15 French Drain, Miscellaneous Stream #35	400	300-FF-2		PRC
400-25	400-25, Well Pump P-16 French Drain, Miscellaneous Stream #36	400	300-FF-2		PRC
400-26	400-26, 451-A Substation and B/N Plant French Drain	400	300-FF-2		PRC
400-28	400-28, FFTF Dichlorodifluoromethane Releases	400	300-FF-2		PRC
400-29	400-29, FFTF PCB Containing Transformers (See Subsites)	400	300-FF-2		PRC
400-3	400-3, 400 DT, 400 Area Drainage Trench, 400 Area Storm Drain Outfall Trench, Miscellaneous Stream #732	400	300-FF-2		PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
400-31	400-31, Sodium Storage Facility, 402 Building	400	300-FF-2	FFTF Zone	PRC
400-32	400-32, U.G. Drywell - North, Construction Dry Well	400	300-FF-2		PRC
400-33	400-33, U.G. Drywell - South, Construction Dry Well	400	300-FF-2		PRC
400-34	400-34, Northwest Surface Water Drainage Ditch, Miscellaneous Stream #733	400	300-FF-2		PRC
400-35	400-35, Southwest Surface Water Drainage Ditch, Miscellaneous Stream #734	400	300-FF-2		PRC
400-36	400-36, 4843 Building Temporary Transfer Station, Sanitary Waste Check Station, 4843 Waste Inspection Facility	400	300-FF-2		PRC
400-37	400-37, Fuel Oil Tank South of 4732-B	400	300-FF-2	FFTF Zone	RCCC
400-38	400-38, Fuel Oil Tank East of 4722-A Building Pad	400	300-FF-2	FFTF Zone	RCCC
400-39	400-39, 400 Area Bioremediation Pad, 400 Area Soil Cell	400	300-FF-2		PRC
400-4	400-4, Suspected Burial Ground (East of FFTF)	400	300-FF-2		PRC
400-5	400-5, Septic Tank or Cistern	400	300-FF-2	FFTF Zone	PRC
400-6	400-6, Material Dumping Area (North of FFTF), Material Dumping Area and Building Foundation	400	300-FF-2		PRC
400-7	400-7, 4607 SSST, 4607 Sanitary Sewer Septic Tank, 4607 SS, 4607 Sanitary Sewer	400	300-FF-2		PRC
400-8	400-8, Construction Material Dumping Area (North of FFTF)	400	300-FF-2		PRC
400-9	400-9, 400 RPSSTP, 400 Area Retired Portable Sanitary Sewer Treatment Plant	400	300-FF-2		PRC
403 FD	403 FD, Discharge point from the 403 Building, 403 French Drain, 400 Area French Drain Discharge from 403, 400 Area Drain Discharge from 403, Miscellaneous Stream #37	400	300-FF-2		PRC
427 HWSA	427 HWSA, 427 Building Fuel Cycle Plant Hazardous Waste Storage Area, 427 Building Fuels and Materials Exam. Facility HWSA	400	300-FF-2	FFTF Zone	PRC
437 MASF	437 MASF, 400 Area Maintenance and Storage Facility, 437 Maintenance and Storage Facility (See Subsites)	400	300-FF-2	FFTF Zone	PRC
4713-B FD	4713-B FD, 4713-B French Drain, Miscellaneous Stream #33	400	300-FF-2		PRC
4713-B HWSA	4713-B HWSA, 4713-B Hazardous Waste Storage Area	400	300-FF-2		PRC
4713-B LDFD	4713-B LDFD, 4713-B Loading Dock French Drain, Miscellaneous Stream #469	400	300-FF-2		PRC
4721 FD	4721 FD, 4721 French Drain, 400 Area French Drain Discharge from 4721 Building, Miscellaneous Stream #28	400	300-FF-2		PRC
4722 PSHWSA	4722 PSHWSA, 4722 Paint Shop HWSA, 4722 Paint Shop Hazardous Waste Storage Area, 4722-C Hazardous Waste Storage Area	400	300-FF-2		PRC
4722-B FD	4722-B FD, 4722-B French Drain	400	300-FF-2		PRC
4722-C FD	4722-C FD, 4722-C French Drain, French Drain South of 4722-C, Miscellaneous Stream #29	400	300-FF-2		PRC
4831 LHWSA	4831 LHWSA, 4831 Laydown HWSA, 4831 Laydown Hazardous Waste Storage Area, 4831 Flammable Storage Facility	400	300-FF-2	FFTF Zone	PRC
4843	4843, 4843 Building, 4843 Alkali Metal Storage Facility, 4843 AMSF, 4843 FFTF Sodium Storage, 4843 Laydown Area Warehouse	400	300-FF-2	FFTF Zone	PRC
600 BPHWSA	600 BPHWSA, 600 Area Batch Plant HWSA, Hazardous Waste Storage Area (607 Batch Plant)	600	200-SW-1		PRC
600 CL	600 CL, 600 Area Central Landfill, Central Landfill, Central Waste Landfill, CWL, Solid Waste Landfill, SWL, 671 Facility	600	200-SW-1	NRDWL/BC Control Zone	PRC
600 ESHWSA	600 ESHWSA, 600 Area Exploratory Shaft HWSA, 600 Area Exploratory Shaft Hazardous Waste Storage Area, Hazardous Waste Storage Area (Exploratory Shaft)	600	200-SW-1		PRC
600 ESST	600 ESST, 600 Area Exploratory Shaft Septic Tank, Septic Tank - Exploratory Shaft	600	200-ST-1		PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
600 NRDWL	600 NRDWL, 600 Area Nonradioactive Dangerous Waste Landfill, NRDW Landfill, Nonradioactive Dangerous Waste Landfill (Central Landfill), NRDWL	600	200-SW-1	NRDWL/BC Control Zone	PRC
600 NSTFST	600 NSTFST, 600 Area Near Surface Test Facility Septic Tank, Septic Tank, Near Surface Test Facility	600	200-ST-1		PRC
600 NSTFUT	600 NSTFUT, 600 Area Near Surface Test Facility Underground Tank, Underground Tank, Near Surface Test Facility	600	200-ST-1		PRC
600 OCL	600 OCL, 600 Area Original Central Landfill, Original CLF	600	200-SW-1		PRC
600-1	600-1, Westinghouse Debris Pit	600	300-FF-2		RCCC
600-10	600-10, MIL - H-12C, Battery B Nike Missile Control Center	600	100-IU-3		RCCC
600-100	600-100, White Bluffs Landfill, White Bluffs City Landfill, WBL, White Bluffs City Dump, 600-119	600	100-IU-2		RCCC
600-101	600-101, RRCWP, Riverland Railroad Car Wash Pit	600	100-IU-1		RCCC
600-102	600-102, 600 AMBS, 600 Area Army Munitions Burial Site	600	100-IU-1		RCCC
600-104	600-104, USBR, USBR 2,4-D Burial Site, USBR-2.4-D	600	100-IU-3		RCCC
600-105	600-105, SDBDL, Sodium Dichromate Barrel Disposal Landfill	600	100-IU-4		RCCC
600-106	600-106, WBPAC, White Bluffs Pickling Acid Cribs, White Bluff Pickling Acid Cribs	600	100-IU-5		RCCC
600-107	600-107, 213-J&K Cribs, Gable Mountain Plutonium Storage Vault Cribs, 213-J & K Cribs	600	100-IU-6		RCCC
600-108	600-108, 213-K Vault, 213-J&K Storage Facility (SF), 218-E-16, 213-J & K Magazine Waste Storage Cavern	600	100-IU-6		RCCC
600-109	600-109, HTCL, Hanford Trailer Camp Landfill	600	100-IU-6		RCCC
600-11	600-11, MIL - H-81R	600	100-IU-3		RCCC
600-110	600-110, HTL, Hanford Townsite Landfill	600	100-IU-6		RCCC
600-111	600-111, P-11 Critical Mass Laboratory Crib	600	100-IU-6		RCCC
600-112	600-112, 6652-C SSLAST, 6652-C SSL Active Septic Tank, 6652-C Space Science Laboratory Active Septic Tank	600	1100-IU-1		Delete
600-113	600-113, 6652-C SSLIST, 6652-C SSL Inactive Septic Tank, 6652-C Space Science Laboratory Inactive Septic Tank	600	1100-IU-1		PRC
600-114	600-114, 6652-G ALEFSBST, 6652-G ALE Field Storage Building Septic Tank, 6607-14, 6607-14B	600	1100-IU-1		PRC
600-115	600-115, 6652-I ALEHST, 6652-I ALE Headquarters Septic Tank, 6652-I Arid Lands Ecology (ALE) Headquarters Septic Tank, 6607-14	600	1100-IU-1		PRC
600-116	600-116, RMNMB, Rattlesnake Mountain Nike Missile Base	600	1100-IU-1		PRC
600-117	600-117, 300 Area Treated Effluent Disposal Facility (TEDF), 310 Building (See Subsites)	300	300-FF-2		RCCC
600-118	600-118, Hot Spot Northwest of Gable Mountain Pond, Contaminated Soil Northwest of Gable Mountain Pond	600	200-CW-1		PRC
600-12	600-12, MIL - H-83C, Battery C Control Center	600	100-IU-3		RCCC
600-120	600-120, White Bluffs Spare Parts Burn Pit, Spare Parts Burn Pit	600	100-IU-2		RCCC
600-121	600-121, White Bluffs Coal Ash Piles, Coal Ash Piles	600	100-IU-2		RCCC
600-122	600-122, White Bluffs Large Fenced Depression	600	100-IU-2		RCCC
600-123	600-123, White Bluffs Farm Site, Farm Site	600	100-IU-2		RCCC
600-124	600-124, White Bluffs Burn Site and Paint Disposal Area, Burn Site and Paint Disposal Area	600	100-IU-2		RCCC
600-125	600-125, White Bluffs Waste Disposal Trench 1, Waste Disposal Trenches	600	100-IU-2		RCCC
600-126	600-126, White Bluffs Small Subsidence, Small Subsidence	600	100-IU-2		RCCC
600-127	600-127, White Bluffs Loading Docks and Fuel Storage Area, Fuel Storage Area	600	100-IU-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
600-128	600-128, White Bluffs Oil and Oil Filter Dump Site, Oil and Oil Filter Dump Site	600	100-IU-2		RCCC
600-129	600-129, White Bluffs Pre-MED Community Dump Site 1, Pre-MED White Bluffs Community Dump Site (Oil Can Site)	600	100-IU-2		RCCC
600-13	600-13, MIL - H-83L, Battery "C" Launch Site, PSN 80	600	100-IU-3		RCCC
600-130	600-130, American Pipe Company Facilities, Stephensen's Cement Pipe Factory	600	100-IU-2		RCCC
600-131	600-131, White Bluffs Water Station and Special Fabrication Shops and Warehouse, Special Fabrication Shop and Warehouse	600	100-IU-2		RCCC
600-132	600-132, White Bluffs Construction Contractor Shop Landfill, Construction Contractor Shop Landfill	600	100-IU-2		RCCC
600-135	600-135, White Bluffs Spare Parts Machine Shop Landfill and Pit, Spare Parts Machine Shop Landfill, Horseshoe Pit	600	100-IU-2		RCCC
600-136	600-136, White Bluffs Insulation Warehouses, Insulation Warehouses	600	100-IU-2		RCCC
600-138	600-138, White Bluffs Fumigation Building, Fumigation Chamber Building	600	100-IU-2		RCCC
600-139	600-139, White Bluffs Automotive Repair Shop and Associated Waste Sites, Automotive Repair Shop	600	100-IU-2		RCCC
600-14	600-14, MIL - PSN 01	600	100-IU-3		RCCC
600-140	600-140, Gunny Sacks south of H-70 Antiaircraft Site	600	100-IU-1		RCCC
600-141	600-141, Barrels South of H-70 Antiaircraft Site	600	100-IU-1		RCCC
600-142	600-142, Car Body at McGee Ranch Fish Farm	600	100-IU-1		RCCC
600-143	600-143, Car body at Ford Well	600	100-IU-1		RCCC
600-144	600-144, Car Body near top of Umptanum Ridge	600	100-IU-1		RCCC
600-146	600-146, Steel Structure on Northwest Side of Gable Mountain	600	200-SW-1		PRC
600-147	600-147, Wood Shack (Northwest of Gable Mountain)	600	200-IU-2		PRC
600-148	600-148, ERDF, Environmental Restoration Disposal Facility	600	200-IU-5	ERDF Zone	RCCC
600-149	600-149, Small Arms Range, Rifle and Pistol Range, 661 Complex, 600-54	600	100-IU-6		RCCC
600-15	600-15, MIL - PSN 04	600	100-IU-3		RCCC
600-151	600-151, Dumping Areas 50 yards and 200 yards Downstream of River Mile 14, Military installation NW of 100H Area	600	100-HR-2		RCCC
600-152	600-152, Military Septic Tanks	600	100-HR-2		RCCC
600-153	600-153, Dumping Area Between River Mile Markers 29 and 30	600	100-IU-6		RCCC
600-154	600-154, Remains of Windmill, RCRA General Inspection HIRIV-FY96 Item #6	600	100-IU-3		RCCC
600-155	600-155, Dumping Area Upstream of River Mile Marker 35 Identified During RCRA General Inspection #HIRIV-FY96 Item #7	600	300-FF-2		RCCC
600-156	600-156, Construction Debris Dump Site	600	200-BP-11	200-E Ponds Zone	PRC
600-157	600-157, White Bluffs Concrete Foundation Pads	600	100-IU-2		RCCC
600-158	600-158, White Bluffs Ground Storage Tank and Booster Pump Station	600	100-IU-2		RCCC
600-159	600-159, White Bluffs Bank Well	600	100-IU-2		RCCC
600-16	600-16, MIL - PSN 07/10, PSN 10, H-07-H, Base Camp 500	600	100-IU-3		RCCC
600-160	600-160, White Bluffs Irrigation Debris	600	100-IU-2		RCCC
600-161	600-161, White Bluffs Plumbing Debris	600	100-IU-2		RCCC
600-162	600-162, White Bluffs Pipe Debris and Bucket of Lead	600	100-IU-2		RCCC
600-163	600-163, White Bluffs Pipe Testing Shop	600	100-IU-2		RCCC
600-164	600-164, White Bluffs Earth Berm and Trench	600	100-IU-2		RCCC
600-165	600-165, White Bluffs Valve Box	600	100-IU-2		RCCC
600-166	600-166, White Bluffs Subsidences	600	100-IU-2		RCCC
600-167	600-167, White Bluffs Cistern	600	100-IU-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
600-168	600-168, Buckholdt Ranch Toilet Pits, Herriford Ranch Toilet Pits	600	100-IU-6		RCCC
600-169	600-169, Hanford Construction Camp Trenches	600	100-IU-6		RCCC
600-17	600-17, MIL - PSN 12/14 Site and Military Dump, Tent Camp 505, PSN 12, H-14	600	100-IU-3		RCCC
600-170	600-170, White Bluffs Subsurface Concrete Structure	600	100-IU-2		RCCC
600-171	600-171, White Bluffs Townsite (See Subsites)	600	100-IU-2		RCCC
600-172	600-172, White Bluffs French Drain or Dry Well	600	100-IU-2		RCCC
600-173	600-173, White Bluffs Domestic Debris Dump and Building Foundations	600	100-IU-2		RCCC
600-174	600-174, White Bluffs French Drain	600	100-IU-2		RCCC
600-175	600-175, Original Priest Rapids Ice House Drain Field	600	100-IU-2		RCCC
600-176	600-176, White Bluffs Paint Disposal Area	600	100-IU-2		RCCC
600-177	600-177, White Bluffs Pipe Bender and Equipment Dumping Area	600	100-IU-2		RCCC
600-178	600-178, 213-J and 213-K Guard House Toilet Pit	600	100-IU-6		RCCC
600-179	600-179, Priest Rapids Ice House	600	100-IU-2		RCCC
600-18	600-18, MIL - PSN 72/82, PSN 72, H-82, Tent Camp 515	600	100-IU-3		RCCC
600-180	600-180, White Bluffs Suspect Automotive Repair Shop	600	100-IU-2		RCCC
600-181	600-181, White Bluffs Oil Dump	600	100-IU-2		RCCC
600-182	600-182, White Bluffs Asbestos Pipe Lagging and Excess Piping	600	100-IU-2		RCCC
600-183	600-183, White Bluffs Burn Pile and Debris	600	100-IU-2		RCCC
600-184	600-184, White Bluffs Townsite Septic System	600	100-IU-2		RCCC
600-185	600-185, Hanford Construction Camp Honey Dump Site	600	100-IU-6		RCCC
600-186	600-186, Hanford Construction Camp Septic Tanks and Sewage Treatment Plants	600	100-IU-6		RCCC
600-187	600-187, West Lake Honey Dump Station	600	200-IU-6	200-E Ponds Zone	PRC
600-188	600-188, White Bluffs Waste Disposal Trench 2	600	100-IU-2		RCCC
600-189	600-189, White Bluffs Warehouse Facility French Drains, 100-H-23	600	100-IU-2		RCCC
600-19	600-19, MIL - PSN 90, H-90, Base Camp 410	600	100-IU-3		RCCC
600-190	600-190, White Bluffs Warehouse Tar and/or Paint Disposal Area	600	100-IU-2		RCCC
600-191	600-191, White Bluffs Pre-MED Community Dump Site 2	600	100-IU-2		RCCC
600-192	600-192, Hanford Construction Camp Fumigation Chamber	600	100-IU-6		RCCC
600-193	600-193, White Bluffs Gas Station	600	100-IU-2		RCCC
600-194	600-194, White Bluffs Main Pipe Fabrication Shop, Main Pipe Fabrication and Blacksmith Shop	600	100-IU-2		RCCC
600-195	600-195, White Bluffs Townsite Electrical Substation	600	100-IU-2		RCCC
600-196	600-196, White Bluffs Farm Dump Site and Partially Backfilled Pit	600	100-IU-2		RCCC
600-198	600-198, White Bluffs River Bank Concrete Structure, RCRA General Inspection LORIVFY96 Item #2	600	100-IU-2		RCCC
600-199	600-199, White Bluffs Ash Covered Concrete Pad	600	100-IU-2		RCCC
600-2	600-2, Army Landfill	600	1100-EM-1		PRC
600-20	600-20, Tank Cleaning Site, 615 Hot Mix Plant For Road Materials	600	100-IU-6		RCCC
600-200	600-200, Priest Rapids Ice House Septic Tank	600	100-IU-2		RCCC
600-201	600-201, White Bluffs Paint and Solid Waste Disposal Site	600	100-IU-2		RCCC
600-202	600-202, Hanford Townsite Four Burn and Burial Pits	600	100-IU-6		RCCC
600-203	600-203, White Bluffs French Drains	600	100-IU-2		RCCC
600-204	600-204, Hanford Townsite Burn and Burial Trench	600	100-IU-6		RCCC
600-205	600-205, Hanford Townsite Landfill 2	600	100-IU-6		RCCC
600-206	600-206, 101 Building Graphite Dump Site	600	100-IU-6		RCCC
600-207	600-207, Hanford Construction Camp Powerhouse Ash Pile	600	100-IU-6		RCCC
600-208	600-208, Hanford Construction Camp Boiler House Ponds	600	100-IU-6		RCCC
600-209	600-209, White Bluffs Excess Railroad Tie Materials	600	100-IU-2		RCCC
600-210	600-210, 300 Area TEDF Outfall	600	300-FF-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
600-211	600-211, State Approved Land Disposal Site, SALDS, 616A, 616-A	600	200-NO-1	200-E Ponds Zone, B Farm Zone, ETF Zone, Solid Waste Zone, T Plant Zone, WM Zone	PRC
600-212	600-212, Relocatable Latrine Facility Holding Tank System	600	200-ST-1	200-E Admin Zone	MSC
600-213	600-213, Hanford Airport Underground Fuel Storage Tanks	600	100-IU-6		RCCC
600-214	600-214, 600 Area Purgewater Storage and Treatment Facility, MODU-Tanks, 600-PSTF	600	200-BP-11	ETF Zone	PRC
600-215	600-215, 6265A 90-Day Waste Accumulation Area	600	200-MW-1		PRC
600-216	600-216, 600-48, H-61-H Anti-Aircraft Artillery Site Building Foundations	600	200-IU-1		PRC
600-217	600-217, H-61-H Anti-Aircraft Artillery Site Sewer System	600	200-ST-1		PRC
600-218	600-218, H-61-H Anti-Aircraft Artillery Site Dumping Area	600	200-SW-1		PRC
600-219	600-219, H-61-R Radar Site	600	200-IU-1		PRC
600-22	600-22, UFO Landing Site	600	300-FF-2		RCCC
600-220	600-220, H-51 Anti-Aircraft Artillery Site Dumping Area	600	200-SW-1		PRC
600-222	600-222, H-60 Gun Site	600	200-SW-1		PRC
600-223	600-223, Military Camp South of 200W, H-50 Gun Site Pit	600	200-SW-1		PRC
600-224	600-224 Military Camp South of 200W, H-50 Gun Site Septic System	600	200-IU-1		PRC
600-226	600-226, Gun Site H-42 Dumping Area	600	200-SW-1	NRDWL/BC Control Zone	PRC
600-227	600-227, H-40 Gun Site Building Foundations	600	200-IU-3	NRDWL/BC Control Zone	PRC
600-228	600-228, H-40 Gun Site Dumping Area	600	200-SW-1	NRDWL/BC Control Zone	PRC
600-229	600-229, RCRA General Inspection 200Wfy97 Item #21 Historic Disposal Site, Dumping Area Near White Bluffs Ferry Landing (East Side)	600	100-IU-3		RCCC
600-23	600-23, Dumping Area Within Gravel Pit #11, Pit 11	600	100-IU-6		RCCC
600-230	600-230, RCRA General Inspection 200Wfy97 Item #4 Historic Disposal Site	600	100-BC-1		RCCC
600-231	600-231, RCRA General Inspection 200Wfy97 Item #5 Historic Disposal Site	600	100-BC-1		RCCC
600-232	600-232, 100B Electrical Laydown Area	600	100-BC-2		RCCC
600-233	600-233, Vertical Pipe Near 100B Electrical Laydown Area	600	100-BC-2		RCCC
600-234	600-234, RCRA General Inspection 200Wfy97 Item #11 Historic Disposal Site	600	100-IU-2		RCCC
600-235	600-235, Buried Lead Sheathed Telephone Cables	600	NONE	200-E Ponds Zone, 618-10/11 Zone, ERDF Zone, NRDWL/BC Control Zone, WM Zone	PRC
600-236	600-236, Soilcell 607 Site; Petroleum Contaminated Soil, Bioremediation site	600	200-SW-1	ERDF Zone	PRC
600-237	600-237, Gable Pond (216-A-25) North and South Borrow Pits	600	200-CW-1		PRC
600-239	600-239, Debris in Pit 16, Hanford Aggregate Pit Debris, 615 Hot Mix Plant Debris	600	100-IU-6		PRC
600-24	600-24, West P-11, H-21 Anti-Aircraft Artillery Compound and Dump Site	600	100-IU-6		RCCC
600-240	600-240, Debris in Pit 17, Hanford Aggregate Pit Debris, 615 Hot Mix Plant Debris	600	100-IU-6		RCCC
600-243	600-243, Petroleum Contaminated Soil Bioremediation Pad, Bioremediation Pad inside Gravel Pit #6, Pit 6, Oil Contaminated Soil	600	300-FF-2		RCCC
600-244	600-244, Gravel Pit #6, Pit 6	600	300-FF-2		RCCC
600-245	600-245, Gravel Pit #8, Pit 8	600	300-FF-2		RCCC
600-246	600-246, Gravel Pit #9, Inert/Demolition Waste Landfill, Pit 9	600	300-FF-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
600-247	600-247, Gravel Pit #10, Inert Landfill, Pit 10	600	300-FF-2		RCCC
600-248	600-248, Gravel Pit #11, Pit 11	600	300-FF-2		RCCC
600-249	600-249, Debris Within Gravel Pit 6	600	300-FF-2		RCCC
600-25	600-25, Susie Junction	600	200-SW-2		PRC
600-250	600-250, Metal Debris from RCRA General Inspection #LORIVFY97 Item #4	600	100-IU-6		RCCC
600-251	600-251, Steel Pipe from RCRA General Inspection #LORIVFY97 Item #6	600	100-IU-6		RCCC
600-252	600-252, Old Tank from RCRA General Inspection #LORIVFY97 Item #8	600	100-BC-2		RCCC
600-253	600-253, Gravel Pit #24, Pit 24	600	100-BC-1		RCCC
600-254	600-254, Abandoned 251-W Substation Mineral Oil Underground Pipelines	600	200-MW-1		PRC
600-255	600-255, 300 Area Stormwater Percolation Pond	600	300-FF-2		RCCC
600-256	600-256, Atmospheric Dispersion Modeling Towers, Ethylene Glycol Release	600	200-UR-1	ERDF Zone	PRC
600-257	600-257, 213-J Vault, 213-J&K Storage Facility, 213-J Magazine Waste Storage Cavern	600	100-IU-6		RCCC
600-258	600-258, RCRA General Inspection Summary Sheet HIRIVFY99, Item #1	600	100-HR-2		RCCC
600-259	600-259, Special Waste Form Lysimeter, Grout Waste Test Lysimeter, Inactive Lysimeter Site East End, Special Waste Form Lysimeter, Grout Waste Test Lysimeter (See Subsites)	600	300-FF-2		RCCC
600-26	600-26, Hanford Townsite Burn Pile	600	100-IU-6		RCCC
600-260	600-260, Roped Off Area Near Meteorological Tower	600	200-UR-1	ERDF Zone	PRC
600-261	600-261, Standard Gauge Railroad Track, 601 Structures	600	NONE		PRC
600-262	600-262, West Lake Test Crib	600	200-UR-1	200-E Ponds Zone	PRC
600-263	600-263, Pile of Cans and White Powder	600	100-IU-2		RCCC
600-264	600-264, Abandoned Oil Drum	600	100-BC-1		RCCC
600-265	600-265, Unidentified Pipes Near the 618-10 Burial Ground	600	300-FF-2		RCCC
600-266	600-266, Trash Dump West of Gate 117A	600	200-SW-1		PRC
600-267	600-267, Weather Station 90 Day Storage Pad	600	200-MW-1		PRC
600-268	600-268, 200 East Pipe Yard Drum Accumulation Area, Pipe Laydown Yard Accumulation Area	600	200-SW-2		PRC
600-269	600-269, Cross Site Transfer Line Replacement, New Cross-Site Transfer Line, Lines 3150 and 3160	600	200-IS-1	200-E Admin Zone, B Plant Zone, ERDF Zone, PUREX Zone, REDOX Zone, S/U Farm Zone, Semi-Works Zone, U Plant Zone	TOC
600-27	600-27, Well DC-6, Well 699-50-18C, 6-54-18A, A8855; 6-54-18B, A8856; 6-54-18C, A8857; 6-54-18D, A58858, Water Supply Valve Pits, Foundations and Dumping Area	600	100-IU-6		RCCC
600-270	600-270, Horseshoe Landfill, Nike Missile Base	600	1100-IU-1		RCCC
600-271	600-271, Nike Missile Base Landfill	600	1100-IU-1		RCCC
600-272	600-272, Petroleum-Contaminated Borehole, Well 699-43-2	600	100-IU-6		PRC
600-273	600-273, Pile of Red Material at Riverland	600	100-IU-1		RCCC
600-274	600-274, 2,4-D Can Site at McGee Ranch, Riverland	600	100-IU-1		RCCC
600-275	600-275, 218-W-14, Igloo Site, Army Ammo Site, Regulated Storage Area	600	200-UR-1		PRC
600-276	600-276, Hanford Geotechnical Engineering and Development Facility, GEDF, Cold Test Facility, Little Egypt	600	300-FF-2		PRC
600-278	600-278, Bioremediation Pad Within Gravel Pit 9, Oil Contaminated Soil	600	300-FF-2		RCCC
600-279	600-279, Vegetation Free Area Between White Bluffs and 100F	600	100-IU-2		RCCC
600-28	600-28, Rattlesnake Construction Dump	600	1100-IU-1		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
600-280	600-280, Hardened Tar Site	600	100-IU-6		RCCC
600-281	600-281, Scattered Debris South of Army Loop Road	600	200-SW-1		PRC
600-282	600-282, Wood and Coal Debris Piles	600	TBD		PRC
600-283	600-283, Buried Equipment in Gravel Pit 11	600	TBD		PRC
600-29	600-29, 100-K Construction Lay-down Area, 100-K-41	600	100-KR-2		RCCC
600-3	600-3, Hanford Townsite Excess Material Storage Yard/Paint Pit	600	100-IU-6		RCCC
600-30	600-30, 100-DR Construction Lay-down Area	600	100-DR-2		RCCC
600-31	600-31, 100-F Area Bottle Disposal Site	600	100-FR-2		RCCC
600-32	600-32, N Area Landfill	600	100-NR-1		RCCC
600-33	600-33, 105-C Reactor Test Loop Burial Site	600	100-BC-2		RCCC
600-337	600-337, Rigging Services Facility Septic, 6290 Building Drain Field, 6607-1	600	Not Applic	200-E Admin Zone	MSC
600-34	600-34, 100-B Baled Tumbleweed Disposal Site	600	100-BC-1		RCCC
600-35	600-35	600	100-NR-1		RCCC
600-36	600-36, Ethel Railroad Siding (Burn Pit)	600	200-SW-1	200-E Ponds Zone	PRC
600-37	600-37, Browns Wells, Johnson's Wells	600	200-UR-1	ERDF Zone	PRC
600-38	600-38, Railroad Siding Susie, 600-25, Susie Junction	600	200-SW-1		PRC
600-39	600-39, Military Camp South of 200W, H-50 Gun Site Building Foundations and Ammunition Storage	600	200-IU-1		PRC
600-4	600-4, Howitzer Site	600	100-KR-2		PRC
600-40	600-40, West of West Lake Dumping Area	600	200-SW-1	200-E Ponds Zone	PRC
600-41	600-41, H 70 Anti-Aircraft Artillery (AAA) Site	600	100-IU-1		RCCC
600-42	600-42, H 71 Anti-Aircraft Artillery (AAA) Site	600	100-IU-1		RCCC
600-43	600-43, McGee Fish Farm	600	100-IU-1		RCCC
600-44	600-44, Herbicide/Pesticide Empty Container Pile, Enyert Well Empty Pesticide Container Dump, 600-68	600	100-IU-1		RCCC
600-45	600-45, Transite and Metal Debris Pile	600	100-IU-1		RCCC
600-46	600-46, Cutup Oil Dump	600	300-FF-2		RCCC
600-47	600-47, Dumping Area North of 300-FF-1	600	300-FF-2		RCCC
600-49	600-49, H-42 Gun Site Building Foundations and Ammunition Storage	600	200-IU-3		PRC
600-5	600-5, White Bluffs Waste Oil Dump, Asphalt Heliport	600	100-IU-2		RCCC
600-50	600-50, Hanford Construction Camp Coal Yard	600	100-IU-6		RCCC
600-51	600-51, Chemical Dump, Pile of White Powder	600	200-SW-1		PRC
600-52	600-52, White Bluffs Surface Basin	600	100-IU-2		RCCC
600-53	600-53, H-51 Anti-Aircraft Artillery Site Building Foundations	600	200-IU-1		PRC
600-55	600-55, Paved Area and Collapsed Structure	600	100-KR-2		PRC
600-56	600-56, Pre-Hanford Farm Site, Undocumented Solid Waste Site	600	100-BC-1		RCCC
600-58	600-58, H.J. Ashe Substation Oil/Water Separator & Drywells, BPA SWMU #13	600	300-FF-2		RCCC
600-59	600-59, H.J. Ashe Substation Storage Area, BPA SWMU #12, Generator Storage Area Sump	600	300-FF-2		RCCC
600-6	600-6, MIL - H-12-L, Battery B Nike Missile Launch Site	600	100-IU-3		RCCC
600-60	600-60, H.J. Ashe Substation Switchyard Facility	600	300-FF-2		RCCC
600-61	600-61, White Bluffs Substation	600	NONE		PRC
600-62	600-62, Benton Switch Substation Releases	600	300-FF-2		RCCC
600-63	600-63, 300-N Lysimeter Area, Recharge Study Site, Buried Waste Test Facility, Vadose Zone Field Study - 300 North, VZFS300N	600	300-FF-2		RCCC
600-64	600-64, Underground Sanitary Sewer Line from 400 Area to WPPSS, Sanitary Waste Tie-Line from the 400 Area to WPPSS	600	300-FF-2		RCCC
600-65	600-65, 607 Batch Plant Drum Site	600	200-SW-1	ERDF Zone	PRC
600-66	600-66, 607 Batch Plant Orphan Drums	600	200-SW-1	ERDF Zone	PRC
600-67	600-67, Bruggemann's Fruit Storage Warehouse	600	100-BC-1		RCCC
600-69	600-69, Red Stained Soil (Rust)	600	200-IU-5		PRC
600-7	600-7, Nike Asbestos Pipe Site, Concrete/Asbestos Pipe Site	600	100-IU-3		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
600-70	600-70, Solid Waste Management Unit (SWMU) #2 - Miscellaneous Solid Waste	600	200-SW-1	REDOX Zone	PRC
600-71	600-71, 607 Batch Plant Burn Pit	600	200-SW-1	ERDF Zone	PRC
600-72	600-72, Wahluke Slope H-12-R Debris Site, H-12R	600	100-IU-3		RCCC
600-73	600-73, Wahluke Slope Igloo Sites	600	100-IU-3		RCCC
600-74	600-74, Wahluke Slope PSN 12/14 Military Construction Dump, Motor Pool Dump	600	100-IU-3		RCCC
600-75	600-75, Wahluke Slope PSN 80 Debris Site	600	100-IU-3		RCCC
600-76	600-76, Wahluke Slope Radar Site, Underground Rooms	600	100-IU-3		RCCC
600-77	600-77, Wahluke Slope Shrapnel Sites, Antiaircraft Gun Shrapnel Sites 1, 2, 3	600	100-IU-3		RCCC
600-78	600-78, Power Pole 12-3 Cistern, 12-3 Cistern	600	100-IU-3		RCCC
600-79	600-79, Wahluke Slope Clay Pit Cistern	600	100-IU-3		RCCC
600-8	600-8, MIL - H-06C, Control Center for Battery A Nike Missile, Wahluke Slope Nike Missile Base, WSNMB, 600-103 (Part)	600	100-IU-3		RCCC
600-80	600-80, Wahluke Slope Cow Camp Cistern	600	100-IU-3		RCCC
600-81	600-81, Wahluke Slope Homestead Cistern	600	100-IU-3		RCCC
600-82	600-82, Wahluke Slope Overlook Cistern	600	100-IU-3		RCCC
600-83	600-83, Wahluke Slope Stock Tank Cistern	600	100-IU-3		RCCC
600-84	600-84, Wahluke Slope Wagon Road Cistern	600	100-IU-3		RCCC
600-85	600-85, Wahluke Slope Stove Cistern	600	100-IU-3		RCCC
600-86	600-86, Wahluke Slope Wasteway Cistern	600	100-IU-3		RCCC
600-87	600-87, Wahluke Slope Dune Homestead	600	100-IU-3		RCCC
600-88	600-88, Wahluke Slope Lonetree Homestead	600	100-IU-3		RCCC
600-89	600-89, Wahluke Slope Asphalt Batch Plant	600	100-IU-3		RCCC
600-9	600-9, MIL - H-06L, Battery A Nike Missile Installation Launch Site, Wahluke Slope Nike Missile Base, WSNMB, 600-103 (Part)	600	100-IU-3		RCCC
600-90	600-90, Wahluke Slope Coyote Bait Can/Bait Station	600	100-IU-3		RCCC
600-91	600-91, Wahluke Slope Gravel Pit #47, Pit 47	600	100-IU-3		RCCC
600-92	600-92, Wahluke Slope Gravel Pit #56, Borrow Pit #56, Pit 56	600	100-IU-3		RCCC
600-93	600-93, Hanford Firing Range	600	100-IU-3		RCCC
600-94	600-94, Wahluke Schoolhouse	600	100-IU-3		RCCC
600-95	600-95, Wahluke Slope Bridge Disposal Area, Bridge Overlook Site	600	100-IU-3		RCCC
600-96	600-96, 618-10 Borrow Pit	600	300-FF-2		RCCC
600-97	600-97, 618-11 Borrow Pit	600	300-FF-2		RCCC
600-98	600-98, East White Bluffs City Landfills, East White Bluffs Dump and East White Bluffs Dump #2, East White Bluffs Landfill, EWBCL	600	100-IU-2		RCCC
600-99	600-99, JA Jones 2, J. A. Jones #2, JA JONES2	600	100-IU-2		RCCC
616	616, 616 Building Non-Radioactive Dangerous Waste Storage Facility, 616 Nonradioactive Dangerous Waste Storage, 616 NRDWSF	600	200-IU-5		PRC
616-WS-1	616-WS-1, 616 NRDWSF French Drain	600	200-MW-1	ERDF Zone	PRC
618-1	618-1, Solid Waste Burial Ground No. 1, 318-1, 300 Area Burial Ground No. 1 (See Subsites)	300	300-FF-2		RCCC
618-10	618-10, 300 North Solid Waste Burial Ground, 318-10	600	300-FF-2	618-10/11 Zone	RCCC
618-11	618-11, Y Burial Ground, 318-11, 300 Wye Burial Ground	600	300-FF-2	618-10/11 Zone	RCCC
618-12	618-12, North Process Pond Scraping Disposal Area	600	300-FF-1		RCCC
618-13	618-13, 318-13, 303 Building Contaminated Soil Burial Site	600	300-FF-2		RCCC
618-2	618-2, Solid Waste Burial Ground No. 2, 318-2	600	300-FF-2		RCCC
618-3	618-3, Solid Waste Burial Ground No. 3, 318-3, Burial Ground #3, Dry Waste Burial Ground No. 3	600	300-FF-2		RCCC
618-4	618-4, Burial Ground No. 4, 318-4	600	300-FF-1		RCCC
618-5	618-5, Burial Ground No. 5, Regulated Burning Ground, 318-5	600	300-FF-2		RCCC
618-6	618-6, Solid Waste Burial Ground #6	300	300-FF-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
618-7	618-7, Solid Waste Burial Ground No. 7, Burial Ground #7, 318-7	600	300-FF-2		RCCC
618-8	618-8, Solid Waste Burial Ground No. 8, 318-8, Early Solid Waste Burial Ground	600	300-FF-2		RCCC
618-9	618-9, 300 West Burial Ground, 318-9, Dry Waste Burial Site No. 9	600	300-FF-2		RCCC
622-1	622-1, Construction and Demolition Debris	600	200-SW-1		PRC
622-R ST	622-R ST, 622-R Septic Tank, 622-R Atmospheric Physics Laboratory Septic Tank	600	200-ST-1	ERDF Zone	MSC
6241-A	6241-A, 6241-A Diversion Box	200W	TBD		PRC
6241-V	6241-V, 6241-V Vent Station	200W	TBD		PRC
628-1	628-1, White Bluffs Burn Pit	600	100-IU-2		RCCC
628-2	628-2, 100 Area Fire Station Burn Pit	600	200-SW-1		PRC
628-3	628-3, 628-3 Burn Pit	600	100-DR-1		RCCC
628-4	628-4, Landfill 1D	600	300-FF-1		RCCC
6607-1	6607-1, H-40 Gun Site Septic Tank	600	200-ST-1	NRDWL/BC Control Zone	PRC
6607-13	6607-13, Core Area Septic, Project FP-0003 Septic	600	Not Applic	200-E Admin Zone	MSC
6607-16	6607-16, Septic Tank, Project C-018H, ECN-C018H-040	600	200-IU-3	ETF Zone	MSC
6607-17	6607-17, 6291 Service Station Building Septic System, Conoco Service Station Septic System	600	Not Applic	200-E Admin Zone	MSC
6607-18	6607-18, 609-G and MO292 Septic System	600	Not Applic	ERDF Zone	MSC
6607-19	Services MO068 at EVOC	600	Not Applic		MSC
6607-2	6607-2, Gun Site H-42 Septic Tank	600	200-ST-1	NRDWL/BC Control Zone	PRC
6607-3	6607-3, Anti-Aircraft Artillery Site H-51 Septic Tank	600	200-ST-1		PRC
6607-4	Services 609A (Mistakenly identified as 2607-FSN in WIDS)	600	Not Applic	ERDF Zone	MSC
6607-5	6607-5, 616 Building Septic System	600	200-ST-1	ERDF Zone	MSC
6607-6	6607-6, 6701 Building Septic Tank and Tile Field, Wye Barricade Septic	600	Not Applic		MSC
6607-7	6607-7, Yakima Barricade Septic System and Permitted Holding Tank	600	Not Applic		MSC
6607-8	6607-8, 251-W Electrical Substation Septic System	600	Not Applic		MSC
6607-9	6607-9, Septic Tank 6607-9 Large On-Site Sewage System, Project W-011H	600	200-IU-5	ERDF Zone	MSC
700 WST	700 WST, 700 Area Waste Solvent Tank, 700 Area Underground Waste Solvent Tank, 703-1	700	1100-EM-2		PRC
700-1	700-1, 747 Building 90-Day Waste Accumulation Area	700	1100-EM-2		PRC
B PLANT FILTER	B PLANT FILTER, B Plant Filter, 221-B-TK-34-2 Decant Filter, Filter F-34-4	200E	200-BP-6	B Plant Zone	PRC
BTTF	BTTF, Biological Treatment Test Facilities	300	300-FF-2		RCCC
CTFN 2703-E	CTFN 2703-E, Chemical Tile Field North of 2703-E	200E	200-LW-2	200-E Admin Zone	PRC
GTF	GTF, Grout Treatment Facility	200E	200-PO-3	PUREX Zone, WTP/A Farm Zone	PRC
GTFL	GTFL, Grout Treatment Facility Landfill, GTF Vaults, PSW Vault, 218-E-16	200E	200-PO-3	200-E Ponds Zone, PUREX Zone, WTP/A Farm Zone	PRC
HRD	HRD, Horn Rapids Disposal, ITT Waste Disposal Landfill, Horn Rapid Landfill (HRL), Gravel Pit 4, Gravel Pit 5	600	1100-EM-1		PRC
HSVP	HSVP, Hot Semiworks Valve Pit, 201-C Diversion Box, Semiworks Valve Pit	200E	200-IS-1	Semi-Works Zone	PRC
HWVP	HWVP, Hanford Waste Vitrification Plant (original site)	200E	200-BP-9		PRC
JA JONES 1	JA JONES 1, JA Jones 1, JA Jones Dumping Pit #1, JA Jones Construction Pit #1	600	100-IU-6		RCCC
OCSA	OCSA, Old Central Shop Area, Central Shop Area	600	200-SW-1	200-E Ponds Zone	PRC
PCTTF	PCTTF, Physical and Chemical Treatment Test Facilities	300	300-FF-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
RMWSF	RMWSF, Radioactive Mixed Waste Storage Facility, Hanford Central Waste Complex, 2401W, 2402W, 2402WB, 2402WC, 2402WD, 2402WE, 2402WF, 2402WG, 2402WH, 2402WI, 2402WJ, 2402WK, 2402WL, 2403WA, 2403WB, 2403WC, 2403WD, 2404WA, 2404WB, 2404WC	200W	200-ZP-3	200-W Ponds Zone, WM Zone	PRC
SHLWSTS	SHLWSTS, Simulated High-Level Waste Slurry Treatment/Storage	3000	1100-EM-3		PRC
TFS OF 218-E-	TFS OF 218-E-4, Tile Field South of 218-E-4, 2607-E3 Tile Field	200E	200-ST-1		PRC
TRUSAF	TRUSAF, 224-T TRUSAF, Transuranic Assay Facility	200W	200-TP-4	T Plant Zone	PRC
TTTF	TTTF, Thermal Treatment Test Facilities	300	300-FF-2		RCCC
UPR-100-D-1	UPR-100-D-1, Oil Soaked Soil	100D	100-DR-1		RCCC
UPR-100-D-2	UPR-100-D-2, Effluent Line Leak #1	100D	100-DR-1		RCCC
UPR-100-D-3	UPR-100-D-3, Effluent Line Leak #3	100D	100-DR-1		RCCC
UPR-100-D-4	UPR-100-D-4, Unplanned Release: 107-D Basin Leaks	100D	100-DR-1		RCCC
UPR-100-D-5	UPR-100-D-5, Effluent Line Leak #4	100D	100-DR-1		RCCC
UPR-100-F-1	UPR-100-F-1, 141 Building Sewer Line Spill, UN-100-F-1, 141-C to 141-M Sewer Line Leak	100F	100-FR-1		RCCC
UPR-100-F-2	UPR-100-F-2, Basin Leak Ditch, 107-F Basin Leak Ditch, 100-F-3	100F	100-FR-1		RCCC
UPR-100-F-3	UPR-100-F-3, Mercury Spill	100F	100-FR-1		RCCC
UPR-100-K-1	UPR-100-K-1, 105-KE Fuel Storage Basin leak, UN-100-K-1	100K	100-KR-2		RCCC
UPR-100-N-1	UPR-100-N-1, 100-N 1304-N Dump Tank, UN-100-N-1, Emergency Dump Tank Inlet Valve Box Leak	100N	100-NR-1		RCCC
UPR-100-N-10	UPR-100-N-10, 100-N Area 105-N Check Valve, UN-100-N-10, Lift Station Gravity Drain Line Leak	100N	100-NR-1		RCCC
UPR-100-N-11	UPR-100-N-11, Five Hundred Pound Valve Bonnet Contamination in Uncontrolled Area, 100-N Area Valve Bonnet, UN-100-N-11	100N	100-NR-1		RCCC
UPR-100-N-12	UPR-100-N-12, Spacer Transport Line Leak, UN-100-N-12	100N	100-NR-1		RCCC
UPR-100-N-13	UPR-100-N-13, 1314-N Loading Station, 1314-N Drywell Overflow, UN-100-N-13	100N	100-NR-1		RCCC
UPR-100-N-14	UPR-100-N-14, 119-N Drain System Leak, UN-100-N-14	100N	100-NR-1		RCCC
UPR-100-N-15	UPR-100-N-15, 108-N Neutralization Sump Spill, UN-116-N-15, UN-100-N-15, Acid Spill at 108-N	100N	100-NR-1		RCCC
UPR-100-N-17	UPR-100-N-17, 166-N Diesel Oil Supply Line Leak, UN-100-N-17	100N	100-NR-1		RCCC
UPR-100-N-18	UPR-100-N-18, 166-N Four-inch Diesel Oil Supply Line to 184-N Leak, UN-100-N-18	100N	100-NR-1		RCCC
UPR-100-N-19	UPR-100-N-19, 184-N Day Tank Fuel Oil Spill, UN-116-N-19, UN-100-N-19	100N	100-NR-1		RCCC
UPR-100-N-2	UPR-100-N-2, 100-N FLV-858 Valve Leak, UN-100-N-2	100N	100-NR-1		RCCC
UPR-100-N-20	UPR-100-N-20, 166-N Two-inch Diesel Oil Return Line Leak, UN-116-N-20, UN-100-N-20	100N	100-NR-1		RCCC
UPR-100-N-21	UPR-100-N-21, 184-N Diesel Oil Day Tank Overflow, UN-116-N-21, UN-100-N-21	100N	100-NR-1		RCCC
UPR-100-N-22	UPR-100-N-22, 184-N Diesel Oil Supply Line Leak No. 1, UN-100-N-22, UN-116-N-22	100N	100-NR-1		RCCC
UPR-100-N-23	UPR-100-N-23, 184-N Diesel Oil Supply Line Leak No. 2, UN-100-N-23, UN-116-N-23	100N	100-NR-1		RCCC
UPR-100-N-24	UPR-100-N-24, 166-N Fuel Oil Supply Line Leak, UN-116-N-24, UN-100-N-24	100N	100-NR-1		RCCC
UPR-100-N-25	UPR-100-N-25, Uncontrolled Venting of 1310-N Tank, UN-100-N-25	100N	100-NR-1		RCCC
UPR-100-N-26	UPR-100-N-26, Backflow of Radioactive Waste in 1314-N Facility, UN-100-N-26	100N	100-NR-1		RCCC
UPR-100-N-29	UPR-100-N-29, 1304-N Dump Tank, Emergency Dump Tank Bypass Line Leak, UN-100-N-29	100N	100-NR-1		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
UPR-100-N-3	UPR-100-N-3, Dummy Fuel Transfer Line, UN-100-N-3, Spacer Disposal System Transport Line Leak, UN-116-N-3	100N	100-NR-1		RCCC
UPR-100-N-30	UPR-100-N-30, 1304-N Dump Tank, Emergency Dump Tank Overflow, UN-100-N-30	100N	100-NR-1		RCCC
UPR-100-N-31	UPR-100-N-31, Radioactive Effluent Water Spill Near 1301-N, UN-100-N-31	100N	100-NR-1		RCCC
UPR-100-N-32	UPR-100-N-32, 1304-N Dump Tank, Emergency Dump Tank Bypass Line Leak, UN-100-N-32	100N	100-NR-1		RCCC
UPR-100-N-33	UPR-100-N-33, 108-N Acid Transfer Spill, UN-116-N-33, UN-100-N-33	100N	100-NR-1		RCCC
UPR-100-N-34	UPR-100-N-34, 108-N Tank Transfer, Sulfuric Acid Line Break, UN-100-N-34	100N	100-NR-1		RCCC
UPR-100-N-35	UPR-100-N-35, 100-N Fuel Basin Drainage System Leak, UN-116-N-35, 105-N Fuel Storage Basin Drainage System Leak, UN-100-N-35	100N	100-NR-1		RCCC
UPR-100-N-36	UPR-100-N-36, 184N Annex, 184N, Diesel Generator Area	100N	100-NR-1		RCCC
UPR-100-N-37	UPR-100-N-37, HGP Transformer Yard Oil Stained Gravel (SWMU #1)	100N	100-NR-1		ENW RCCC
UPR-100-N-38	UPR-100-N-38, 116-N-2 Facility Liquid Unplanned Release, 100-N Spring 1983 Caustic, Truck Spill 116-N-2	100N	100-NR-1		RCCC
UPR-100-N-39	UPR-100-N-39, Corridor 22 Suspect Liquid Unplanned Release (cleaned up)	100N	100-NR-1		RCCC
UPR-100-N-4	UPR-100-N-4, 1322-A Sump Overflow, UN-100-N-4	100N	100-NR-1		RCCC
UPR-100-N-40	UPR-100-N-40, Regeneration Waste Transport System Liquid UPR 1 (06/14/86, cleaned up) 6/14/86 163-N Cation/Anion Regeneration Waste Spill, UN-116-N-27	100N	100-NR-1		RCCC
UPR-100-N-41	UPR-100-N-41, Regeneration Waste Transport System Liquid UPR 2, 163-N Regeneration, Waste Spill	100N	100-NR-1		RCCC
UPR-100-N-42	UPR-100-N-42, 184-N Day Tank Area Liquid Unplanned Release, 10/9/87 184-N, Day Tank Diesel Oil Spill	100N	100-NR-1		RCCC
UPR-100-N-43	UPR-100-N-43, 166-N / 184-N Pipelines Liquid Unplanned Release 2 (4/26/89, cleaned up)	100N	100-NR-1		RCCC
UPR-100-N-5	UPR-100-N-5, 1310-N Chemical Waste Storage Tank Leak, UN-100-N-5, 116-N-2 Radioactive Chemical Waste Treatment Storage Facility	100N	100-NR-1		RCCC
UPR-100-N-6	UPR-100-N-6, 1 1/2 Inch Chemical Decontam. Waste Drain Line Leaks, UN-100-N-6, UN-116-N-6, Chemical Decontamination Waste Drain Line Leak	100N	100-NR-1		RCCC
UPR-100-N-7	UPR-100-N-7, Ten-inch Radioactive Drain Return Line Leak, UN-116-N-7, UN-100-N-7	100N	100-NR-1		RCCC
UPR-100-N-8	UPR-100-N-8, 1322-A Sump Overflow, UN-100-N-8	100N	100-NR-1		RCCC
UPR-100-N-9	UPR-100-N-9, 119-N Cooling Water Drain Line Leak, UN-100-N-9	100N	100-NR-1		RCCC
UPR-1100-5	UPR-1100-5, UN-1100-5, 1171 Parking Lot	1100	1100-EM-1		PRC
UPR-1100-6	UPR-1100-6, Discolored Soil Site, UN-1100-6	1100	1100-EM-1		PRC
UPR-200-E-1	UPR-200-E-1, Waste Line Failure on South Side of 221-B	200E	200-IS-1	B Plant Zone	PRC
UPR-200-E-10	UPR-200-E-10, Contaminated Purex Railroad Spur, UN-200-E-10	200E	200-UR-1	PUREX Zone	PRC
UPR-200-E-100	UPR-200-E-100, Radioactive Contamination Near 244-A Lift Station, UN-216-E-100, UN-216-E-29, UN-200-E-100	200E	200-PO-3	PUREX Zone	PRC
UPR-200-E-101	UPR-200-E-101, UN-216-E-30, UN-216-E-101, UN-200-E-101, Radioactive Spill Near 242-B Evaporator	200E	200-UR-1	B Farm Zone	PRC
UPR-200-E-103	UPR-200-E-103, UN-200-E-103, BCS Line Leak South of R-17 at 221-B	200E	200-UR-1	B Plant Zone	PRC
UPR-200-E-105	UPR-200-E-105, UN-200-E-105, Liquid Release in the 241-BY Tank Farm	200E	200-BP-7		TOC
UPR-200-E-106	UPR-200-E-106, Contamination at a Burning Ground, UN-200-E-106	200E	200-SW-1		PRC
UPR-200-E-107	UPR-200-E-107, UN-200-E-107, Contamination Spread in 241-C Tank Farm	200E	200-PO-3		TOC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
UPR-200-E-108	UPR-200-E-108, 241-B-102 Tank Release, UN-200-E-108	200E	200-BP-7		TOC
UPR-200-E-109	UPR-200-E-109, Release from 241-B-104, UN-200-E-109	200E	200-BP-7		TOC
UPR-200-E-111	UPR-200-E-111, Railroad Track Contamination Spread, UN-200-E-11	200E	200-UR-1	200-E Admin Zone, B Plant Zone, PUREX Zone, Semi-Works Zone, Solid Waste Zone	PRC
UPR-200-E-110	UPR-200-E-110, 241-BY Valve Pit Release, UN-200-E-110	200E	200-BP-7		TOC
UPR-200-E-112	UPR-200-E-112, UN-200-E-112, Contaminated Railroad Track from B-Plant to the Burial Ground	200E	200-UR-1	B Plant Zone, Solid Waste Zone	PRC
UPR-200-E-114	UPR-200-E-114, 202-A Valve Pit, UN-200-E-114	200E	200-UR-1		PRC
UPR-200-E-115	UPR-200-E-115, UN-200-E-115, Contamination Spread Inside 241-AX	200E	200-PO-3		TOC
UPR-200-E-116	UPR-200-E-116, UN-200-E-116, 241-BY-112 Flush Release	200E	200-BP-7		TOC
UPR-200-E-117	UPR-200-E-117, Contaminated Liquid Spill, UN-200-E-117	200E	200-IS-1	PUREX Zone	PRC
UPR-200-E-118	UPR-200-E-118, UN-200-E-118, Airborne Release from 241-C-107	200E	200-PO-3		TOC
UPR-200-E-119	UPR-200-E-119, UN-200-E-119, Contamination Spread Inside 241-AX	200E	200-PO-3		TOC
UPR-200-E-12	UPR-200-E-12, Contaminated Purex Railroad Spur, UN-200-E-12	200E	200-UR-1	PUREX Zone	PRC
UPR-200-E-125	UPR-200-E-125, UN-200-E-125, 241-A-104 Release	200E	200-PO-3		TOC
UPR-200-E-126	UPR-200-E-126, UN-200-E-126, 241-A-105 Tank Leak	200E	200-PO-3		TOC
UPR-200-E-127	UPR-200-E-127, 241-B-107 Leak, UN-200-E-127	200E	200-BP-7		TOC
UPR-200-E-128	UPR-200-E-128, 241-B-110 Leak, UN-200-E-128	200E	200-BP-7		TOC
UPR-200-E-129	UPR-200-E-129, 241-B-201 Leak, UN-200-E-129	200E	200-BP-7		TOC
UPR-200-E-13	UPR-200-E-13, Overflow from 216-A-4, UN-200-E-13, UPR-200-E-15	200E	200-MW-1		PRC
UPR-200-E-130	UPR-200-E-130, UN-200-E-130, 241-B-203 Leak	200E	200-BP-7		TOC
UPR-200-E-131	UPR-200-E-131, UN-200-E-131, 241-BX-102 Release	200E	200-BP-7		TOC
UPR-200-E-132	UPR-200-E-132, UN-200-E-132, 241-BX-102 Tank Leak	200E	200-BP-7		TOC
UPR-200-E-133	UPR-200-E-133, UN-200-E-133, 241-BX-108 Leak	200E	200-BP-7		TOC
UPR-200-E-134	UPR-200-E-134, UN-200-E-134, 241-BY-103 Tank Leak	200E	200-BP-7		TOC
UPR-200-E-135	UPR-200-E-135, UN-200-E-135, 241-BY-108 Tank Leak	200E	200-BP-7		TOC
UPR-200-E-136	UPR-200-E-136, UN-200-E-136, 241-C-101 Tank Leak	200E	200-PO-3		TOC
UPR-200-E-137	UPR-200-E-137, UN-200-E-137, 241-C-203 Leak	200E	200-PO-3		TOC
UPR-200-E-138	UPR-200-E-138, Liquid release from B-Plant, UN-200-E-138, UPR-200-W-66	200E	200-CW-1		PRC
UPR-200-E-14	UPR-200-E-14, UN-200-E-14, 216-B-3 Pond Dike Break	200E	200-CW-1		PRC
UPR-200-E-140	UPR-200-E-140, PCB Oil Spill at 211-B Bulk Chemical Storage Area, UN-200-E-140	200E	200-UR-1	B Plant Zone	PRC
UPR-200-E-141	UPR-200-E-141, 2718-E Building Uranyl Nitrate Spill to Ground, UN-200-E-141	200E	200-UR-1		PRC
UPR-200-E-142	UPR-200-E-142, 202-A Diesel Fuel Spill, UN-200-E-142	200E	200-UR-1	PUREX Zone	PRC
UPR-200-E-143	UPR-200-E-143, Contamination Adjacent to 244-A Lift Station, UN-216-E-43	200E	200-UR-1	PUREX Zone	PRC
UPR-200-E-144	UPR-200-E-144, Soil Contamination North of 241-B, UN-216-E-44	200E	200-UR-1	B Farm Zone	PRC
UPR-200-E-145	UPR-200-E-145, W049H Green Soil, VCP Pipeline Leak	200E	200-PW-4	200-E Ponds Zone	PRC
UPR-200-E-15	UPR-200-E-15, Overflow at 216-A-4, UN-200-E-15, UPR-200-E-13	200E	200-MW-1		PRC
UPR-200-E-16	UPR-200-E-16, 241-C Overground Transfer Line Leak, UN-200-E-16	200E	200-PO-3		TOC
UPR-200-E-17	UPR-200-E-17, Overflow at 216-A-22, UN-200-E-17	200E	200-MW-1	PUREX Zone	PRC
UPR-200-E-18	UPR-200-E-18, Contamination Release at the 216-A-8 Sampler Pit, UN-200-E-18	200E	200-PO-3	WTP/A Farm Zone	PRC
UPR-200-E-19	UPR-200-E-19, Contamination Release at 216-A-6 Sampler, UN-200-E-19	200E	200-SC-1	PUREX Zone	PRC
UPR-200-E-2	UPR-200-E-2, UN-200-E-2, Spotty Contamination Around the B and T Plant Stacks	200E	200-UR-1	B Plant Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
UPR-200-E-20	UPR-200-E-20, Contaminated Purex Railroad Spur, UN-200-E-20	200E	200-UR-1	PUREX Zone	PRC
UPR-200-E-21	UPR-200-E-21, 216-A-6 Overflow, UN-200-E-21	200E	200-SC-1	PUREX Zone	PRC
UPR-200-E-22	UPR-200-E-22, 291-A-1 Stack Fallout Area, UN-200-E-22,	200E	200-UR-1		PRC
UPR-200-E-23	UPR-200-E-23, Burial Box Collapse at 218-E-10, UPR-200-W-158	200E	200-SW-2		PRC
UPR-200-E-24	UPR-200-E-24, Contamination Plume from the 218-E-10 Burial Ground, UN-200-E-24	200E	200-SW-2		PRC
UPR-200-E-25	UPR-200-E-25, Contamination Spread from the 241-A-151 Diversion Box, UN-200-E-25	200E	200-IS-1		TOC
UPR-200-E-26	UPR-200-E-26, 241-A-151 Release, UN-200-E-26	200E	200-IS-1	PUREX Zone	TOC
UPR-200-E-27	UPR-200-E-27, 244-CR Contamination Spread, UN-200-E-27	200E	200-PO-3		TOC
UPR-200-E-28	UPR-200-E-28, Contamination Release Inside the PUREX Exclusion Area, UN-200-E-28	200E	200-UR-1	PUREX Zone	PRC
UPR-200-E-29	UPR-200-E-29, 216-A-6 Overflow, UN-200-E-29	200E	200-SC-1	PUREX Zone	PRC
UPR-200-E-3	UPR-200-E-3, Line leak from 221-B to 241-BX-154, UN-200-E-3	200E	200-IS-1	B Plant Zone	PRC
UPR-200-E-30	UPR-200-E-30, Contamination Within 218-E-12A, UN-200-E-30	200E	200-SW-2		PRC
UPR-200-E-31	UPR-200-E-31, 241-A-151 Release, UN-200-E-31	200E	200-IS-1	PUREX Zone	TOC
UPR-200-E-32	UPR-200-E-32, UN-200-E-32, Coil Leak from 221-B	200E	200-CW-1		PRC
UPR-200-E-33	UPR-200-E-33, Contaminated Purex Railroad tracks, UN-200-E-33	200E	200-UR-1	PUREX Zone	PRC
UPR-200-E-34	UPR-200-E-34, Liquid Release to B-Pond and Gable Pond, UN-200-E-34	200E	200-CW-1		PRC
UPR-200-E-35	UPR-200-E-35, Buried Contaminated Pipe, UN-218-E-1, 218-E-13	200E	200-SW-2	PUREX Zone	PRC
UPR-200-E-36	UPR-200-E-36, Contamination Spread North of Semi-works, Road Contamination North of Semiworks, UN-200-E-36	200E	200-UR-1	Semi-Works Zone	PRC
UPR-200-E-37	UPR-200-E-37, Contamination East of Hot Semi-Works, UN-200-E-37, UN-216-E-37	200E	200-UR-1	Semi-Works Zone	PRC
UPR-200-E-38	UPR-200-E-38, Release from 241-B-152, UN-200-E-38, UN-216-E-4	200E	200-BP-7		PRC
UPR-200-E-39	UPR-200-E-39, Release from 216-A-36B Crib Sampler (295-A), UN-200-E-39	200E	200-PW-2	PUREX Zone	PRC
UPR-200-E-4	UPR-200-E-4, 241-B-151 Diversion Box Contamination Spread, UN-200-E-4	200E	200-BP-7		TOC
UPR-200-E-40	UPR-200-E-40, Release from the 216-A-36B Crib Sampler, UN-200-E-40	200E	200-PW-2		PRC
UPR-200-E-41	UPR-200-E-41, UN-200-E-41 Soil Contamination in the Vicinity of R-13 Stairwell (221-B), UPR-200-E-85	200E	200-IS-1	B Plant Zone	PRC
UPR-200-E-42	UPR-200-E-42, 241-AX-151 Release, UN-200-E-42	200E	200-IS-1	PUREX Zone	TOC
UPR-200-E-43	UPR-200-E-43, Road Contamination near 241-BY Tank Farm, UN-200-E-43	200E	200-UR-1	B Farm Zone	PRC
UPR-200-E-44	UPR-200-E-44, UN-200-E-44, BCS Waste Line Leak South of 221-B	200E	200-IS-1	B Plant Zone	PRC
UPR-200-E-45	UPR-200-E-45, UN-200-E-45, Contamination Spread from the 241-B-154 Diversion Box	200E	200-IS-1	B Plant Zone	PRC
UPR-200-E-47	UPR-200-E-47, UN-200-E-47, Contamination Spread from 241-A Tank Farm	200E	200-PO-3		TOC
UPR-200-E-48	UPR-200-E-48, UN-200-E-48, 241-A-106 Pump Pit Release	200E	200-PO-3		TOC
UPR-200-E-49	UPR-200-E-49, Roadway Contamination, UN-200-E-49	200E	200-UR-1		PRC
UPR-200-E-5	UPR-200-E-5, UN-200-E-5, 241-BX-102 Tank Overflow	200E	200-BP-7		TOC
UPR-200-E-50	UPR-200-E-50, Soil Contamination at the Overground Equipment Storage Yard, UN-200-E-50	200E	200-UR-1	WTP/A Farm Zone	PRC
UPR-200-E-51	UPR-200-E-51, Liquid Release from Purex to B-Pond, UN-200-E-51	200E	200-CW-1		PRC
UPR-200-E-52	UPR-200-E-52, UN-200-E-52, Contamination Spread Outside the North Side of 221-B	200E	200-UR-1	B Plant Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
UPR-200-E-53	UPR-200-E-53, UN-200-E-53, Contamination at 218-E-1	200E	200-SW-2		PRC
UPR-200-E-54	UPR-200-E-54, UN-200-E-54, Contamination Outside 225-B Doorway	200E	200-UR-1	B Plant Zone	PRC
UPR-200-E-55	UPR-200-E-55, UN-200-E-55, Contamination Spread South of B Plant	200E	200-UR-1	B Plant Zone	PRC
UPR-200-E-56	UPR-200-E-56, 216-A-24 Crib Excavation, Excavated Contamination Adjacent to 216-A-24 Crib, UN-200-E-56, UN-216-E-33	200E	200-PW-3	200-E Ponds Zone	PRC
UPR-200-E-58	UPR-200-E-58, Contaminated Tumbleweeds found on dirt road, UN-200-E-58	200E	200-UR-1	Solid Waste Zone	PRC
UPR-200-E-59	UPR-200-E-59, Contaminated Bird Nests and Mud at 216-A-40 and 244-AR Vault, UN-200-E-59	200E	200-CW-1		PRC
UPR-200-E-6	UPR-200-E-6, UN-200-E-6, Contamination Around the 241-B-153 Diversion Box	200E	200-BP-7		TOC
UPR-200-E-60	UPR-200-E-60, UN-216-E-60, Radioactively Contaminated Dirt Spill, UN-200-E-60	200E	200-UR-1		PRC
UPR-200-E-61	UPR-200-E-61, Radioactive Contamination from Railroad Burial Cars, UN-216-E-61, UN-200-E-61	200E	200-SW-2		PRC
UPR-200-E-62	UPR-200-E-62, Transportation Spill near 200-E Burning Ground, UN-216-E-62, UN-200-E-62,	200E	200-UR-1	Solid Waste Zone	PRC
UPR-200-E-63	UPR-200-E-63, Radioactively Contaminated Tumbleweeds, UN-216-E-63, UN-200-E-63	200E	200-UR-1		PRC
UPR-200-E-64	UPR-200-E-64, Radioactive Soil and Ant Hills, UN-200-E-64, UN-216-E-36	200E	200-PW-2	B Plant Zone	PRC
UPR-200-E-65	UPR-200-E-65, UN-216-E-65, 241-A-151 Diversion Box Radioactive Contamination, UN-200-E-65	200E	200-IS-1		TOC
UPR-200-E-66	UPR-200-E-66, 216-A-42 Basin Contamination Release, UN-216-E-66, UN-200-E-66	200E	200-CW-1	PUREX Zone	PRC
UPR-200-E-67	UPR-200-E-67, UN-216-E-67, Excavation of Radioactively Contaminated Pipe Encasement (V004, V005, V006, V007, V008) UN-200-E-67	200E	200-IS-1	WTP/A Farm Zone	TOC
UPR-200-E-68	UPR-200-E-68, Radioactive Contamination Spread, UN-216-E-68, UN-200-E-68	200E	200-PO-3		PRC
UPR-200-E-69	UPR-200-E-69, UN-216-E-69, Railroad Car Flush Water Radioactive Spill, UN-200-E-69	200E	200-UR-1	B Plant Zone	PRC
UPR-200-E-7	UPR-200-E-7, UN-200-E-7, Cave-In Near 216-B-9 (241-B-361 Crib)	200E	200-TW-2	B Plant Zone	PRC
UPR-200-E-70	UPR-200-E-70, Radioactive Contamination from Jumper Removal, UPR-216-E-70, UN-200-E-70	200E	200-PO-3		PRC
UPR-200-E-72	UPR-200-E-72, Radioactive Contamination from Uncovered Buried Waste, UN-200-E-72	200E	200-PO-3	C Farm Zone	PRC
UPR-200-E-73	UPR-200-E-73, UN-216-E-1, 241-B-151 Diversion Box Contamination, UN-200-E-73	200E	200-BP-7		TOC
UPR-200-E-74	UPR-200-E-74, UN-216-E-2, 241-B-152 Diversion Box Contamination, UN-200-E-74	200E	200-BP-7		TOC
UPR-200-E-75	UPR-200-E-75, UN-216-E-3, 241-B-153 Diversion Box Contamination, UN-200-E-75	200E	200-BP-7		TOC
UPR-200-E-76	UPR-200-E-76, UN-216-E-4, 241-B-152 Pipeline Break, UN-200-E-76	200E	200-BP-7		TOC
UPR-200-E-77	UPR-200-E-77, UN-216-E-5, 241-B-154 Diversion Box Ground Contamination, UN-200-E-77	200E	200-IS-1	B Plant Zone	TOC
UPR-200-E-78	UPR-200-E-78, UN-216-E-6, 241-BX-155 Diversion Box ground contamination, UN-200-E-78	200E	200-IS-1	Solid Waste Zone	TOC
UPR-200-E-79	UPR-200-E-79, UN-216-E-7, 242-B to 207-B Line Break, UN-200-E-79	200E	200-UR-1	B Farm Zone	PRC
UPR-200-E-80	UPR-200-E-80, UN-216-E-8, 221-B R-3 Line Break, R-3 Radiation Zone, UN-200-E-80	200E	200-IS-1	B Plant Zone	PRC
UPR-200-E-81	UPR-200-E-81, UN-216-E-9, 241-CR-151 Line Break, UN-200-E-81	200E	200-PO-3		TOC
UPR-200-E-82	UPR-200-E-82, UN-216-E-10, 241-C-152 Line Break, UN-200-E-82, B Plant Ion Exchange Feed Line Leak	200E	200-PO-3		TOC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
UPR-200-E-83	UPR-200-E-83, UN-216-E-11, BC Cribs Controlled Area, BC Controlled Area, UN-200-E-83	200E	200-UR-1	ERDF Zone, NRDWL/BC Control Zone	PRC
UPR-200-E-84	UPR-200-E-84,241-ER-151 Catch Tank Leak, UN-200-E-84, UN-216-E-12	200E	200-IS-1	B Plant Zone	PRC
UPR-200-E-85	UPR-200-E-85, Line Leak at 221-B Stairwell R-13, UN-216-E-13, UPR-200-E-41, UN-200-E-85, UN-200-E-41	200E	200-IS-1	B Plant Zone	PRC
UPR-200-E-86	UPR-200-E-86, UN-216-E-14, 241-C Tank Farm Line Break, Southwest Corner, UN-200-E-86	200E	200-PO-3		TOC
UPR-200-E-87	UPR-200-E-87, UN-216-E-15, 224-B South Side Plutonium Ground Contamination, UN-200-E-87, 216-E-15	200E	200-IS-1	B Plant Zone	PRC
UPR-200-E-88	UPR-200-E-88, TC-4 Spur Contaminated Railroad Track, UN-216-E-88, UN-216-E-16, UN-200-E-88. Ground Contamination Around the Western Purex Railroad Spur	200E	200-UR-1	200-E Admin Zone	PRC
UPR-200-E-89	UPR-200-E-89, UN-216-E-17, UN-200-E-89, Contamination Migration to the North, East & West of BX-BY Tank Farms	200E	200-UR-1	B Farm Zone	PRC
UPR-200-E-9	UPR-200-E-9, Liquid Overflow at 216-BY-201, UN-200-E-9	200E	200-TW-1	B Farm Zone	PRC
UPR-200-E-90	UPR-200-E-90, UN-216-E-18, Ground Contamination around B Plant Sand Filter, UN-216-E-90, Radioactive Spill Near 221-B Building, UN-200-E-90	200E	200-UR-1		PRC
UPR-200-E-91	UPR-200-E-91, UN-216-E-19, UN-200-E-91	200E	200-PO-3	WTP/A Farm Zone	PRC
UPR-200-E-92	UPR-200-E-92, 216-E-20, UN-216-E-20, UN-216-20, Ground Contamination Outside 200 East Fence, UN-200-E-92, UN-216-E-92	200E	200-UR-1		PRC
UPR-200-E-93	UPR-200-E-93, UN-216-E-21 Ground contamination along 200 East Area fence	200E	200-UR-1		PRC
UPR-200-E-94	UPR-200-E-94, Vehicle Decontamination Area, UN-216-E-22, UN-200-E-94	200E	200-CW-1		PRC
UPR-200-E-95	UPR-200-E-95, UN-216-E-23, UN-200-E-95, Ground Contamination Around RR Spur Between 218-E-2A and 218-E-2	200E	200-SW-2	Solid Waste Zone	PRC
UPR-200-E-96	UPR-200-E-96, Ground Contamination SE of PUREX, UN-216-E-24, UN-200-E-96	200E	200-IS-1	PUREX Zone	PRC
UPR-200-E-97	UPR-200-E-97, Ground Contamination Around Cribs South of PUREX , Contamination Near PUREX Railroad Tunnel, UN-216-E-25, UN-200-E-97	200E	200-UR-1		PRC
UPR-200-E-98	UPR-200-E-98, UN-216-E-26, Ground Contamination East of C Plant (Hot Semi Works), UN-200-E-98	200E	200-UR-1	Semi-Works Zone	PRC
UPR-200-E-99	UPR-200-E-99, UN-216-E-27, Contamination Adjacent to 244-CR Vault, UN-200-E-99	200E	200-PO-3	C Farm Zone	TOC
UPR-200-N-1	UPR-200-N-1, Unplanned Release at the 212-R Railroad Spur	600	200-UR-1	200-E Ponds Zone	PRC
UPR-200-N-2	UPR-200-N-2, 200-N-2, Unplanned Release near Well Pumphouse No. 2, Well Pumphouse East of 212-R	600	200-UR-1	200-E Ponds Zone	PRC
UPR-200-W-10	UPR-200-W-10, UN-200-W-10, Contamination Spread at 203-S UNH Tanks	200W	200-UR-1		PRC
UPR-200-W-10	UPR-200-W-100, UN-216-W-8, 105-TX to 118-TX Process Line Leak, UN-200-W-100	200W	200-TP-5		TOC
UPR-200-W-10	UPR-200-W-101, UN-216-W-9, 221-U Acid Spill R-1 through R-9, UN-200-W-101	200W	200-UR-1	U Plant Zone	PRC
UPR-200-W-10	UPR-200-W-102, UN-216-W-12, UN-200-W-102, 224-T Underground Line Leak	200W	200-IS-1	T Plant Zone	PRC
UPR-200-W-10	UPR-200-W-103, 216-Z-18 Line Break, UN-216-W-13, UN-200-W-103, Pipe Line Leak	200W	200-PW-1	PFP Zone	PRC
UPR-200-W-10	UPR-200-W-104, UN-216-W-14, 216-U-10 Pond Leach Trench, U Pond Fingers	200W	200-CW-5		PRC
UPR-200-W-10	UPR-200-W-105, UN-216-W-15, 216-U-10 Pond Leach Trench	200W	200-CW-5		PRC
UPR-200-W-10	UPR-200-W-106, UN-216-W-16, 216-U-10 Pond Leach Trench	200W	200-CW-5		PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
UPR-200-W-10	UPR-200-W-107, UN-216-W-17, 216-U-10 Pond Flood Plain	200W	200-CW-5		PRC
UPR-200-W-10	UPR-200-W-108, Line leak at 216-S-9 Crib, UN-216-W-18, UN-200-W-108	200W	200-PW-5	S/U Farm Zone	PRC
UPR-200-W-10	UPR-200-W-109, Waste Line Leak near 218-W-9, UN-216-W-19, UN-200-W-109	200W	200-PW-5	REDOX Zone	PRC
UPR-200-W-11	UPR-200-W-111, 218-W-1 Burial Ground Fire, UN-200-W-11, UPR-200-W-16	200W	200-SW-2		PRC
UPR-200-W-11	UPR-200-W-110, Contaminated Soil from 216-Z-1, UN-216-W-20 Spoil Trench	200W	200-PW-1	PFP Zone	PRC
UPR-200-W-11	UPR-200-W-111, Sludge Trench at 207-U, UN-216-W-21	200W	200-CW-5	T Plant Zone	PRC
UPR-200-W-11	UPR-200-W-112, Sludge Trench at 207-U, UN-216-W-22	200W	200-CW-5	T Plant Zone	PRC
UPR-200-W-11	UPR-200-W-113, Soil Contamination East of 241-TX, UN-216-W-23, Contamination Areas Around 241-TX-155 Diversion Box, UN-200-W-113	200W	200-IS-1	T Farm Zone, T Plant Zone	TOC
UPR-200-W-11	UPR-200-W-114, UN-216-W-24, Ground Contamination East of 241-SX Tank Farm, UN-200-W-114	200W	200-IS-1	REDOX Zone	PRC
UPR-200-W-11	UPR-200-W-115, UN-216-W-25, Ground Contamination above Transfer Line Along Cooper Street	200W	200-IS-1	S/U Farm Zone	PRC
UPR-200-W-11	UPR-200-W-116, UN-216-W-26, Ground Contamination North of 202-S, UN-200-W-116	200W	200-UR-1	REDOX Zone	PRC
UPR-200-W-11	UPR-200-W-117, Railroad Track Contamination, 221-U Railroad Cut Contamination, UN-216-W-27, UN-200-W-117	200W	200-UW-1	U Plant Zone	PRC
UPR-200-W-11	UPR-200-W-118, Contamination at 211-U, UN-216-W-28, UN-200-W-118	200W	200-UW-1	U Plant Zone	PRC
UPR-200-W-12	UPR-200-W-12, Ground Contamination near 242-T	200W	200-TP-5		PRC
UPR-200-W-12	UPR-200-W-123, 204-S Unloading Facility Frozen Discharge Line, UN-200-W-123	200W	200-UR-1	REDOX Zone	PRC
UPR-200-W-12	UPR-200-W-124, Dike Break at the REDOX Pond, UN-200-W-124	200W	200-CW-2	200-W Ponds Zone	PRC
UPR-200-W-12	UPR-200-W-125, 216-U-15, UN-200-W-125, UN-216-W-10	200W	200-PW-3		PRC
UPR-200-W-12	UPR-200-W-126, Contamination Release inside 241-TX Tank Farm	200W	200-TP-5		TOC
UPR-200-W-12	UPR-200-W-127, Liquid Release from 242-S Evaporator to the Ground, UN-200-W-127	200W	200-UR-1		TOC
UPR-200-W-12	UPR-200-W-128, Contamination Release inside 241-U Tank Farm	200W	200-UP-3		TOC
UPR-200-W-12	UPR-200-W-129, Contamination Release Inside 241-TX Tank Farm	200W	200-TP-5		TOC
UPR-200-W-13	UPR-200-W-13, Liquid Release from REDOX to 207-S and 216-S-17 Pond, UN-200-W-13	200W	200-CW-2		PRC
UPR-200-W-13	UPR-200-W-130, Line Leak at 231-W-151 Sump, UN-200-W-130	200W	200-PW-6	PFP Zone	PRC
UPR-200-W-13	UPR-200-W-131, Release from 241-TX-155	200W	200-IS-1	T Farm Zone	TOC
UPR-200-W-13	UPR-200-W-132, UN-200-W-132, 241-UR-151 Diversion Box Release	200W	200-UP-3		TOC
UPR-200-W-13	UPR-200-W-134, Improper Drum Burial at 218-W-3A	200W	200-SW-2		PRC
UPR-200-W-13	UPR-200-W-135, Release from 241-TX-155, UN-200-W-135	200W	200-IS-1	T Farm Zone	TOC
UPR-200-W-13	UPR-200-W-137, 218-W-7, UN-200-W-137	200W	200-SW-2		PRC
UPR-200-W-13	UPR-200-W-138, 221-U Vessel Vent Blower Pit French Drain, UN-216-W-11, UN-200-W-138, UN-200-W-22, UPR-200-W-22	200W	200-MW-1	U Plant Zone	PRC
UPR-200-W-13	UPR-200-W-139, Liquid Release to the 216-U-9 Ditch, UN-200-W-139, UPR-200-W-18	200W	200-CW-5		PRC
UPR-200-W-14	UPR-200-W-14, Waste Line Leak at 242-T Evaporator, UN-200-W-14	200W	200-UR-1	T Farm Zone	PRC
UPR-200-W-14	UPR-200-W-140, 241-SX-107 Leak	200W	200-RO-4		TOC
UPR-200-W-14	UPR-200-W-141, 241-SX-108 Leak	200W	200-RO-4		TOC
UPR-200-W-14	UPR-200-W-142, 241-SX-109 Leak	200W	200-RO-4		TOC
UPR-200-W-14	UPR-200-W-143, 241-SX-111 Leak	200W	200-RO-4		TOC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
UPR-200-W-14	UPR-200-W-144, 241-SX-112 Leak	200W	200-RO-4		TOC
UPR-200-W-14	UPR-200-W-145, 241-SX-113 Leak	200W	200-RO-4		TOC
UPR-200-W-14	UPR-200-W-146, 241-SX-115 Leak	200W	200-RO-4		TOC
UPR-200-W-14	UPR-200-W-147, 241-T-103 Leak	200W	200-TP-6		TOC
UPR-200-W-14	UPR-200-W-148, 241-T-106 Leak	200W	200-TP-6		TOC
UPR-200-W-14	UPR-200-W-149, 241-TX-107 Leak	200W	200-TP-5		TOC
UPR-200-W-15	UPR-200-W-15, Liquid Release from REDOX to 207-S and 216-S-17 Pond, UN-200-W-15	200W	200-CW-2		PRC
UPR-200-W-15	UPR-200-W-150, 241-TY-103 Leak	200W	200-TP-5		TOC
UPR-200-W-15	UPR-200-W-151, 241-TY-104 Leak	200W	200-TP-5		TOC
UPR-200-W-15	UPR-200-W-152, 241-TY-105 Leak	200W	200-TP-5		TOC
UPR-200-W-15	UPR-200-W-153, 241-TY-106 Leak	200W	200-TP-5		TOC
UPR-200-W-15	UPR-200-W-154, 241-U-101 Leak	200W	200-UP-3		TOC
UPR-200-W-15	UPR-200-W-155, 241-U-104 Leak	200W	200-UP-3		TOC
UPR-200-W-15	UPR-200-W-156, 241-U-110 Leak	200W	200-UP-3		TOC
UPR-200-W-15	UPR-200-W-157, 241-U-112 Leak	200W	200-UP-3		TOC
UPR-200-W-15	UPR-200-W-159, Caustic Spill at Plutonium Finishing Plant, UN-200-W-159	200W	200-UR-1	PPF Zone	PRC
UPR-200-W-16	UPR-200-W-16, Fire at 218-W-1 Burial Ground	200W	200-SW-2		PRC
UPR-200-W-16	UPR-200-W-160, Line Break at 241-TX-302C, UPR-200-W-38, UPR-200-W-40, 216-T-30	200W	200-IS-1		PRC
UPR-200-W-16	UPR-200-W-161, UN-216-W-35, UN-200-W-161, Large Area east of 241-U Tank Farm	200W	200-IS-1	S/U Farm Zone, T Plant Zone	PRC
UPR-200-W-16	UPR-200-W-162, Contaminated Area on East Side of 221-U, UN-216-W-37	200W	200-UR-1	U Plant Zone	PRC
UPR-200-W-16	UPR-200-W-163, Contaminated Vegetation at the 216-U-8 Pipeline (200-W-42), UN-216-W-33	200W	200-UW-1		PRC
UPR-200-W-16	UPR-200-W-164, Overhead UNH Line Leak, UN-216-W-29	200W	200-IS-1	S/U Farm Zone	PRC
UPR-200-W-16	UPR-200-W-165, Contamination Area East of 241-S, UN-216-W-30	200W	200-UR-1	S/U Farm Zone	PRC
UPR-200-W-16	UPR-200-W-166, Contamination Migration from 241-T Tank Farm, UN-216-W-31	200W	200-UR-1	T Farm Zone	PRC
UPR-200-W-16	UPR-200-W-167, Contamination Migration from 241-TY, UN-216-W-32	200W	200-IS-1	T Farm Zone	TOC
UPR-200-W-17	UPR-200-W-17, UN-200-W-17, Contamination Spread form 241-TX-106 Pump Removal	200W	200-TP-5		TOC
UPR-200-W-18	UPR-200-W-18, Liquid Release to 216-U-9	200W	200-CW-5		PRC
UPR-200-W-19	UPR-200-W-19, 241-U-361 Overflow, UN-200-W-19	200W	200-UW-1	T Plant Zone, U Plant Zone	PRC
UPR-200-W-2	UPR-200-W-2, UN-200-W-2, Underground Waste Line Leak	200W	200-IS-1	T Plant Zone	PRC
UPR-200-W-20	UPR-200-W-20, UN-200-W-20, Spread of Contamination from a Diversion Box	200W	200-IS-1	S/U Farm Zone	TOC
UPR-200-W-21	UPR-200-W-21, UN-200-W-21, UN-216-W-36, Process Line Cave-in at 241-TX-154 Diversion Box	200W	200-IS-1	T Plant Zone	TOC
UPR-200-W-23	UPR-200-W-23, Waste Box Fire at 234-5Z, UN-200-W-23	200W	200-UR-1	PPF Zone	PRC
UPR-200-W-24	UPR-200-W-24, Release from the 244-UR Vault, UN-200-W-24	200W	200-UP-3		TOC
UPR-200-W-26	UPR-200-W-26, Contamination Spread During Burial Operation	200W	200-SW-2		PRC
UPR-200-W-27	UPR-200-W-27, Transfer Line Leak at 23rd and Camden, UN-200-W-27, UN-216-W-5, Duplicate of UPR-200-W-29	200W	200-IS-1		PRC
UPR-200-W-28	UPR-200-W-28, Release from 241-TX-155 Diversion Box, UN-200-W-28	200W	200-IS-1	T Farm Zone	TOC
UPR-200-W-29	UPR-200-W-29, Transfer Line Leak, UN-200-W-29, UPR-200-W-27, UN-200-W-27, UN-216-W-5, 23rd and Camden Line Break	200W	200-IS-1	T Farm Zone	PRC
UPR-200-W-3	UPR-200-W-3, Railroad Contamination, UN-200-W-3	200W	200-UR-1	T Plant Zone	PRC
UPR-200-W-30	UPR-200-W-30, 216-S-12, UN-200-W-30	200W	200-MW-1		PRC
UPR-200-W-32	UPR-200-W-32, UNH Transfer Line Break, UN-200-W-32	200W	200-IS-1	REDOX Zone	PRC
UPR-200-W-33	UPR-200-W-33, Ground Contamination at 224-U, UN-200-W-33	200W	200-UW-1	U Plant Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
UPR-200-W-34	UPR-200-W-34, Overflow of the 216-S-10 Ditch, UN-200-W-34	200W	200-CS-1		PRC
UPR-200-W-35	UPR-200-W-35, Ground Contamination Near UNH Process Line, UN-200-W-35, REDOX to 224-U UNH Line Leak	200W	200-IS-1	REDOX Zone	PRC
UPR-200-W-36	UPR-200-W-36, Groundwater Contamination at 216-S-1 and 216-S-2	200W	200-PW-2	REDOX Zone	PRC
UPR-200-W-37	UPR-200-W-37, Contaminated Boxes Found in a Burn Pit (Z Plant Burn Pit)	200W	200-SW-1		PRC
UPR-200-W-38	UPR-200-W-38, Line Break at 241-TX-302C, UPR-200-W-160, UPR-200-W-40, UN-200-W-38, 216-T-30	200W	200-IS-1	T Plant Zone	PRC
UPR-200-W-39	UPR-200-W-39, UN-200-W-39, 224-U Buried Contamination Trench	200W	200-UR-1	U Plant Zone	PRC
UPR-200-W-4	UPR-200-W-4, Railroad Contamination, UN-200-W-4	200W	200-UR-1	T Plant Zone	PRC
UPR-200-W-40	UPR-200-W-40, Line Break near 241-TX-154, UPR-200-W-38, UPR-200-W-160, 216-T-30, UN-200-W-40,	200W	200-IS-1		PRC
UPR-200-W-41	UPR-200-W-41, Railroad Contamination, UN-200-W-41, REDOX Railroad Cut Contamination	200W	200-UR-1	REDOX Zone	PRC
UPR-200-W-42	UPR-200-W-42, Contamination found at 2706-S, UN-200-W-42	200W	200-UR-1		PRC
UPR-200-W-43	UPR-200-W-43, Contaminated Blacktop East of 233-S, UN-200-W-43	200W	200-UR-1	REDOX Zone	PRC
UPR-200-W-44	UPR-200-W-44, Railroad Track Contamination, UN-200-W-44	200W	200-UR-1	S/U Farm Zone, T Plant Zone, U Plant Zone	PRC
UPR-200-W-45	UPR-200-W-45, Burial Box Collapse	200W	200-SW-2	WM Zone	PRC
UPR-200-W-46	UPR-200-W-46, Contaminated Railroad Track, H-2 Centrifuge Burial, UN-200-W-46	200W	200-UR-1	REDOX Zone	PRC
UPR-200-W-47	UPR-200-W-47, 216-S-16P Dike Release, UN-200-W-47	200W	200-CW-2		PRC
UPR-200-W-48	UPR-200-W-48, Contaminated Railroad Track near 221-U, UN-200-W-48	200W	200-UW-1	T Plant Zone, U Plant Zone	PRC
UPR-200-W-49	UPR-200-W-49, Contamination Southeast of 241-SX, UN-200-W-49	200W	200-IS-1		PRC
UPR-200-W-5	UPR-200-W-5, Overflow at 241-TX-155, UN-200-W-5	200W	200-IS-1	T Farm Zone	TOC
UPR-200-W-50	UPR-200-W-50, UN-200-W-50, Contamination Spread from 241-SX-114	200W	200-RO-4		TOC
UPR-200-W-51	UPR-200-W-51, Release from 241-S Diversion Box, UN-200-W-51, UPR-200-W-52	200W	200-UR-1	S/U Farm Zone	PRC
UPR-200-W-52	UPR-200-W-52, Release from 241-S Diversion Box, UN-200-W-52	200W	200-UR-1		PRC
UPR-200-W-53	UPR-200-W-53, Burial Box Collapse	200W	200-SW-2		PRC
UPR-200-W-55	UPR-200-W-55, Uranium Powder Spill at 224-U, UN-200-W-55	200W	200-UW-1	U Plant Zone	PRC
UPR-200-W-56	UPR-200-W-56, Contamination at the REDOX Column Carrier Trench, UN-200-W-56	200W	200-UR-1	REDOX Zone	PRC
UPR-200-W-57	UPR-200-W-57, UPR-200-E-120 (error in area number assignment), UN-200-W-57, 233-S Fire	200W	200-UR-1	REDOX Zone	PRC
UPR-200-W-58	UPR-200-W-58, Railroad Track Contamination, UN-200-W-58	200W	200-UR-1	T Plant Zone, WM Zone	PRC
UPR-200-W-59	UPR-200-W-59, Contaminated Liquid Released to 216-S-16P	200W	200-CW-2		PRC
UPR-200-W-6	UPR-200-W-6, UN-200-W-6, Contamination Spread from 241-U-151 and 241-U-152 Diversion Boxes	200W	200-IS-1	S/U Farm Zone	TOC
UPR-200-W-60	UPR-200-W-60, Railroad Contamination, UN-200-W-60	200W	200-UW-1	U Plant Zone	PRC
UPR-200-W-61	UPR-200-W-61, REDOX Ground Contamination, UN-200-W-61	200W	200-UR-1	REDOX Zone	PRC
UPR-200-W-62	UPR-200-W-62, UN-200-W-62, Line Leak at 23rd and Camden, UN-216-W-5, Duplicate of UPR-200-W-97	200W	200-TP-6		PRC
UPR-200-W-63	UPR-200-W-63, Road Contamination along the South Shoulder of 23rd Street, UN-200-W-63	200W	200-SW-2	T Farm Zone, T Plant Zone	PRC
UPR-200-W-64	UPR-200-W-64, Road Contamination at 23rd and Camden, UN-200-W-64	200W	200-IS-1	T Farm Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
UPR-200-W-65	UPR-200-W-65, Contamination in the T-Plant Railroad Cut, UN-200-W-65	200W	200-UR-1	T Plant Zone	PRC
UPR-200-W-67	UPR-200-W-67, Contamination near 2706-T, UN-200-W-67	200W	200-UR-1	T Plant Zone	PRC
UPR-200-W-68	UPR-200-W-68, Road Contamination, UN-200-W-68	200W	200-UR-1	200-W Ponds Zone	PRC
UPR-200-W-69	UPR-200-W-69, Railroad Contamination, UN-200-W-69	200W	200-UR-1	REDOX Zone	PRC
UPR-200-W-7	UPR-200-W-7, Contamination Spread from the 241-T-151 and 241-T-152 Diversion Boxes, UN-200-W-7	200W	200-TP-6		TOC
UPR-200-W-70	UPR-200-W-70, Contamination Found at the 200 West Burning Ground East of Beloit Ave.	200W	200-SW-1	T Plant Zone	PRC
UPR-200-W-71	UPR-200-W-71, UN-200-W-71, Contamination Spread along 16th Street	200W	200-UR-1	200-W Ponds Zone, PFP Zone, S/U Farm Zone, WM Zone	PRC
UPR-200-W-72	UPR-200-W-72, Contamination at 218-W-4A	200W	200-SW-2		PRC
UPR-200-W-73	UPR-200-W-73, Contaminated Railroad Track at 221-T, UN-200-W-73	200W	200-UR-1	T Plant Zone	PRC
UPR-200-W-74	UPR-200-W-74, Overground Line Leak at 241-Z, UN-200-W-74	200W	200-UR-1		PRC
UPR-200-W-75	UPR-200-W-75, Contamination Spread at 241-Z, UN-200-W-75	200W	200-UR-1		PRC
UPR-200-W-76	UPR-200-W-76, UN-200-W-76, Contamination Found at 241-TX-155	200W	200-IS-1	T Farm Zone	TOC
UPR-200-W-77	UPR-200-W-77, Contaminated Coyote Feces, UN-200-W-77	200W	200-UR-1		PRC
UPR-200-W-78	UPR-200-W-78, UO3 Powder Spill at 224-U, UN-200-W-78	200W	200-UW-1	U Plant Zone	PRC
UPR-200-W-79	UPR-200-W-79, Contamination Spread at 241-Z, UN-200-W-79	200W	200-IS-1		PRC
UPR-200-W-8	UPR-200-W-8, UN-200-W-8, 200-W-5, Old Burial/Burning Pit, U-Plant Burning Pit/Burial Ground	200W	200-UW-1	U Plant Zone	PRC
UPR-200-W-80	UPR-200-W-80, UN-200-W-80, 241-S/SX Contamination Migration	200W	200-RO-4		TOC
UPR-200-W-81	UPR-200-W-81, UN-200-W-81, Contamination Specks in 241-S/SX	200W	200-RO-4		TOC
UPR-200-W-82	UPR-200-W-82, UN-200-W-82, Contamination Spread at 240-S-151	200W	200-RO-4	REDOX Zone	PRC
UPR-200-W-83	UPR-200-W-83, Radioactive Spill Near 204-S Radiation Zone, UN-216-W-82, UN-200-W-83	200W	200-UR-1		PRC
UPR-200-W-84	UPR-200-W-84, Ground Contamination During Burial Operation at 218-W-3A	200W	200-SW-2		PRC
UPR-200-W-85	UPR-200-W-85, Radioactive Spill from Multipurpose Transfer Box, UN-216-W-85, UN-200-W-85	200W	200-UR-1	T Plant Zone	PRC
UPR-200-W-86	UPR-200-W-86, Contaminated Pigeon Feces at 221-U and 204-S, UN-200-W-86, UN-216-W-86	200W	200-UR-1	REDOX Zone	PRC
UPR-200-W-87	UPR-200-W-87, UN-216-W-87, Radioactive Spill from 219-S Filter Housing, UN-200-W-87	200W	200-UR-1	REDOX Zone	TOC
UPR-200-W-88	UPR-200-W-88, Radioactive Spill from Uranyl Nitrate (UNH) Trailer, UN-216-W-88, UN-200-W-88	200W	200-UR-1		PRC
UPR-200-W-89	UPR-200-W-89, Radioactive Contamination Southwest of 236-Z Building, UN-216-W-89, UN-200-W-89	200W	200-UR-1		PRC
UPR-200-W-90	UPR-200-W-90, Radioactive Contamination South of 236-Z Building, UN-216-N-90, UN-200-W-90	200W	200-UR-1		PRC
UPR-200-W-91	UPR-200-W-91, Radioactive Contamination near 234-5Z Building, UN-216-W-91, UN-200-W-91	200W	200-UR-1	PFP Zone	PRC
UPR-200-W-95	UPR-200-W-95, UN-216-W-2, 207-S Retention Basin	200W	200-CW-2		PRC
UPR-200-W-96	UPR-200-W-96, UN-216-W-4, 233-S Floor Overflow, 233-SA Floor Overflow	200W	200-UR-1	REDOX Zone	PRC
UPR-200-W-97	UPR-200-W-97, Transfer Line Leak, UN-216-W-5, UN-200-W-97	200W	200-IS-1	T Farm Zone	PRC
UPR-200-W-98	UPR-200-W-98, UN-216-W-6, 221-T Waste Line Break at R-19, UN-200-W-98	200W	200-IS-1	T Plant Zone	PRC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
UPR-200-W-99	UPR-200-W-99, UN-216-W-7, 241-153-TX Diversion Box Contamination Spread, UN-200-W-99	200W	200-UR-1	T Farm Zone	PRC
UPR-3000-1	UPR-3000-1, UN-3000-1, Release from the Physical Science Laboratory	3000	1100-EM-3		PRC
UPR-300-1	UPR-300-1, 316-1A, 307-340 Waste Line Leak, UN-300-1	300	300-FF-2		RCCC
UPR-300-10	UPR-300-10, Contamination Under 325 Bldg., UN-300-10	300	300-FF-2		RCCC
UPR-300-11	UPR-300-11, Underground Radioactive Liquid Line Leak, UN-300-11	300	300-FF-2		RCCC
UPR-300-12	UPR-300-12, UN-300-12, Contaminated Soil Beneath the 325 Building	300	300-FF-2		RCCC
UPR-300-13	UPR-300-13, UN-300-13, Acid Neutralization Tank Leak East of 333 Building	300	300-FF-2		RCCC
UPR-300-14	UPR-300-14, UN-300-14, Acid Leak at 334 Tank Farm	300	300-FF-2		RCCC
UPR-300-15	UPR-300-15, Uranium Bearing Acid Release from 313 to the Process Sewer	300	300-FF-1		RCCC
UPR-300-17	UPR-300-17, UN-300-17, Metal Shavings Fire	300	300-FF-2		RCCC
UPR-300-18	UPR-300-18, UN-300-18, Release at 321 Tank Farms	300	300-FF-2		RCCC
UPR-300-19	UPR-300-19, Chemical Release to the Process Sewer	300	300-FF-1		RCCC
UPR-300-2	UPR-300-2, Releases at the 340 Facility, UN-300-2, UN-316-2	300	300-FF-2		RCCC
UPR-300-20	UPR-300-20, Acid Release to the Process Sewer	300	300-FF-1		RCCC
UPR-300-21	UPR-300-21, Nitric Acid Release to the Process Sewer	300	300-FF-1		RCCC
UPR-300-22	UPR-300-22, Acid Release to the Process Sewer	300	300-FF-1		RCCC
UPR-300-23	UPR-300-23, Acid Release to the Process Sewer	300	300-FF-1		RCCC
UPR-300-24	UPR-300-24, Acid Release to the Process Sewer	300	300-FF-1		RCCC
UPR-300-25	UPR-300-25, Release to the Process Sewer	300	300-FF-1		RCCC
UPR-300-26	UPR-300-26, Caustic Release to the Process Sewer	300	300-FF-1		RCCC
UPR-300-27	UPR-300-27, Acid Release to the Process Sewer	300	300-FF-1		RCCC
UPR-300-28	UPR-300-28, Release to the Process Sewer	300	300-FF-1		RCCC
UPR-300-29	UPR-300-29, Release to the Process Sewer	300	300-FF-1		RCCC
UPR-300-30	UPR-300-30, Acid Release to the Process Sewer	300	300-FF-1		RCCC
UPR-300-31	UPR-300-31, UN-300-31	300	300-FF-2		RCCC
UPR-300-32	UPR-300-32, Acid Leaks at the 333 Building	300	300-FF-1		RCCC
UPR-300-33	UPR-300-33, Waste Leak at the 333 Building	300	300-FF-1		RCCC
UPR-300-34	UPR-300-34, Release to the Process Pond	300	300-FF-1		RCCC
UPR-300-35	UPR-300-35, Leak at the 333 Building	300	300-FF-1		RCCC
UPR-300-36	UPR-300-36, Acid Leak at the 333 Building	300	300-FF-1		RCCC
UPR-300-37	UPR-300-37, 333 Building Leaks	300	300-FF-1		RCCC
UPR-300-38	UPR-300-38, Soil Contamination Beneath the 313 Building	300	300-FF-2		RCCC
UPR-300-39	UPR-300-39, UN-300-39, Sodium Hydroxide Leak at 311 Tank Farm	300	300-FF-2		RCCC
UPR-300-4	UPR-300-4, UN-300-4, Contaminated Soil Beneath the 321 Building	300	300-FF-2		RCCC
UPR-300-40	UPR-300-40, Acid Release at the 303-F Pipe Trench, UN-300-40, UPR-300-31, UN-300-31	300	300-FF-2		RCCC
UPR-300-41	UPR-300-41, 300 Area #340 Building Phosphoric Acid Spill, UN-300-41	300	300-FF-2		RCCC
UPR-300-42	UPR-300-42, 300 Area Powerhouse Fuel Oil Spill, UN-300-42	300	300-FF-2		RCCC
UPR-300-43	UPR-300-43, 300 Area Solvent Refined Coal Spill, UN-300-43	300	300-FF-2		RCCC
UPR-300-44	UPR-300-44, 313 Building, Uranium Bearing Waste Etch-Acid Spill, UN-300-44	300	300-FF-2		RCCC
UPR-300-45	UPR-300-45, 303-F Building Uranium-Bearing Acid Spill, UN-300-45	300	300-FF-2		RCCC
UPR-300-46	UPR-300-46, Contamination North of 333 Building	300	300-FF-2		RCCC
UPR-300-47	UPR-300-47, 309 Building, Ethylene Glycol Release, Glycol Spill from the 309, Chiller System	300	300-FF-1		RCCC
UPR-300-48	UPR-300-48, 325 Building Basement Topsy Pit	300	300-FF-2		RCCC
UPR-300-5	UPR-300-5, UN-300-5, Spill at 309 Storage Basin	300	300-FF-2		RCCC
UPR-300-7	UPR-300-7, UN-300-7, Oil Spill at 384 Building	300	300-FF-2		RCCC

**ATTACHMENT J-14  
 HANFORD WASTE SITE ASSIGNMENT LIST**

Site Code	Site Names	Designated Area	Operable Unit	Geographical Zone	Post-Transition Contractor
UPR-300-8	UPR-300-8, Caustic Spill from 311 Tank Farm to Process Sewer	300	300-FF-1		RCCC
UPR-300-9	UPR-300-9, Nitric Acid Leak from 306-W to the Process Sewer	300	300-FF-1		RCCC
UPR-300-FF-1	UPR-300-FF-1, 300-FF-1 Hot Spots, Surface Radiation Survey for 300-FF-1, UN-300-FF-1,	300	300-FF-1		RCCC
UPR-400-1	UPR-400-1, 400 Area Coolant Spill, UN-400-1	400	300-FF-2		PRC
UPR-600-1	UPR-600-1, Contamination Spread at 618-10 Burial Ground, UN-600-1	600	300-FF-2		RCCC
UPR-600-10	UPR-600-10, Contamination Spread at 618-11	600	300-FF-2		RCCC
UPR-600-11	UPR-600-11, Contaminated Soil Dumped at JA Jones Pit #1	600	100-IU-6		RCCC
UPR-600-12	UPR-600-12, UN-600-12, UNH Spill to Route 4S	600	200-UR-1	NRDWL/BC Control Zone	PRC
UPR-600-15	UPR-600-15, UN-600-15, Contaminated Material found at 618-4	600	300-FF-1		RCCC