

Please Fax forms to Tammie Gilley at EnviroIssues Hanford Project Office
(509) 942-1926

Document Request Form Dated May 26, 2016

| HAB Document Request Form | | Send by e-mail | Copy at meeting |
|----------------------------------|---|-------------------|--------------------|
| Name: | | Phone: | |
| E-mail Address: | | Fax: | |
| CORRESPONDENCE | | | |
| | | | |
| | | | |
| 270 | Letter to Kevin Smith, Bill Johnson, Stacy Charboneau, Michael Schlender, Peggy McCullough, John Sax, John Ciucci, & Mark Lindholm from Suzanne Dahl dated 5/18/16 re: Transmittal of Ecology's Legal Copy of the Hanford Facility RCRA Permit, Dangerous Waste Portion, Revision 8C, for the treatment, Storage, and Disposal of Dangerous Waste | | |
| 269 | Letter to Kevin Smith & Mark Lindholm from Jared Mathey dated 5/23/16 re: Dangerous Waste Compliance Inspection on September 23, 2015 at the 242-A Evaporator | | |
| 268 | Letter to Alex Smith from Kevin Smith dated 5/19/16 re: Ecology's Response Comments on RPP-RPT-58858, Tier 1 Closure Plan – Single-Shell Tank System | | |
| 267 | TPA Memo – Extension at the Project Manager Level for the TPA Dispute Regarding Disapproval of Change Control Form M-45-15-03 to Modify Interim Milestone M-045-82 | | |
| 266 | Letter to Alex Smith from Ray Corey dated 5/19/16 re: RCRA Groundwater Quarterly Report for July through September 2015 | | |
| 265 | Letter to Kevin Smith, Bill Johnson, Stacy Charboneau, Michael Schlender, Peggy McCullough, John Sax, John Ciucci, & Mark Lindholm from Suzanne Dahl dated 5/18/16 re: Final Permit Modification of the Hanford Facility RCRA Permit, Dangerous Waste Portion, Revision 8C, for the treatment, Storage, and Disposal of Dangerous Waste | | |
| 264 | Letter to Alex Smith from Ray Corey dated 5/18/16 re: Interim Status Groundwater Monitoring Plan for LLBG WMA-1 | | |
| 263 | Letter to Kevin Smith & Mark Lindholm from Cheryl Whalen dated 5/18/16 re: Status Report on Annulus Continuous Air Monitors in the Double-Shell Tank System | | |
| 262 | Letter to Stacy Charboneau & John Ciucci from Edward Holbrook dated 5/16/16 re: Dangerous Waste Compliance Inspection on March 12, 2016 at PUREX Plant Storage Tunnels | | |
| 261 | Letter to Ray Corey from John Price dated 5/18/16 re: TPA Change Control Form, Change Number M-91-16-01 | | |
| 260 | Letter to Kevin Smith & Mark Lindholm from Alex Smith dated 5/11/16 re: Ecology's Response to Letter for the Self-Contained Breathing Apparatus Stop Work Safety Issue, 241-AY-102 Settlement Agreement | | |
| 259 | Letter to Kevin Smith & Mark Lindholm from Nancy Ware dated 5/11/16 re: Dangerous Waste Compliance Inspection on September 22, 2015 of the 222-S Dangerous & Mixed Waste Storage Areas | | |
| 258 | Letter to Stacy Charboneau & John Ciucci from Edward Holbrook dated 5/11/16 re: Dangerous Waste Compliance Inspection on March 24, 2016 for the 241-CX Tank System | | |
| 257 | Letter to Kevin Smith & Mark Lindholm from Cheryl Whalen dated 5/16/16 re: Groundwater Monitoring Requirements for 200 West Area Single-Shell Tank Farms Final Status Groundwater Monitoring Plan | | |
| 256 | Letter to Kevin Smith & Mark Lindholm from Edward Holbrook dated 5/13/16 re: Dangerous Waste Compliance Inspection on July 28, 2015 of the Single-Shell Tank System – Generator Activity | | |
| 255 | Letter to Stacy Charboneau & John Ciucci from Suzanne Dahl dated 5/12/16 re: Completeness Determination for the Hanford Facility Dangerous Waste Part B | | |

Please Fax forms to Tammie Gilley at EnviroIssues Hanford Project Office
(509) 942-1926

| | | | |
|-----|---|--|--|
| | Permit Application; Low-Level Burial Grounds Trenches 31-34-94, T Plant Complex | | |
| 254 | Letter to Kevin Smith & Mark Lindholm from Cheryl Whalen dated 5/11/16 re: Groundwater Monitoring Requirements for the 200 East Are Single-Shell Tank Farms Final Status Groundwater Monitoring Plan | | |
| 253 | Letter to Kevin Smith, Bill Johnson, Stacy Charboneau, Michael Schlender, Peggy McCullough, John Sax, John Ciucci, & Mark Lindholm from Suzanne Dahl dated 5/9/16 re: Proposed Class 3 Permit Modification of the Hanford Facility RCRA Permit, Dangerous Waste Portion, Revision 8C, for the treatment, Storage, and Disposal of Dangerous Waste | | |
| 252 | Letter to Stacy Charboneau & John Ciucci from Suzanne Dahl dated 5/5/16 re: Dangerous Waste Compliance Inspection on August 19, 2014 at B Plant Complex | | |
| 251 | Letter to Alex Smith from Ray Corey dated 5/5/16 re: Post-Closure Corrective Action Groundwater Monitoring Report for the 300 Area Process Trenches | | |
| 250 | Letter to Stacy Charboneau & John Ciucci from Suzanne Dahl dated 5/5/16 re: Solid Waste Complex Closure Plans | | |
| 249 | Letter to Alex Smith from Ray Corey dated 5/4/16 re: Change Control Form M-91-16-01 for Approval & Completion of TPA Milestone M-091-47B | | |
| 248 | Letter to Dennis Faulk & Alex Smith from Mark French dated 5/3/16 re: Explanation of Significant Differences #2 for the Hanford Site 300 Area ROD for the 330-FF-2 & 300-FF-5 ROD Amendment for 300-FF-1 | | |
| 247 | Letter to Alex Smith from Stacy Charboneau dated 5/4/16 re: Submittal of Permit Modification Request & Closure Plan for 276-BA Organic Storage | | |
| 246 | Letter to Alex Smith from Ray Corey dated 5/4/16 re: WMA C October through December 2015 Quarterly Groundwater Monitoring Report | | |
| 245 | Letter to Alex Smith from Stacy Charboneau dated 5/3/16 re: Dangerous Waste Compliance Inspection on March 12, 2015 at the PUREX Plant & Storage Tunnels | | |
| 244 | Letter to Kevin Smith & Peggy McCullough from Suzanne Dahl dated 5/2/16 re: Approval of 24590-WTP-PCN-ENV-14-002 Class 1 Modification to the Hanford Facility RCRA Permit, Dangerous Waste Portion, Revision 8C, for the treatment, Storage, and Disposal of Dangerous Waste | | |
| 243 | Letter to Ray Corey from Ron Skinnarland dated 5/2/16 re: T Plant Complex Dangerous Waste Management Units 211-T Pad & 271-T Cage Closure Plan Comments | | |
| 242 | Letter to Ray Corey from Deborah Singleton dated 5/2/16 re: Comments on the Groundwater Monitoring Plan for Solid Waste Landfill | | |
| 241 | Letter to Alex Smith from Kevin Smith dated 4/29/16 re: Request for Extension in Response to Ecology's Comments on RPP-RPT-58339 – RCRA Facility Investigation Report for Waste Management Area C | | |
| 240 | Letter to Michael Cline from Cheryl Whalen dated 4/27/16 re: Ecology's Response to the draft Evaluation of 200 West Pump & Treat on Groundwater Monitoring for the Trenches 31 & 34 | | |
| 239 | Letter to Stacy Charboneau from Suzanne Dahl dated 4/29/16 re: Ecology's Response to Letter – "Response to Ecology's Request for a Revised & Certified Dangerous Waste Permit Application Part A form for the 207-A South Retention Basin | | |
| 238 | Letter to Stacy Charboneau & John Ciucci from Suzanne Dahl dated 4/27/16 re: Completeness Determination & Technical Review for the Closure Plan & Part A Submitted for the 207-A South Retention Basins Dangerous Waste Management Units | | |
| 237 | Letter to Dennis Faulk & Alexandra Smith from Ray Corey dated 4/25/16 re: Annual Performance Report for the 200-DV-1 Operable Unit Perched Water Extraction, FY 2015 | | |
| 236 | Letter to Dennis Faulk & Alexandra Smith from Ray Corey dated 4/25/16 re: Aquifer Treatability Test Report for the 200-BP-5 Groundwater Operable Unit | | |

Please Fax forms to Tammie Gilley at EnviroIssues Hanford Project Office
(509) 942-1926

| | | | |
|-----|--|--|--|
| 235 | Letter to Dennis Faulk & Alexandra Smith from Ray Corey dated 4/25/16 re: Completion of TPA Milestone M-024-581 for Calendar Year 2016 | | |
| 234 | Letter to Tom Tebb & Dennis Faulk from Ray Corey dated 4/14/16 re: Calendar Year 2015 Hanford Site Mixed Waste Land Disposal Restrictions Summary Report | | |
| 233 | Letter to Alexandra Smith from Ray Corey dated 4/21/16 re: Initiation of Dispute Resolution Regarding Disapproval of TPA Change Control Form M-89-01 | | |
| 232 | Letter to Ray Corey from John Price dated 4/21/16 re: TPA Change Control Form, Change Number M-89-16-01 | | |
| 231 | Letter to Stacy Charboneau, John Ciucci, Kevin Smith, & Mark Lindholm from Jared Mathey dated 4/21/16 re: Dangerous Waste Compliance Inspection on June 25, 2015 at Liquid Effluent Retention Facility & Effluent Treatment Facility | | |
| 230 | Letter to Alexandra Smith from Ray Corey dated 4/21/16 re: Post-Closure Corrective Action Groundwater Monitoring Report for the 183-H Solar Evaporation Basins | | |
| 229 | Letter to Dennis Faulk & Alexandra Smith from Ray Corey dated 4/21/16 re: Waste Management Plan for the 200-UP-1 Groundwater Operable Unit | | |
| 228 | Letter to Shannon Ortiz from Melinda Brown dated 4/15/16 re: Completion of 2016 Hanford Lifecycle Scope, Schedule & Cost Report – TPA Milestone M-036-01-F | | |
| 227 | Letter to Tom Tebb from Ray Corey dated 4/14/16 re: Remedial Investigation/Feasibility Study & RCRA Facility Investigation/Corrective Measures Study Work Plan for the 200-DV-1 Operable Unit | | |
| 226 | Letter to Stacy Charboneau from Ron Skinnarland dated 4/13/16 re: Determination on Revision to DOE-RL-99-24, Rev 3 Surveillance & Maintenance Building for the 221-B Facility (B Plant) | | |
| 225 | Letter to Kevin Smith from Jeffery Lyon dated 4/11/16 re: Ecology's Response Comments for the Tier 1 Plan Single-Shell Tank System | | |
| 224 | Letter to Stacy Charboneau & John Ciucci from Suzanne Dahl dated 4/11/16 re: Schedule for Completion of Consent Agreement & Final Order & Agreed Order & Stipulated Penalty Required Closure Plan & Dates for Closure | | |
| 223 | Letter to Tom Tebb from Ray Corey dated 4/7/16 re: WMA C July through September 2015 Quarterly Groundwater Monitoring Report | | |
| 222 | Letter to Tom Tebb from Ray Corey dated 4/7/16 re: Completion of the 280 Cubic Meter Portion of TPA Milestone M-091-47B | | |
| 221 | Letter to Tom Tebb from Stacy Charboneau & John Ciucci dated 4/7/16 re: Closure Certificate for the FS-1 Outdoor Container Storage Area | | |
| 220 | Letter to Stacy Charboneau & John Ciucci from Edward Holbrook dated 4/6/16 re: Dangerous Waste Compliance Inspection on March 14, 2016 at Hexone Storage & Treatment Facility | | |
| 219 | Letter to Michael Cline from Nina Menard dated 4/5/16 re: Ecology's Response to Groundwater Sampling & Analysis Plan for the 200-BP-5 Groundwater Operable Unit | | |
| 218 | Letter to Stacy Charboneau & Bill Johnson from Edward Holbrook dated 4/4/16 re: Dangerous Waste Compliance Inspection on November 17, 2015, at Centralized Consolidation Recycling Center RCRA | | |
| 217 | Letter to Tom Tebb from Ray Corey dated 3/30/16 re: Request for Extension for Comment Response and Plan for Document Update: Proposed Plan for the Remediation of the 100-NR-1 & 100-NR-2 Operable Units | | |
| 216 | Letter to Ray Corey from Nina Menard dated 3/31/16 re: Ecology's Additional Extension for the Comment Response and Plan for Document Update on the Proposed Plan for the Remediation of the 100-NR-1 & 100-NR-2 Operable Units | | |
| 215 | Letter to Tom Tebb from Ray Corey dated 3/29/16 re: 200-SW-2 Radioactive Landfills Group Operable Unit RCRA Facility Investigation/Corrective Measures Study/Remedial Investigation/Feasibility Study Work Plan | | |
| 214 | Letter to Kevin Smith from Jeff Lyon dated 3/29/16 re: Additional Extension of | | |

Please Fax forms to Tammie Gilley at EnviroIssues Hanford Project Office
 (509) 942-1926

| | | | |
|-----------------------------------|--|----------------|-------------------|
| | Ecology's Comment Review Period for the Tier 1 Closure Plan Single-Shell Tank System | | |
| 213 | Letter to Tom Tebb from Ray Corey dated 3/28/16 re: Completion of TPA Milestone M-016-161 | | |
| 212 | Letter to Stacy Charboneau from John Price dated 3/24/16 re: Response to Submittal of the Hanford Facility Non-Compliance Report for Calendar Year 2015 | | |
| 211 | TPA Memo – dated 3/30/16 re: Extension of Project Manager Level for the TPA Dispute Regarding Disapproval of Change Control Form M-62-14-02 | | |
| 210 | TPA Memo – dated 3/30/16 re: Extension of Project Manager Level for the TPA Dispute Regarding Disapproval of Change Control Form M-90-15-01 | | |
| 209 | TPA Memo – dated 3/24/16 re: Extension of Project Manager Level for the TPA Dispute Regarding Disapproval of Change Control Form M-45-15-03 | | |
| 208 | TPA Memo – dated 3/30/16 re: Extension of Project Manager Level for the TPA Dispute Regarding Disapproval of Change Control Form M-47-15-01 | | |
| 207 | TPA Interagency Management Integration Team Decision/Determination/Action Assignment – dated 4/5/16 re: Extension of TPA Dispute on the Disapproval of Change Control Form M-45-15-01, Interim Milestone M-045-92 Installation of Barriers | | |
| | | | |
| Correspondence of Interest | | Send by Fax | Send by E-Mail |
| | | | |
| | | | |
| | | | |