

Clarification & Guidance
DOE-0342 Chronic Beryllium Disease Prevention Procedure

Proposed Reviewed Rejected Accepted Approved for Use Procedure Updated Complete N/A

ID Number: **Title/Subject: Tracking of Beryllium Exposure Data (Revision to Section 6.25)**

Initiated by: Jason Zaccaria **Company:** AMH **Date:** 11/10/2010 **Ph #:** 376-4122

Issue/Concern/Affected Step(s):

Be CAP F-3.3: "The revision to the CBDPP concerning the interface between AMH and the contractors as part of the process in F-3.1". F-3.1: "Develop and implement a process to ensure data required by 10 CFR 850.39 and 10 CFR 850.34 is received, reviewed, and managed by AMH pending the development of the Hanford Site-Wide IH database".

Discussion:

Recommended Resolution:

Remove the following two sentences listed in the "Existing" section of this form with the wording in the "New" section. All other language in Section 6.25 will remain the same.

Existing:

Section 6.25 "Copies of all personal monitoring data reports are transmitted to the SOMD and are included in the worker's medical folder. These reports include a description of the work being conducted, respiratory protection worn, and monitoring results".

New:

"Copies of all personal monitoring data reports are transmitted to the SOMC to be included in the worker's medical folder and tracked for data analysis. Reports are to include: full name of the worker (not a nickname), HID of worker, contractor, prime contractor if contractor is a sub, sample date, sample location, sample id number, sample result, calculated TWA and whether or not respiratory protection was worn. AMH will return all reports that cannot be positively matched to a workers medical record to the contractor designated point-of-contact.

Monthly, AMH will report to the contractor CBDPP representative if no beryllium personal monitoring data reports were received. AMH will report monthly to the CBDPP committee which contractors submitted beryllium personal monitoring data reports. Quarterly, AMH will report to DOE-RL/DOE-ORP, CBDPP (including HAMTC and the BAG) on the status of beryllium workplace monitoring submittals and/or the lack of submittals."

Clarification **Guidance** :

Resolution Completion Plan/Summary:

Remarks:

CBDPP ON TRI - Assessment

Clarification & Guidance
DOE-0342 Chronic Beryllium Disease Prevention Procedure

Proposed
 Reviewed
 Rejected
 Accepted
 Approved for Use
 Procedure Updated Complete N/A

ID Number: _____ **Title/Subject:** Tracking of Beryllium Exposure Data (Revision to Section 6.25)

Status:

Reviewed	Committee Chair	<u>Scott Seydel</u>	Date	<u>11/11/10</u>
Rejected	Committee Chair	<u>N/A</u>	Date	<u>—</u>
Accepted	Committee Chair	<u>Scott Seydel</u>	Date	<u>11/11/10</u>
Concurrence	DOE-RL	<u>Pete J. Harris Jr.</u>	Date	<u>11/15/10</u>
Concurrence	DOE-ORP	<u>W. E. O.</u>	Date	<u>15 NOV 10</u>
Approved For Use	Committee Chair	_____	Date	_____
DOE-0342 Updated	Committee Chair	_____	Date	_____