

**Clarification & Guidance
DOE-0342 Chronic Beryllium Disease Prevention Procedure**

Proposed
 Reviewed
 Rejected
 Accepted
 Approved for Use
 Procedure Updated Complete N/A

ID Number: **Title/Subject:** DOE-0342 editorial correction, Cover Signatures and Attachments.

Initiated by: RD Gilmore **Company:** MSA **Date:** 06/15/2010 **Ph #:** 372-9551

Issue/Concern/Affected Step(s): Miscellaneous corrections are warranted to the document, specifically included are: (1) revised Attachment 2 (Beryllium Facility Assessment Form) and (2) revised Attachment 3 (Hanford Beryllium Work Permit).

Discussion: Editorial corrections are recommended at the time of the 2010 annual review of the document.

Recommended Resolution:

Update document as described above.

Existing: Note May 14, 2009 issue of the Hanford CBDPP dated May 14, 2009.

Clarification **Guidance** :

Resolution Completion Plan/Summary:

Remarks:

Status:

Reviewed	Committee Chair	<u>Scott Seydel</u>	Date	<u>7/14/10</u>
Rejected	Committee Chair	_____	Date	_____
Accepted	Committee Chair	<u>Scott Seydel</u>	Date	<u>7/14/10</u>
Concurrence	DOE-RL	<u>STUB</u>	Date	<u>7/26/10</u>
Concurrence	DOE-ORP	<u>WON</u>	Date	<u>15 JUL 10</u>
Approved For Use	Committee Chair	<u>Scott Seydel</u>	Date	<u>7/14/10</u>
DOE-0342 Updated	Committee Chair	<u>Scott Seydel</u>	Date	<u>7/14/10</u>