

Please print or type in the unshaded areas only  
 (fill-in areas are spaced for elite type, i.e. 12 character/inch).

FORM <b>3</b>	<b>DANGEROUS WASTE PERMIT APPLICATION</b>	I. EPA/STATE I.D. NUMBER <table border="1" style="width:100%; text-align: center; border-collapse: collapse;"> <tr> <td>W</td><td>A</td><td>7</td><td>8</td><td>9</td><td>0</td><td>0</td><td>0</td><td>8</td><td>9</td><td>6</td><td>7</td> </tr> </table>	W	A	7	8	9	0	0	0	8	9	6	7
W	A	7	8	9	0	0	0	8	9	6	7			

FOR OFFICIAL USE ONLY		
APPLICATION APPROVED	DATE RECEIVED <i>(mo., day, &amp; yr.)</i>	COMMENTS
		Approved 03/19/01

**II. FIRST OR REVISED APPLICATION**

Place an "X" in the appropriate box in A or B below (mark one box only) to indicate whether this is the first application you are submitting for your facility or a revised application. If this is your first application and you already know your facility's EPA/STATE I.D. Number, or if this is a revised application, enter your facility's EPA/STATE I.D. Number in Section I above.

<b>A. FIRST APPLICATION</b> (place an "X" below and provide the appropriate date)													
<input type="checkbox"/> 1. EXISTING FACILITY <i>(See instructions for definition of "existing" facility. Complete Item below.)</i>  <table border="1" style="display: inline-table; margin-right: 20px;"> <tr><td style="width: 30px;">MO.</td><td style="width: 30px;">DAY</td><td style="width: 30px;">YEAR</td></tr> <tr><td style="text-align: center;">03</td><td style="text-align: center;">22</td><td style="text-align: center;">1943</td></tr> </table> <p style="font-size: 0.8em;">*FOR EXISTING FACILITIES, PROVIDE THE DATE (mo., day, &amp; yr.) OPERATION BEGAN OR THE DATE CONSTRUCTION COMMENCED (use the boxes to the left)                  *The date construction of the Hanford Facility commenced.</p>	MO.	DAY	YEAR	03	22	1943	<input type="checkbox"/> 2. NEW FACILITY <i>(Complete item below)</i>  <table border="1" style="display: inline-table; margin-right: 20px;"> <tr><td style="width: 30px;">MO.</td><td style="width: 30px;">DAY</td><td style="width: 30px;">YEAR</td></tr> <tr><td style="height: 20px;"></td><td style="height: 20px;"></td><td style="height: 20px;"></td></tr> </table> <p style="font-size: 0.8em;">FOR NEW FACILITIES, PROVIDE THE DATE, (mo., day, &amp; yr.) OPERATION BEGAN OR IS EXPECTED TO BEGIN</p>	MO.	DAY	YEAR			
MO.	DAY	YEAR											
03	22	1943											
MO.	DAY	YEAR											
<b>B. REVISED APPLICATION</b> (place an "X" below and complete Section I above)													
<input checked="" type="checkbox"/> 1. FACILITY HAS AN INTERIM STATUS PERMIT	<input checked="" type="checkbox"/> 2. FACILITY HAS A FINAL PERMIT												

**III. PROCESS - CODES AND CAPACITIES**

**A. PROCESS CODE** - Enter the code from the list of process codes below that best describes each process to be used at the facility. Ten lines are provided for entering codes. If more lines are needed, enter the code(s) in the space provided. If a process will be used that is not included in the list of codes below, then describe the process (including its design capacity) in the space provided on the (Section III-C).

**B. PROCESS DESIGN CAPACITY** - For each code entered in column A enter the capacity of the process.

1. AMOUNT - Enter the amount.

2. UNIT OF MEASURE - For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the units of measure that are listed below should be used.

PROCESS	PRO-CESS CODE	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY	PROCESS	PRO-CESS CODE	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY
<b>Storage:</b>			<b>Treatment:</b>		
CONTAINER (barrel, drum, etc.)	S01	GALLONS OR LITERS	TANK	T01	GALLONS PER DAY OR LITERS PER DAY
TANK	S02	GALLONS OR LITERS	SURFACE IMPOUNDMENT	T02	GALLONS PER DAY OR LITERS PER DAY
WASTE PILE	S03	CUBIC YARDS OR CUBIC METERS			
SURFACE IMPOUNDMENT	S04	GALLONS OR LITERS	INCINERATOR	T03	TONS PER HOUR OR METRIC TONS PER HOUR; GALLONS PER HOUR OR LITERS PER HOUR
<b>Disposal:</b>			OTHER (Use for physical, chemical, thermal or biological treatment processes not occurring in tanks, surface impoundments or incinerators. Describe the processes in the space provided: Section III-C.)	T04	GALLONS PER DAY OR LITERS PER DAY
INJECTION WELL	D80	GALLONS OR LITERS			
LANDFILL	D81	ACRE-FEET <i>(the volume that would cover one acre to a depth of one foot)</i> OR HECTARE-METER			
LAND APPLICATION	D82	ACRES OR HECTARES			
OCEAN DISPOSAL	D83	GALLONS PER DAY OR LITERS PER DAY			
SURFACE IMPOUNDMENT	D84	GALLONS OR LITERS			
UNIT OF MEASURE	UNIT OF MEASURE CODE	UNIT OF MEASURE	UNIT OF MEASURE CODE	UNIT OF MEASURE	UNIT OF MEASURE CODE
GALLONS	G	LITERS PER DAY	V	ACRE-FEET	A
LITERS	L	TONS PER HOUR	D	HECTARE-METER	F
CUBIC YARDS	Y	METRIC TONS PER HOUR	W	ACRES	B
CUBIC METERS	C	GALLONS PER HOUR	E	HECTARES	Q
GALLONS PER DAY	U	LITERS PER HOUR	H		

EXAMPLE FOR COMPLETING SECTION III (shown in line numbers X-1 and X-2 below): A facility has two storage tanks; one tank can hold 200 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons per hour.

A. PROCESS	B. PROCESS DESIGN CAPACITY
------------	----------------------------

LINE NUMBER	CODE (from list above)	1. AMOUNT (specify)	2. UNIT OF MEASURE (enter code)	FOR OFFICIAL USE ONLY			
X-1	S02	600	G				
X-2	T03	20	E				
1	S02	37,200	L				
2	T01	780	V				
3	S01	28,470	L				
4							
5							
6							
7							
8							
9							
10							

C. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESS (CODE "T04"). FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY.

The 222-S Laboratory Complex is located in the 200 West Area of the Hanford Facility and began waste management operations in June of 1951. The 222-S Laboratory Complex consists of four waste management units: 219-S Waste Handling Facility, 222-S Dangerous and Mixed Waste Storage Area, and Rooms 2-B and 4-E.

The maximum design capacity for tank storage (S02) is 37,200 liters, tank treatment (T01) is 780 liters per day, and for container storage (S01) is 28,470 liters.

**IV. DESCRIPTION OF DANGEROUS WASTES**

**A. DANGEROUS WASTE NUMBER** - Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describe the characteristics and/or the toxic contaminants of those dangerous wastes.

**B. ESTIMATED ANNUAL QUANTITY** - For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.

**C. UNIT OF MEASURE** - For each quantity entered in column B enter the unit of measure code. Units of measurer which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE CODE		METRIC UNIT OF MEASURE CODE	
POUNDS	P	KILOGRAMS	K
TONS	T	METRIC TONS	M

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

**D. PROCESSES**

**1. PROCESS CODES:**

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

**2. PROCESS DESCRIPTION:** If a code is not listed for a process that will be used, describe the process in the space provided on the form.

**NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER** - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

- Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns B, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "Included with above" and make no other entries on that line.
- Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

**EXAMPLE FOR COMPLETING SECTION IV** (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

LINE NO.	A. DANGEROUS WASTE NO. (enter code)	B. ESTIMATED ANNUAL QUANTITY OF WASTE	C. UNIT OF MEASURE (enter code)	D. PROCESSES				
				1. PROCESS CODES (enter)			2. PROCESS DESCRIPTION (if a code is not entered in D(1))	
X-1	K054	900	P	T03	D80			
X-2	D002	400	P	T03	D80			
X-3	D001	100	P	T03	D80			
X-4	D002			T03	D80			included with above
1	D001	283,955	K	S02	T01			Storage - Tank/Treatment - Tank
2	D002		↓	↓	↓			↓
3	D003		↓	↓	↓			↓
4	D004		↓	↓	↓			↓
5	D005		↓	↓	↓			↓
6	D006		↓	↓	↓			↓
7	D007		↓	↓	↓			↓
8	D008		↓	↓	↓			↓
9	D009		↓	↓	↓			↓
10	D010		↓	↓	↓			↓
11	D011		↓	↓	↓			↓
12	D018		↓	↓	↓			↓

13	D019		↓	↓	↓				↓
14	D022		↓	↓	↓				↓
15	D028		↓	↓	↓				↓
16	D029		↓	↓	↓				↓
17	D030		↓	↓	↓				↓
18	D033		↓	↓	↓				↓
19	D034		↓	↓	↓				↓
20	D035		↓	↓	↓				↓
21	D036		↓	↓	↓				↓
22	D038		↓	↓	↓				↓
23	D039		↓	↓	↓				↓
24	D040		↓	↓	↓				↓
25	D041		↓	↓	↓				↓
26	D043		↓	↓	↓				↓
27	WP01		↓	↓	↓				↓
28	WP02		↓	↓	↓				↓
29	WT01		↓	↓	↓				↓
30	WT02		↓	↓	↓				↓
31	F001		↓	↓	↓				↓
32	F002		↓	↓	↓				↓
33	F003		↓	↓	↓				↓
34	F004		↓	↓	↓				↓
35	F005		↓	↓	↓				↓
36	F039		↓	↓	↓				Included with above.
37	D001	48,840	K	S01					Storage - Container
38	D002		↓	↓					↓
39	D003		↓	↓					↓
40	D004		↓	↓					↓
41	D005		↓	↓					↓
42	D006		↓	↓					↓
43	D007		↓	↓					↓
44	D008		↓	↓					↓
45	D009		↓	↓					↓
46	D010		↓	↓					↓
47	D011		↓	↓					↓
48	D012		↓	↓					↓
49	D013		↓	↓					↓
50	D014		↓	↓					↓
51	D015		↓	↓					↓
52	D016		↓	↓					↓
53	D017		↓	↓					↓
54	D018		↓	↓					↓
55	D019		↓	↓					↓
56	D020		↓	↓					↓
57	D021		↓	↓					↓
58	D022		↓	↓					↓
59	D023		↓	↓					↓
60	D024		↓	↓					↓
61	D025		↓	↓					↓
62	D026		↓	↓					↓
63	D027		↓	↓					↓
64	D028		↓	↓					↓
65	D029		↓	↓					↓

66	D030		↓	↓					↓
67	D031		↓	↓					↓
68	D032		↓	↓					↓
69	D033		↓	↓					↓
70	D034		↓	↓					↓
71	D035		↓	↓					↓
72	D036		↓	↓					↓
73	D037		↓	↓					↓
74	D038		↓	↓					↓
75	D039		↓	↓					↓
76	D040		↓	↓					↓
77	D041		↓	↓					↓
78	D042		↓	↓					↓
79	D043		↓	↓					↓
80	WT01		↓	↓					↓
81	WT02		↓	↓					↓
82	WP01		↓	↓					↓
83	WP02		↓	↓					↓
84	WP03		↓	↓					↓
85	W001		↓	↓					↓
86	WSC2		↓	↓					↓
87	F001		↓	↓					↓
88	F002		↓	↓					↓
89	F003		↓	↓					↓
90	F004		↓	↓					↓
91	F005		↓	↓					↓
92	F006		↓	↓					↓
93	F007		↓	↓					↓
94	F008		↓	↓					↓
95	F009		↓	↓					↓
96	F010		↓	↓					↓
97	F011		↓	↓					↓
98	F012		↓	↓					↓
99	F019		↓	↓					↓
100	F020		↓	↓					↓
101	F021		↓	↓					↓
102	F022		↓	↓					↓
103	F023		↓	↓					↓
104	F026		↓	↓					↓
105	F027		↓	↓					↓
106	F028		↓	↓					↓
107	F039		↓	↓					↓
108	U001		↓	↓					↓
109	U002		↓	↓					↓
110	U003		↓	↓					↓
111	U004		↓	↓					↓
112	U005		↓	↓					↓
113	U006		↓	↓					↓
114	U007		↓	↓					↓
115	U008		↓	↓					↓
116	U009		↓	↓					↓
117	U010		↓	↓					↓
118	U011		↓	↓					↓

119	U012		↓	↓					↓
120	U014		↓	↓					↓
121	U015		↓	↓					↓
122	U016		↓	↓					↓
123	U017		↓	↓					↓
124	U018		↓	↓					↓
125	U019		↓	↓					↓
126	U020		↓	↓					↓
127	U021		↓	↓					↓
128	U022		↓	↓					↓
129	U023		↓	↓					↓
130	U024		↓	↓					↓
131	U025		↓	↓					↓
132	U026		↓	↓					↓
133	U027		↓	↓					↓
134	U028		↓	↓					↓
135	U029		↓	↓					↓
136	U030		↓	↓					↓
137	U031		↓	↓					↓
138	U032		↓	↓					↓
139	U033		↓	↓					↓
140	U034		↓	↓					↓
141	U035		↓	↓					↓
142	U036		↓	↓					↓
143	U037		↓	↓					↓
144	U038		↓	↓					↓
145	U039		↓	↓					↓
146	U041		↓	↓					↓
147	U042		↓	↓					↓
148	U043		↓	↓					↓
149	U044		↓	↓					↓
150	U045		↓	↓					↓
151	U046		↓	↓					↓
152	U047		↓	↓					↓
153	U048		↓	↓					↓
154	U049		↓	↓					↓
155	U050		↓	↓					↓
156	U051		↓	↓					↓
157	U052		↓	↓					↓
158	U053		↓	↓					↓
159	U055		↓	↓					↓
160	U056		↓	↓					↓
161	U057		↓	↓					↓
162	U058		↓	↓					↓
163	U059		↓	↓					↓
164	U060		↓	↓					↓
165	U061		↓	↓					↓
166	U062		↓	↓					↓
167	U063		↓	↓					↓
168	U064		↓	↓					↓
169	U066		↓	↓					↓
170	U067		↓	↓					↓
171	U068		↓	↓					↓

172	U069		↓	↓					↓
173	U070		↓	↓					↓
174	U071		↓	↓					↓
175	U072		↓	↓					↓
176	U073		↓	↓					↓
177	U074		↓	↓					↓
178	U075		↓	↓					↓
179	U076		↓	↓					↓
180	U077		↓	↓					↓
181	U078		↓	↓					↓
182	U079		↓	↓					↓
183	U080		↓	↓					↓
184	U081		↓	↓					↓
185	U082		↓	↓					↓
186	U083		↓	↓					↓
187	U084		↓	↓					↓
188	U085		↓	↓					↓
189	U086		↓	↓					↓
190	U087		↓	↓					↓
191	U088		↓	↓					↓
192	U089		↓	↓					↓
193	U090		↓	↓					↓
194	U091		↓	↓					↓
195	U092		↓	↓					↓
196	U093		↓	↓					↓
197	U094		↓	↓					↓
198	U095		↓	↓					↓
199	U096		↓	↓					↓
200	U097		↓	↓					↓
201	U098		↓	↓					↓
202	U099		↓	↓					↓
203	U101		↓	↓					↓
204	U102		↓	↓					↓
205	U103		↓	↓					↓
206	U105		↓	↓					↓
207	U106		↓	↓					↓
208	U107		↓	↓					↓
209	U108		↓	↓					↓
210	U109		↓	↓					↓
211	U110		↓	↓					↓
212	U111		↓	↓					↓
213	U112		↓	↓					↓
214	U113		↓	↓					↓
215	U114		↓	↓					↓
216	U115		↓	↓					↓
217	U116		↓	↓					↓
218	U117		↓	↓					↓
219	U118		↓	↓					↓
220	U119		↓	↓					↓
221	U120		↓	↓					↓
222	U121		↓	↓					↓
223	U122		↓	↓					↓
224	U123		↓	↓					↓

225	U124		↓	↓					↓
226	U125		↓	↓					↓
227	U126		↓	↓					↓
228	U127		↓	↓					↓
229	U128		↓	↓					↓
230	U129		↓	↓					↓
231	U130		↓	↓					↓
232	U131		↓	↓					↓
233	U132		↓	↓					↓
234	U133		↓	↓					↓
235	U134		↓	↓					↓
236	U135		↓	↓					↓
237	U136		↓	↓					↓
238	U137		↓	↓					↓
239	U138		↓	↓					↓
240	U140		↓	↓					↓
241	U141		↓	↓					↓
242	U142		↓	↓					↓
243	U143		↓	↓					↓
244	U144		↓	↓					↓
245	U145		↓	↓					↓
246	U146		↓	↓					↓
247	U147		↓	↓					↓
248	U148		↓	↓					↓
249	U149		↓	↓					↓
250	U150		↓	↓					↓
251	U151		↓	↓					↓
252	U152		↓	↓					↓
253	U153		↓	↓					↓
254	U154		↓	↓					↓
255	U155		↓	↓					↓
256	U156		↓	↓					↓
257	U157		↓	↓					↓
258	U158		↓	↓					↓
259	U159		↓	↓					↓
260	U160		↓	↓					↓
261	U161		↓	↓					↓
262	U162		↓	↓					↓
263	U163		↓	↓					↓
264	U164		↓	↓					↓
265	U165		↓	↓					↓
266	U166		↓	↓					↓
267	U167		↓	↓					↓
268	U168		↓	↓					↓
269	U169		↓	↓					↓
270	U170		↓	↓					↓
271	U171		↓	↓					↓
272	U172		↓	↓					↓
273	U173		↓	↓					↓
274	U174		↓	↓					↓
275	U176		↓	↓					↓
276	U177		↓	↓					↓
277	U178		↓	↓					↓

278	U179		↓	↓					↓
279	U180		↓	↓					↓
280	U181		↓	↓					↓
281	U182		↓	↓					↓
282	U183		↓	↓					↓
283	U184		↓	↓					↓
284	U185		↓	↓					↓
285	U186		↓	↓					↓
286	U187		↓	↓					↓
287	U188		↓	↓					↓
288	U189		↓	↓					↓
289	U190		↓	↓					↓
290	U191		↓	↓					↓
291	U192		↓	↓					↓
292	U193		↓	↓					↓
293	U194		↓	↓					↓
294	U196		↓	↓					↓
295	U200		↓	↓					↓
296	U201		↓	↓					↓
297	U202		↓	↓					↓
298	U203		↓	↓					↓
299	U204		↓	↓					↓
300	U205		↓	↓					↓
301	U206		↓	↓					↓
302	U207		↓	↓					↓
303	U208		↓	↓					↓
304	U209		↓	↓					↓
305	U210		↓	↓					↓
306	U211		↓	↓					↓
307	U212		↓	↓					↓
308	U213		↓	↓					↓
309	U214		↓	↓					↓
310	U215		↓	↓					↓
311	U216		↓	↓					↓
312	U217		↓	↓					↓
313	U218		↓	↓					↓
314	U219		↓	↓					↓
315	U220		↓	↓					↓
316	U221		↓	↓					↓
317	U222		↓	↓					↓
318	U223		↓	↓					↓
319	U225		↓	↓					↓
320	U226		↓	↓					↓
321	U227		↓	↓					↓
322	U228		↓	↓					↓
323	U234		↓	↓					↓
324	U235		↓	↓					↓
325	U236		↓	↓					↓
326	U237		↓	↓					↓
327	U238		↓	↓					↓
328	U239		↓	↓					↓
329	U240		↓	↓					↓
330	U243		↓	↓					↓

331	U244		↓	↓					↓
332	U246		↓	↓					↓
333	U247		↓	↓					↓
334	U248		↓	↓					↓
335	U249		↓	↓					↓
336	U271		↓	↓					↓
337	U278		↓	↓					↓
338	U279		↓	↓					↓
339	U280		↓	↓					↓
340	U328		↓	↓					↓
341	U353		↓	↓					↓
342	U359		↓	↓					↓
343	U364		↓	↓					↓
344	U367		↓	↓					↓
345	U372		↓	↓					↓
346	U373		↓	↓					↓
347	U387		↓	↓					↓
348	U389		↓	↓					↓
349	U394		↓	↓					↓
350	U395		↓	↓					↓
351	U404		↓	↓					↓
352	U409		↓	↓					↓
353	U410		↓	↓					↓
354	U411		↓	↓					↓
355	P001		↓	↓					↓
356	P002		↓	↓					↓
357	P003		↓	↓					↓
358	P004		↓	↓					↓
359	P005		↓	↓					↓
360	P006		↓	↓					↓
361	P007		↓	↓					↓
362	P008		↓	↓					↓
363	P009		↓	↓					↓
364	P010		↓	↓					↓
365	P011		↓	↓					↓
366	P012		↓	↓					↓
367	P013		↓	↓					↓
368	P014		↓	↓					↓
369	P015		↓	↓					↓
370	P016		↓	↓					↓
371	P017		↓	↓					↓
372	P018		↓	↓					↓
373	P020		↓	↓					↓
374	P021		↓	↓					↓
375	P022		↓	↓					↓
376	P023		↓	↓					↓
377	P024		↓	↓					↓
378	P026		↓	↓					↓
379	P027		↓	↓					↓
380	P028		↓	↓					↓
381	P029		↓	↓					↓
382	P030		↓	↓					↓
383	P031		↓	↓					↓

384	P033		↓	↓					↓
385	P034		↓	↓					↓
386	P036		↓	↓					↓
387	P037		↓	↓					↓
388	P038		↓	↓					↓
389	P039		↓	↓					↓
390	P040		↓	↓					↓
391	P041		↓	↓					↓
392	P042		↓	↓					↓
393	P043		↓	↓					↓
394	P044		↓	↓					↓
395	P045		↓	↓					↓
396	P046		↓	↓					↓
397	P047		↓	↓					↓
398	P048		↓	↓					↓
399	P049		↓	↓					↓
400	P050		↓	↓					↓
401	P051		↓	↓					↓
402	P054		↓	↓					↓
403	P056		↓	↓					↓
404	P057		↓	↓					↓
405	P058		↓	↓					↓
406	P059		↓	↓					↓
407	P060		↓	↓					↓
408	P062		↓	↓					↓
409	P063		↓	↓					↓
410	P064		↓	↓					↓
411	P065		↓	↓					↓
412	P066		↓	↓					↓
413	P067		↓	↓					↓
414	P068		↓	↓					↓
415	P069		↓	↓					↓
416	P070		↓	↓					↓
417	P071		↓	↓					↓
418	P072		↓	↓					↓
419	P073		↓	↓					↓
420	P074		↓	↓					↓
421	P075		↓	↓					↓
422	P076		↓	↓					↓
423	P077		↓	↓					↓
424	P078		↓	↓					↓
425	P081		↓	↓					↓
426	P082		↓	↓					↓
427	P084		↓	↓					↓
428	P085		↓	↓					↓
429	P087		↓	↓					↓
430	P088		↓	↓					↓
431	P089		↓	↓					↓
432	P092		↓	↓					↓
433	P093		↓	↓					↓
434	P094		↓	↓					↓
435	P095		↓	↓					↓
436	P096		↓	↓					↓

437	P097		↓	↓						↓
438	P098		↓	↓						↓
439	P099		↓	↓						↓
440	P101		↓	↓						↓
441	P102		↓	↓						↓
442	P103		↓	↓						↓
443	P104		↓	↓						↓
444	P105		↓	↓						↓
445	P106		↓	↓						↓
446	P107		↓	↓						↓
447	P108		↓	↓						↓
448	P109		↓	↓						↓
449	P110		↓	↓						↓
450	P111		↓	↓						↓
451	P112		↓	↓						↓
452	P113		↓	↓						↓
453	P114		↓	↓						↓
454	P115		↓	↓						↓
455	P116		↓	↓						↓
456	P118		↓	↓						↓
457	P119		↓	↓						↓
458	P120		↓	↓						↓
459	P121		↓	↓						↓
460	P122		↓	↓						↓
461	P123		↓	↓						↓
462	P127		↓	↓						↓
463	P128		↓	↓						↓
464	P185		↓	↓						↓
465	P188		↓	↓						↓
466	P189		↓	↓						↓
467	P190		↓	↓						↓
468	P191		↓	↓						↓
469	P192		↓	↓						↓
470	P194		↓	↓						↓
471	P196		↓	↓						↓
472	P197		↓	↓						↓
473	P198		↓	↓						↓
474	P199		↓	↓						↓
475	P201		↓	↓						↓
476	P202		↓	↓						↓
477	P203		↓	↓						↓
478	P204		↓	↓						↓
479	P205		↓	↓						Included with above.
480										
481										
482										
483										
484										

E. USE THIS SPACE TO LIST ADDITIONAL PROCESS CODES FROM SECTION D(1) ON PAGE 3.



VIII. FACILITY OWNER					
<input checked="" type="checkbox"/> A. If the facility owner is also the facility operator as listed in Section VII on Form 1, "General Information", place an "X" in the box to the left and skip to Section IX below. <input type="checkbox"/> B. If the facility owner is not the facility operator as listed in Section VII on Form 1, complete the following items:					
1. NAME OF FACILITY'S LEGAL OWNER				2. PHONE NO. (area code & no.)	
3. STREET OR P.O. BOX		4. CITY OR TOWN		5. ST.	6. ZIP CODE
IX. OWNER CERTIFICATION					
<i>I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.</i>					
NAME (print or type)		SIGNATURE		DATE SIGNED	
Keith A. Klein, Manager U.S. Department of Energy Richland Operations Office		Keith A. Klein		03/08/2001	
X. OPERATOR CERTIFICATION					
<i>I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.</i>					
NAME (print or type)		SIGNATURE		DATE SIGNED	
SEE ATTACHMENT					

*X. OPERATOR CERTIFICATION*

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Keith A. Klein  
Owner/Operator  
Keith A. Klein, Manager  
U.S. Department of Energy  
Richland Operations Office


3/8/01  
Date


Ron D. Hanson  
Co-Operator  
Ron D. Hanson  
President and Chief Executive Officer  
Fluor Hanford

2/23/01  
Date

---


# 222-S Laboratory Complex and Surrounding Structures Site Plan





### 222-S Laboratory Complex Tank System Treatment and Storage Area

(Refer to Topographic Map  
Laboratory Complex H-13-000006)



## 222-S Laboratory Complex 219-S Waste Handling Facility



46°32'05"  
119°37'13"

00100005-2cn  
(PHOTO TAKEN 2000)

## 222-S Laboratory Complex Dangerous and Mixed Waste Storage Area



### METAL STORAGE STRUCTURES

46°32'05"

119°37'13"

98110210-13.JPG  
(PHOTO TAKEN 1998)

## 222-S Laboratory Complex Room 2-B



**HOOD FOR TRANSFER OF WASTE TO 219-S WASTE HANDLING FACILITY**

**46°32'03"**

**119°37'15"**

9702043-1CN  
(PHOTO TAKEN 1997)

## 222-S Laboratory Complex Room 4-E



**WEST SIDE**  
**46°32'03"**  
**119°37'15"**

00060190-6DF  
(PHOTO TAKEN 2000)

## 222-S Laboratory Complex Room 4-E



**EAST SIDE**  
**46°32'03"**  
**119°37'15"**

00100005-1CN  
(PHOTO TAKEN 2000)