

Please print or type in the unshaded areas only
 (fill-in areas are spaced for elite type, i.e. 12 character/inch).

FORM 3	DANGEROUS WASTE PERMIT APPLICATION	I. EPA/STATE I.D. NUMBER <table border="1" style="width:100%; border-collapse: collapse; text-align: center;"> <tr> <td>W</td><td>A</td><td>7</td><td>8</td><td>9</td><td>0</td><td>0</td><td>0</td><td>8</td><td>9</td><td>6</td><td>7</td> </tr> </table>	W	A	7	8	9	0	0	0	8	9	6	7
W	A	7	8	9	0	0	0	8	9	6	7			

FOR OFFICIAL USE ONLY		
APPLICATION APPROVED	DATE RECEIVED <i>(mo., day, & yr.)</i>	COMMENTS
	Pending Approval	

II. FIRST OR REVISED APPLICATION

Place an "X" in the appropriate box in A or B below (mark one box only) to indicate whether this is the first application you are submitting for your facility or a revised application. If this is your first application and you already know your facility's EPA/STATE I.D. Number, or if this is a revised application, enter your facility's EPA/STATE I.D. Number in Section I above.

<p>A. FIRST APPLICATION (place an "X" below and provide the appropriate date)</p> <p><input type="checkbox"/> 1. EXISTING FACILITY <i>(See instructions for definition of "existing" facility. Complete Item below.)</i></p> <table border="1" style="display: inline-table; margin-right: 20px;"> <tr><td style="width: 30px;">MO.</td><td style="width: 30px;">DAY</td><td style="width: 30px;">YEAR</td></tr> <tr><td style="text-align: center;">01</td><td style="text-align: center;">01</td><td style="text-align: center;">1952</td></tr> </table> <p><i>*FOR EXISTING FACILITIES, PROVIDE THE DATE (mo., day, & yr.) OPERATION BEGAN OR THE DATE CONSTRUCTION COMMENCED (use the boxes to the left)</i></p> <p><i>*The date construction of the Hanford Facility commenced.</i></p>	MO.	DAY	YEAR	01	01	1952	<p><input type="checkbox"/> 2. NEW FACILITY <i>(Complete item below)</i></p> <table border="1" style="display: inline-table; margin-right: 20px;"> <tr><td style="width: 30px;">MO.</td><td style="width: 30px;">DAY</td><td style="width: 30px;">YEAR</td></tr> <tr><td style="height: 20px;"></td><td style="height: 20px;"></td><td style="height: 20px;"></td></tr> </table> <p>FOR NEW FACILITIES, PROVIDE THE DATE, (mo., day, & yr.) OPERATION BEGAN OR IS EXPECTED TO BEGIN</p>	MO.	DAY	YEAR			
MO.	DAY	YEAR											
01	01	1952											
MO.	DAY	YEAR											
<p>B. REVISED APPLICATION (place an "X" below and complete Section I above)</p> <p><input checked="" type="checkbox"/> 1. FACILITY HAS AN INTERIM STATUS PERMIT <input type="checkbox"/> 2. FACILITY HAS A FINAL PERMIT</p>													

III. PROCESS - CODES AND CAPACITIES

A. PROCESS CODE - Enter the code from the list of process codes below that best describes each process to be used at the facility. Ten lines are provided for entering codes. If more lines are needed, enter the code(s) in the space provided. If a process will be used that is not included in the list of codes below, then describe the process (including its design capacity) in the space provided on the (Section III-C).

B. PROCESS DESIGN CAPACITY - For each code entered in column A enter the capacity of the process.

1. AMOUNT - Enter the amount.

2. UNIT OF MEASURE - For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the units of measure that are listed below should be used.

PROCESS	PRO-CESS CODE	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY	PROCESS	PRO-CESS CODE	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY
Storage:			Treatment:		
CONTAINER (barrel, drum, etc.)	S01	GALLONS OR LITERS	TANK	T01	GALLONS PER DAY OR LITERS PER DAY
TANK	S02	GALLONS OR LITERS	SURFACE IMPOUNDMENT	T02	GALLONS PER DAY OR LITERS PER DAY
WASTE PILE	S03	CUBIC YARDS OR CUBIC METERS			
SURFACE IMPOUNDMENT	S04	GALLONS OR LITERS	INCINERATOR	T03	TONS PER HOUR OR METRIC TONS PER HOUR; GALLONS PER HOUR OR LITERS PER HOUR
Disposal:			OTHER (Use for physical, chemical, thermal or biological treatment processes not occurring in tanks, surface impoundments or incinerators. Describe the processes in the space provided: Section III-C.)	T04	GALLONS PER DAY OR LITERS PER DAY
INJECTION WELL	D80	GALLONS OR LITERS			
LANDFILL	D81	ACRE-FEET <i>(the volume that would cover one acre to a depth of one foot) OR HECTARE-METER</i>			
LAND APPLICATION	D82	ACRES OR HECTARES			
OCEAN DISPOSAL	D83	GALLONS PER DAY OR LITERS PER DAY			
SURFACE IMPOUNDMENT	D84	GALLONS OR LITERS			

UNIT OF MEASURE	UNIT OF MEASURE CODE	UNIT OF MEASURE	UNIT OF MEASURE CODE	UNIT OF MEASURE	UNIT OF MEASURE CODE
GALLONS	G	LITERS PER DAY	V	ACRE-FEET	A
LITERS	L	TONS PER HOUR	D	HECTARE-METER	F
CUBIC YARDS	Y	METRIC TONS PER HOUR	W	ACRES	B
CUBIC METERS	C	GALLONS PER HOUR	E	HECTARES	Q
GALLONS PER DAY	U	LITERS PER HOUR	H		

EXAMPLE FOR COMPLETING SECTION III (shown in line numbers X-1 and X-2 below): A facility has two storage tanks; one tank can hold 200 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons per hour.

A. PROCESS	B. PROCESS DESIGN CAPACITY
------------	----------------------------

LINE NUMBER	CODE (from list above)	1. AMOUNT (specify)	2. UNIT OF MEASURE (enter code)	FOR OFFICIAL USE ONLY			
X-1	S02	600	G				
X-2	T03	20	E				
1	S02	33,340	G				
2							
3							
4							
5							
6							
7							
8							
9							
10							

C. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESS (CODE "T04"). FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY.

S02

The 241-Cx Tank System is located east of B Plant in the 200 East Area on the Hanford Facility. The 241-CX Tank System consists of three tanks -- 241-CX-70 (CX -70), 241-CX-71 (CX-71), and 241 -CX-72 (CX-72). Processes that were associated with these three tanks are as follows.

Tank CX-70 was used for approximately 1 year in the early 1950's to store high-level process waste from the reduction/oxidation (REDOX) pilot studies. The term REDOX was used for the reduction/oxidation chemical process separating plutonium and uranium from irradiated reactor fuel. Waste removal activities for the CX-70 tank were initiated in the summer of 1987 with the construction of a sluicing/pumping system. The sluicing/pumping system involved using large volumes of water to sluice/pump the solid mixed waste from tank CX -70 to the Double-Shell Tank System. Approximately 140,000 gallons (529,950 liters) of water were used to sluice the original waste volume of 10,300 gallons (38,986 liters) down to 750 gallons (2,839 liters). This volume remained in tank CX-70 until December 20, 1991 at which time the waste was placed in approved containers and transferred to the 224-T Transuranic Waste Storage and Assay facility. The design capacity of tank CX -70 is 30,000 gallons (113,550 liters).

Tank CX-71 was used from 1952 through 1957 for neutralizing the 201-C process condensate and coil and condenser cooling water. Tank CX-71 received process condensate from REDOX and plutonium-uranium extraction (PUREX) operations, and decontamination flushes following the completion of PUREX operations. The mixed waste remaining in tank CX-71 contains liquid process effluents that were passed through the tank for the purpose of neutralization by contact with a bed of limestone aggregate placed in the tank for this purpose. After the June 1957 decontamination flushes, tank CX-71 was placed out of service. The design capacity of tank CX -71 is 1,000 gallons (3,785 liters).

Tank CX-72 was used for approximately 1 year in 1956 when 2,305 gallons (8,725 liters) of Strontium Semiworks Complex mixed waste was transferred into the tank for storage. Tank CX-72 also was used to study the concentration of waste generated from the Strontium Semiworks Complex pilot studies. Decontamination flushes from the Strontium Semiworks Complex also might have been sent to tank CX -72. The waste in the tank was then heated until nearly dry. From 1960 through 1967, tank CX -72 remained idle until it was taken out of service in 1967. In 1986, tank CX-72 was filled with 24 feet (7.3 meters) of grout over an 11-foot (3.4-meter) heel of non-liquid mixed waste. The design capacity of tank CX-72 is 2,340 gallons (8,860 liters).

The 241-Cx Tank System no longer receives waste and will be closed under interim status.

IV. DESCRIPTION OF DANGEROUS WASTES

A. DANGEROUS WASTE NUMBER - Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describe the characteristics and/or the toxic contaminants of those dangerous wastes.

B. ESTIMATED ANNUAL QUANTITY - For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.

C. UNIT OF MEASURE - For each quantity entered in column B enter the unit of measure code. Units of measurer which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE CODE		METRIC UNIT OF MEASURE CODE	
P	POUNDS	K	KILOGRAMS
T	TONS	M	METRIC TONS

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1. PROCESS CODES:

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

- Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns B, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "Included with above" and make no other entries on that line.
- Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

EXAMPLE FOR COMPLETING SECTION IV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

LINE NO.	A. DANGEROUS WASTE NO. (enter code)	B. ESTIMATED ANNUAL QUANTITY OF WASTE	C. UNIT OF MEASURE (enter code)	D. PROCESSES			
				1. PROCESS CODES (enter)			2. PROCESS DESCRIPTION (if a code is not entered in D(1))
X-1	K054	900	P	T03	D80		
X-2	D002	400	P	T03	D80		
X-3	D001	100	P	T03	D80		
X-4	D002			T03	D80		included with above
1	D002	19,000	P	S02			Storage - Tank (241-CX-70)
2	D007		↓	↓			↓
3	WT02		↓	↓			Included With Above
4	WT02	33,400	P	S02			Storage - Tank (241-CX-71)
5	D002	19,530	P	S02			Storage - Tank (241-CX-72)
6	D004		↓	↓			↓
7	D005		↓	↓			↓
8	D006		↓	↓			↓
9	D007		↓	↓			↓
10	D008		↓	↓			↓
11	D009		↓	↓			↓
12	D010		↓	↓			↓

VIII. FACILITY OWNER			
<input checked="" type="checkbox"/> A. If the facility owner is also the facility operator as listed in Section VII on Form 1, "General Information", place an "X" in the box to the left and skip to Section IX below.			
<input type="checkbox"/> B. If the facility owner is not the facility operator as listed in Section VII on Form 1, complete the following items:			
1. NAME OF FACILITY'S LEGAL OWNER			2. PHONE NO. (area code & no.)
3. STREET OR P.O. BOX	4. CITY OR TOWN	5. ST.	6. ZIP CODE
IX. OWNER CERTIFICATION			
<i>I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.</i>			
NAME (print or type)	SIGNATURE	DATE SIGNED	
John D. Wagoner U.S. Department of Energy Richland Operations Office	John D. Wagoner	06/30/1994	
X. OPERATOR CERTIFICATION			
<i>I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.</i>			
NAME (print or type)	SIGNATURE	DATE SIGNED	
SEE ATTACHMENT			

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.


John D. Wagoner
Owner/Operator
John D. Wagoner, Manager
U.S. Department of Energy
Richland Operations Office

6/30/94
Date

Edward S. Keen
Co-Operator
Edward S. Keen, President
Bechtel Hanford, Inc.


6/30/94
Date

241-CX Tank System Site Plan




Reference H-2-95501
39203044.2a

Tank 241-CX-70




For conversions, apply the following:
Liters to gallons - divide liters by 3.785.

Tank 241-CX-71 Cross-Sectional View




For conversions, apply the following:

- Liters to gallons - divide liters by 3.785.
- Meters to feet - divide meters by 0.3048.
- Centimeters to inches - divide centimeters by 2.54.



Tank 241-CX-72 Cutaway Drawing



For conversions, apply the following:
 Liters to gallons - divide liters by 3.785.
 Meters to feet - divide meters by 0.3048.
 Centimeters to inches - divide centimeters by 2.54.

241-CX TANK SYSTEM



TANK 241-CX-70

46°33'20"

119°31'37"

93060151-3CN
(photo taken 1993)

241-CX TANK SYSTEM



TANK 241-CX-71

46°33'20"

119°31'37"

93060151-5CN
(photo taken 1993)

241-CX TANK SYSTEM



TANK 241-CX-72

46°33'20"

119°31'37"

93060151-1CN
(photo taken 1993)