

# SOLICITATION AMENDMENT



## I. AMENDMENT

SOLICITATION NO.	SOLICITATION DATE	AMENDMENT NO.	AMENDMENT DATE
266459	4/10/2014	01	4/23/2014
<b>ISSUED BY AND RETURN TO:</b> Washington River Protection Solutions, LLC P.O. Box 850 Richland, WA 99352 <a href="mailto:Michael_W_Voss@rl.gov">Michael_W_Voss@rl.gov</a>		<b>DUE DATE</b>	
		This amendment does not change the date by which offers are due unless a date and time is inserted below.	
		<b>DATE</b>	<b>TIME</b>

### DESCRIPTION OF AMENDMENT

#### [Vendor Question for Solicitation 266459 MO-997 Replacement Trailer](#)

WRPS does not have definitive specifications for any of these items. WRPS has provided some guidance, but it is up to the individual vendors on what final product they want to propose. All information will be included in the submittals and reviewed/approved by WRPS prior to fabrication and procurement.

1. Furnish and install sound-proof accordion divider wall and required structural support to separate the conference room area. Please provide spec for accordion divider wall.

The only requirements for the divider wall is that it is accordion-style, has a minimum STC Rating of 40 and the finish material is carpet or fabric (Company to approve final color).

2. Furnish and install eight (8) ceiling mount speakers including 16/2 AWG speaker wire and hardware. Please provide spec for speakers.

Speakers should be similar to the attached cut sheet.

3. Furnish and turn over two (2) 8 FT wide (minimum), ceiling recessed, electric projector screens. Do you have a spec or preference on projector screen?

Screen should be similar to the attached cut sheet.

4. Is delivery required June 25 or sooner?

WRPS would like to hold the end date. However, vendors can submit proposals with options/alternatives and propose a different date if necessary.

---

Except as provided herein, all terms and conditions of the solicitation remain unchanged and in full force and effect.

---

## II. ACKNOWLEDGMENT OF AMENDMENT

---

Offerors must acknowledge receipt of this amendment in writing, by the date and time specified for proposal submissions or the revised Due Date above (if revised), whichever is later. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE DESIGNATED LOCATION BY THE SPECIFIED DATE AND TIME MAY RESULT IN REJECTION OF YOUR OFFER. If, by virtue of this amendment you wish to change your offer, such change must make reference to the solicitation and this amendment.

---

<b>NAME AND ADDRESS OF OFFEROR</b>	<b>NAME OF SIGNER</b>
	<b>TITLE OF SIGNER</b>
<b>OFFEROR</b> ( <i>Signature of person authorized to sign</i> )	<b>DATE</b>

---



# Ci SERIES

HIDE YOUR SPEAKERS, NOT YOUR SOUND

Home > Showroom > Custom Installation > Ci Series > Speakers Selector > **Ci160QCT**

SHARE [f](#) [t](#) [v](#) [w](#) ...

## Ci Series

Print Page

Overview | **Speakers Selector** | Ci Software Download | Document Download



### Document Download

- Ci Series Brochure
- Ci Series Specification Sheet
- Download page as PDF

### Features and Technology



### Related Products

- Q115QCT
- Q110FCT
- Q160ST

### Accessories

- RIF200R

### Ci160QCT

[Speakers Selector >](#)

Combining durability, reliability and UL certification with KEF's undisputed audio pedigree and consistent, high quality performance, the Ci Commercial Series is an outstanding in-ceiling speaker line-up for project work of all types.

#### Key features

- Integral fire-rated metal rear enclosure
- UL2043-approved for use in air handling spaces
- UL1480-5-approved for use in fire protection signalling systems
- Front-mounted switch for selecting 8 ohm or 70/100 volt operation
- Includes the hardware for mounting above a suspended ceiling or in a hard ceiling

#### Applications

The Ci Commercial Series Ci160QCT is best suited where high quality music and speech reinforcement applications require hi-fi performance such as:

- Multi Room systems
- Home Theatre systems
- Lounges, Bars, Boutiques
- Boardrooms & Offices
- Airports, Convention Centres, Hotels
- Live Theatre/Concert Hall fill-in
- Houses of Worship
- Sports Arena

<b>Model</b>	Ci160QCT
<b>Nominal Impedance</b>	8Ω
<b>Sensitivity (2.83V/ 1m)</b>	89dB
<b>Frequency Response +/-6dB With back can/rear enclosure</b>	60 - 20kHz
<b>Crossover Frequency</b>	2.8kHz
<b>Drive Units (LF/ MF / HF)</b>	160mm / 19mm
<b>Recommended Amplifier Power</b>	10-100W

**Features** Uni-QArray / UL2043 & UL1480-5 approved / 8Ohm or 70V: 8w,

15w, 30w, 60w / 100V: 16w, 30w, 60w

---

**Product External Dimensions** (Diameter / Depth) 275mm (10.83in.) / 188mm (7.40in.)

---


**Cut-out Dimension** (Diameter) 240mm (9.45in.)

---

**Mounting Depth from Surface** (Product only / With back can) - / 185mm (7.28in.)

---

**Installations**




<b>SCREEN INNOVATIONS</b>	
Model No.	TRMFL110LG
Aspect Ratio	16:9
Material	Lunar HD

X

Acceptance Signature \_\_\_\_\_

Date \_\_\_\_\_

*Change given for 30 days from date of receipt. Shipping and handling fees apply.*



**Shipping Information**

L	W	H	Lbs.
120"	13"	13"	111

Product Weight Only = 93 Lbs.

**Details:**

Quantity: 1, Standard Roll / Standard View (Orientation A), 110v (default), trigger, ir, wall sw, Mount: Flush, Cassette & Trim Color: White, Drop: 24"

Diagonal	A	110.0000"
Width	B	96.0000"
Height	C	54.0000"
Drop	D	24.0000"
Weight Bar	E	109.5000"
Case Length	F	112.0000"
Flange Length	G	114.7500"
Height	H	82.6250"