

REQUEST FOR QUOTATION

THIS IS NOT AN ORDER!

Return RFQ Response to:
 WASHINGTON RIVER PROTECTION
 SOLUTIONS, LLC
 PO BOX 850 MSIN H6-16
 RICHLAND WA 99352

RFQ Number : 00035977
Issue Date : 03/26/2014
Due Date : 04/14/2014
Due Time : 12:00 PST
Page : 1

Please Direct Inquiries to:
 GREGORY S. MOORE
 Gregory S Moore@rl.gov
Title: PROCUREMENT SPEC
Phone: 509-376-7703
Fax : 509-376-0825

Vendor:

| |
|----------------------|
| Authorized Signature |
| Vendors Signature |

| | | | | | |
|-------------------------------|-----------------------|---|-------------|------------|----------------|
| RFQ Type: STANDARD RFQ | Quote Duration | - | | | |
| | Payment Terms | % | Days | Net | 30 Days |

| Line | Quantity | UP | Item Description | Unit Price |
|------|----------|----|------------------|------------|
|------|----------|----|------------------|------------|

0001 1 EA **Catalog ID :** 0000668630 3

Need Date : 04/30/2014 **Destination** RICHLAND WA

Description: ASSEMBLY, MIST ELIMINATOR, PER
 RPP-SPEC-46546, REV. 2 & SUPPORT
 ASSEMBLY.
 DESIGN DRAWINGS: H-14-109614 SHT. 1-2,

REQUEST FOR QUOTATION

THIS IS NOT AN ORDER!

Return RFQ Response to:

WASHINGTON RIVER PROTECTION
SOLUTIONS, LLC
PO BOX 850 MSIN H6-16
RICHLAND WA 99352

RFQ Number : 00035977
Issue Date : 03/26/2014
Due Date : 04/14/2014
Due Time : 12:00 PST
Page : 2

H-14-109532-030, H-14-109615 SHT. 1-5,
H-14-109524 SHT. 1, H-14-109525 SHT. 1-2
, H-14-109526-001 SHT. 2,
H-14-109526 SHT. 1-2, H-14-109528 SHT.
1-2, H-14-109529 SHT. 1, H-14-109533
SHT. 1, H-14-109720 SHT. 1, H-14-109721
SHT.1. A BUYERS REPRESENTATIVE SHALL
BE PRESENT DURING TESTING &
PREPARATION FOR DELIVERY, AS WELL
AS AT OTHER TIMES AS DESIRED
BY THE BUYER. HEAT TRACE CALCULATION
RPP-DVR-00001 IS A GUIDE FOR
APPLICATION OF HEAT TRACE & INSULATION
(REF. ECN-11-002129, PG 4, FLAG NOTE 12)
. IF THE VENDOR WISHES TO DEVIATE
FROM THIS GUIDANCE, SUCH DEVIATION SHALL
BE IDENTIFIED IN THE VENDORS PROPOSAL.
DEVIATIONS TO DESIGN DRAWINGS ARE
ALLOWED UPON WRPS APPROVAL. IN
ADDITION TO THE MANDATORY CONTENT
FOR THE CERTIFICATE OF CONFORMANCE,
ALSO STATE THE DEMISTER PAD MOISTURE
REMOVAL EFFICIENCY IN TERMS OF PERCENT.

Manufacturer : NOT APPLICABLE

Model :

Part : *N/A

| Lead Time Days | Method of Shipment | FOB | FOB Point |
|----------------|--------------------|-----|-----------|
|----------------|--------------------|-----|-----------|

| Fac | Standard Name | Rev | S/P | Text | Line Terms and Conditions | - | Text at End |
|-----|---------------|-----|-----|------|----------------------------------|---|-------------|
| | B013 | 001 | P | Y | FABRICATION/INSPECTION/TEST PLAN | | (TRAVELER) |
| | B016 | 000 | P | Y | SOURCE INSPECTION | | |

REQUEST FOR QUOTATION

THIS IS NOT AN ORDER!

Return RFQ Response to:

WASHINGTON RIVER PROTECTION
SOLUTIONS, LLC
PO BOX 850 MSIN H6-16
RICHLAND WA 99352

RFQ Number : 00035977
Issue Date : 03/26/2014
Due Date : 04/14/2014
Due Time : 12:00 PST
Page : 3

| | | | | |
|------|-----|---|---|---|
| B022 | 002 | P | Y | NONCONFORMANCE DOCUMENTATION AND REPORTING |
| B025 | 000 | P | Y | CERTIFIED WELD INSPECTOR (CWI) |
| B028 | 001 | P | Y | WELDING PROCEDURES AND QUALIFICATIONS |
| B031 | 004 | P | Y | NONDESTRUCTIVE EXAMINATION PROCESS |
| B043 | 000 | P | Y | IDENTIFICATION OF AGE CONTROL ITEMS |
| B049 | 002 | P | Y | CERTIFIED MATERIAL TEST REPORT |
| B052 | 000 | P | Y | INSPECTION AND TEST REPORT |
| B058 | 000 | P | Y | CALIBRATION REPORT |
| B061 | 000 | P | Y | CERTIFICATION OF CALIBRATION |
| B076 | 004 | P | Y | PRCMT OF POTENTIALLY SUSPECT OR COUNTERFEIT ITEMS |
| B079 | 005 | P | Y | CERTIFICATE OF CONFORMANCE |
| B085 | 001 | P | Y | PACKAGING/SHIPPING PROCEDURES |

1.0 Solicitation

1.1 North American Industry Classification System (NAICS) Code and Size Standard

The authorized procurement representative has determined that North American Industry Classification System (NAICS) Code 332999 applies to this acquisition. Therefore, the size standard for determining whether an Offeror is a small business in regard to this solicitation is seven hundred fifty (750). The small business size standard for a concern which submits an offer in its own name, other than on a construction or service contract, but which proposes to furnish a product which it did not itself manufacture, is five hundred (500) employees.

1.2 Representations and Certifications

Washington River Protection Solutions, LLC (WRPS) requires the electronic submission of the Representations and Certifications through its [vendor registration web site](http://www.hanford.gov/chgcp) (www.hanford.gov/chgcp). To start the submission, the Offeror will need to be registered with WRPS and have obtained a vendor identification number and form number (password). If assistance is required, please contact WRPS Contract Support at the following email address WRPS_Procurement@rl.gov.

For this solicitation, an Offeror is required to have an electronic Representations and Certifications on file with WRPS for the North American Standard Coding System (NAICS) code identified in this document. The certification for this specific NAICS code will be valid for twelve (12) months from its submission unless your firm's business conditions change and an updated Representations and Certification submission is then required to be submitted electronically.

1.3 Small Business Set Aside

Proposals made under this solicitation shall be from small business concerns, including; Disadvantaged, Women Owned, Veteran Owned, Service Disabled Veteran Owned and HUBZone small businesses. Proposals received from concerns that are not small businesses shall not be considered for this solicitation. Disadvantaged, Women Owned, Veteran Owned and Service Disabled Veteran Owned may self Certify to these categories as defined by the Small Business Administration (www.sba.gov). HUBZone businesses must be certified by the Small Business Administration.

1.4 Facsimile/Telephone Proposals

To meet this solicitation's due date, your proposal may be submitted by telephone, email or facsimile. If any of these methods are utilized to submit the offeror's proposal, a written confirmation will be provided to the authorized procurement representative.

To send a facsimile or email, address the facsimile to the authorized procurement representative and include a solicitation number or Subcontract/Purchase Order number for reference along with the specific information requested in the solicitation.

The authorized procurement representative's contact information is:

Email Address: gsmoore@rl.gov
Phone Number: 509-376-7703
Fax Number: 509-376-0825

1.5 Proposal Submittal

1. Proposals are to be received by the close of business (12:00 P.M., PST) on the date specified in the Solicitation.
2. Other Proposal Methods

Proposals, upon approval by the authorized procurement representative, may be submitted by electronic mail, telephone, or facsimile. When requested, the original proposal and certifications shall be sent to the authorized procurement representative as confirmation.

3. Late Proposals

Any proposal received at the office designated in the solicitation after the exact time specified for receipt will not be considered unless it is received before award is made, and:

- a. It was sent by registered or certified mail not later than the fifth calendar day prior to the date specified for receipt of offers (e.g., an offer submitted in response to a solicitation requiring receipt of offers by the 20th of the month must have been mailed by the 15th or earlier); or
 - b. It was sent by mail, telephone, telegram or facsimile as specified by the authorized procurement representative and it is determined that the late receipt was due solely to mishandling upon receipt; or
 - c. It is the only proposal received.
4. Proposal Changes

Any modification of a proposal, including a modification resulting from the authorized procurement representative's request for a "best and final offer" is subject to the same conditions as in the "Late Proposals" section above.

5. Withdrawal of Proposals

Proposals may be withdrawn by written or electronic notice received at any time prior to award. An Offeror or its authorized representative may withdraw proposals in person, provided its identity is made known and he signs a receipt for the proposal prior to award.

1.6 Financial Capability Determination

WRPS reserves the right, prior to award, to request any or all Offerors to submit data which will be used to make a determination of financial capability to perform on any resultant Subcontract. Such data may include, however not be limited to, current annual reports, lines of credit with financial institutions and suppliers, and/or any other such data as may be required to make a determination of the Offerors' financial capabilities.

1.7 Buy American Act Compliance

The provisions of this solicitation include each of the Federal Acquisition Regulation (FAR) clauses that may be applicable to the Offeror's proposal, as well as any resulting purchase order or Subcontract. The applicability of a specific FAR clause is based on the proposed dollar amount of your proposal for the supplies or materials provided under a purchase order or Subcontract unless the item is classified as a commercial off the shelf (COTS) item, and in turn, does not apply.

The applicable FAR clauses in the provisions and the corresponding clause for which identification may be required are shown below:

| FAR Clause in Subcontract Provisions | Corresponding FAR Clause Requiring Offeror Certification |
|--|--|
| FAR 52.225-1, “Buy American Act—Supplies” (Jun 2003) | FAR 52.225-2, “Buy American Act Certificate” (Jun 2003) |
| FAR 52.225-3, “Buy American Act—Free Trade Agreements—Israeli Trade Act”(Jan 2004) | FAR 52.225-4, “Buy American Act—Free Trade Agreements—Israeli Trade Act Certificate” (Jan 2005) Alternate I - applies if the quote for an end item or supplies under a time-and-materials subcontract is \$25,000 or more but less than \$50,000. Alternate II - applies if the quote for an end item or supplies under a time-and-materials subcontract is \$50,000 or more but less than \$58,550. |
| FAR 52.225-5, “Trade Agreements” (Jan 2005) | FAR 52.225-6, “Trade Agreements Certificate” (Jan 2005) |

1.8 Basis of Award – Lowest Price

The award under this solicitation shall be made to the Offeror submitting the lowest evaluated price among offers that meets all requirements of the solicitation.

1.9 Employment Eligibility Verification (E-Verify)

WRPS anticipates that this award will be subject to the Employment Eligibility Verification requirements established in Federal Acquisition Regulations (FAR) clause 52.222-54, which requires the successful Offeror to enroll and utilize the E-Verify program. Enrollment is done via the Internet at the Department of Homeland Security Web site at <http://www.dhs.gov/E-Verify>. This requirement is applicable to all awards that are more than \$3,000 and not considered a commercial item as defined in FAR Part 2.101.

WRPS reserves the right, prior to award, to require Offeror to submit information which WRPS will use to make a determination whether Offeror has successfully enrolled in the E-Verify program. Such information may include a copy of the last three (3) pages of the enrollment form (i.e. pages 11, 12, and 13) and any other information that may be required to make the appropriate determination.

Fabrication/Inspection/Test Plan (B13) Rev. 0 2/22/00

Fabrication/Inspection/Test Plan (Traveler)

The Supplier shall prepare a detailed fabrication/inspection/test plan (Traveler) for insertion of Buyer-designated source inspection/witness notification points. Prior to starting work, the plan shall be submitted to the Buyer for review, approval and insertion of Buyer's designated inspection/witness notification points unless otherwise specified in procurement documents. The plan shall include the following:

1. Traceability to Buyer's Purchase Order/ Contract Order document number.
2. Description of items to be fabricated/tested/inspected (e.g., components, subassemblies, assemblies).
3. Sequential fabrication/process steps.
4. Sequential points for inspection and tests to be performed during fabrication/processing.
5. Method/procedure to be used for performance of inspection/test/fabrication, including:
 - a. Each characteristic or attribute to be evaluated,
 - b. The report form to be utilized,
 - c. Specific Codes/Standard requirements as specified by procurement documents i.e., ASME, ASTM, ANSI, etc., and
 - d. Sampling plans for final characteristics (e.g., AQL, lot size, inspection level), where applicable.

Subsequent revisions/modifications to the fabrication/inspection/test plan document require review and approval by the Buyer prior to implementation of the change. When subcontracting any portion of this Purchase Order/Contract Order, the Supplier is required to invoke the applicable quality assurance program requirements on the subcontractor.

1.10 Source Inspection

(B16) Rev. 0 02/22/00

All items are subject to inspection at the Supplier's facility or Supplier's subcontractor's facility by a Buyer's quality representative. Supplier shall notify Buyer at least 5 working days in advance of the time items will reach any inspection hold point established by the Buyer in the procurement package.

1.11 Nonconformance Documentation and Reporting

(B22) 03/30/2007

All nonconformances identified at the Supplier's facility with a proposed disposition of "Accept" or "Repair" shall be approved by the Buyer before any corrective action is taken by the Supplier on the nonconformance.

Accept: A disposition that a nonconforming item will satisfactorily perform its intended function without repair or rework.

Repair: A disposition requiring the processing of a nonconforming item so that its characteristics meet the requirements listed in the disposition statement of the nonconformance report.

Nonconformances shall be documented by the Supplier on the Supplier's nonconformance form. After documenting the nonconformance, disposition and technical justification, the form shall be forwarded to the Buyer.

After the recommended disposition has been evaluated by the Buyer, the form shall be returned to the Supplier with a disposition of approval or rejection. The Supplier may take corrective action on the nonconformance only after the form is approved.

The Supplier's nonconformance form shall be shipped with the affected item.

1.12 Certified Weld Inspector (CWI)

(B25) Rev. 0 02/9/00

Supplier personnel performing weld inspections shall be certified as a Certified Weld Inspector (CWI) in accordance with the requirements specified in AWS QC-1.

The following documentation shall be submitted prior to the start of fabrication:

1. Current AWS CWI certificates.
2. Current and valid visual acuity examination. The examination must be performed annually.
3. Visual weld inspection procedures.

Approval shall be obtained from the Buyer prior to start of fabrication.

1.13 Welding Procedures and Qualifications

(B28) Rev. 1 12/03/02

Welding procedures and personnel shall be qualified in accordance with the applicable AWS or ASME specifications as specified in the Purchase Order/Contract order. The Supplier shall submit copies of all welding procedures, Procedure Qualification Records, and Welder Qualification Records to be employed in the performance of this Purchase Order/Contract Order. Buyer approval is required prior to the start of fabrication.

Changes and revisions to welding documentation shall be submitted to the Buyer for review and approval prior to use. When subcontracting any portion of this Purchase Order/Contract Order, the Supplier is required to invoke the applicable quality assurance program requirements on the subcontractor.

1.14 Nondestructive Examination Process

(B31) Rev. 3 02/13/12

Nondestructive examination (NDE) personnel shall be qualified and certified in accordance with the recommended guidelines of the American Society of Nondestructive Testing's (ASNT) SNT-TC-1A-2001, unless otherwise specified in the ordering data.

The Supplier is not authorized to begin fabrication until the following documentation has been reviewed and approved by the Buyer:

- a. NDE qualification and certification procedures
- b. Personnel Level I, II, and III qualifications and certifications which include objective evidence of NDE training, formal education, examinations, experience, date of hire, and current eye examination
- c. NDE method/examination procedures that are in accordance with the applicable codes/standards specified in procurement documents.

All NDE reports and radiographs shall be traceable to the item examined, include all essential examination parameters, and signed and dated by the NDE examiner. All NDE reports and radiographs shall accompany or precede shipment of material. Radiographs, and radiographic technique and examination reports shall be subject to approval by the Buyer prior to shipment of completed items.

When subcontracting any portion of this Purchase Order/Contract Order, the Supplier is required to invoke the applicable quality assurance program requirements on the subcontractor.

1.15 Identification of Age Control Items

(B43) Rev. 0 02/22/00

The Supplier shall identify each item, assembly, package, container, or material, having limited shelf life, with the cure date or date of manufacture and the expiration date. The Supplier shall specify any storage temperatures, humidity and environmental conditions which should be maintained. Material shall **NOT** be furnished having less than 75 percent of total shelf life available at time of shipment.

1.16 Certified Material Test Report

(B49) Rev. 2 03/17/06

The Certified Material Test Report (CMTR) shall include actual results of all chemical analysis, tests, examinations, and treatments required by the material specification and this Purchase Order/Contract order. The CMTR shall be legible, reference applicable specification number and year of edition, and be traceable to the material furnished by heat or lot number. All reports are subject to review and acceptance by the Buyer.

One copy of the documentation, unless otherwise specified, shall accompany the applicable item(s) shipped.

1.17 Inspection and Test Report

(B52) Rev. 0 02/22/00

The Supplier shall submit legible, reproducible copies of Inspection/Test Reports.

The report(s) shall include the following:

1. Identification of the applicable inspection and/or test procedure utilized.
2. Resulting data for all characteristics evaluated, as required by the governing inspection/test procedure.
3. Traceability to the item inspected/tested, (i.e., serial number, part number, lot number, etc.).
4. Signature of the Supplier's authorized representative or agency which performed the inspections/tests.

One copy of the documentation, unless otherwise specified, shall accompany the applicable item(s) shipped.

1.18 Calibration Report

(B58) Rev. 0 02/9/00

Certification stating the equipment furnished to the Purchase Order/Contract Order requirements has been calibrated utilizing standards whose calibration is traceable to the National Institute of Standards and Technology or other documented evidence must be submitted stating the basis of the calibration. In addition, the Supplier shall submit a report of actual calibration results. The report shall be identifiable to the acceptance criteria of the items submitted and shall meet Purchase Order/Contract Order requirements. The report shall contain the signature of the authorized representative of the agency verifying compliance.

One copy of the documentation, unless otherwise specified, shall accompany the applicable item(s) shipped.

1.19 Certification of Calibration

(B61) Rev. 0 02/22/00

The Supplier shall submit legible, reproducible copies of Certificates of Calibration, which are traceable to the National Institute of Standards and Technology, for each article ordered. Each certificate shall be identified with:

1. The Buyer's Purchase Order/Contract Order number.
2. Identification of the article to which the certificate applies.
3. The standards used for calibration. Each calibration certificate shall be signed by the Supplier's representative that is responsible for the calibration to attest to its authenticity.

One copy of the documentation, unless otherwise specified, shall accompany the applicable item(s) shipped.

1.20 Procurement of Potentially Suspect or Counterfeit Items

(B76) Rev. 2 02/25/08

Notwithstanding any other provisions of this agreement, the Supplier warrants that all items provided to the Contractor shall be genuine, new and unused unless otherwise specified in writing by the Contractor. Supplier further warrants that all items used by the Supplier during the performance of work for the Hanford Site, include all genuine, original, and new components, or are otherwise suitable for the intended purpose. Furthermore, the Supplier shall indemnify the Contractor, its agents, and third parties for any financial loss, injury, or property damage resulting directly or indirectly from material, components, or parts that are not genuine, original, and unused, or not otherwise suitable for the intended purpose. This includes, but is not limited

to, materials that are defective, suspect, or counterfeit; materials that have been provided under false pretenses; and materials or items that are materially altered, damaged, deteriorated, degraded, or result in product failure.

Types of material, parts, and components known to have been misrepresented include (but are not limited to) fasteners; hoisting, shackles, turnbuckles, cable clamps, wire rope, rigging, and lifting equipment; cranes; hoists; valves; pipe and fittings; electrical equipment and devices; plate, bar, shapes, channel members, and other heat treated materials and structural items; welding rod and electrodes; and computer memory modules. The Supplier's warranty also extends to labels and/or trademarks or logos affixed, or designed to be affixed, to items supplied or delivered to the Contractor. In addition, because falsification of information or documentation may constitute criminal conduct, the Contractor may reject and retain such information or items, at no cost, and identify, segregate, and report such information or activities to cognizant Department of Energy officials.

Supplier shall provide a written statement that “all items furnished under this Purchase Order/Contract Order are genuine (I.e., not counterfeit) and match the quality, test reports, markings and/or fitness for use required by the Purchase Order/Contract Order.

The statement shall be on supplier letterhead and signed by an authorized agent of the supplier.

Any materials furnished as part of this Purchase Order/Contract Order which have been previously found to be suspect/counterfeit by the Department of Energy shall not be accepted. For further information on suspect/counterfeit items, reference the Department of Energy (DOE) Guide DOE G 414.1-3

DOE Guide web address,

<http://www.directives.doe.gov/pdfs/doe/doetext/neword/414/g4141-3.pdf>

1.21 Certificate of Conformance

(B79) Rev. 4 12/2/2009

The Supplier shall provide a legible/reproducible Certification of Conformance. Supplier's authorized representative responsible for quality shall sign the Certification of Conformance.

This Certification of Conformance shall, as a minimum:

1. Identify the appropriate Purchase Order/Contract Order number under which the material, equipment, item or service is being supplied.
2. Each Order/shipment shall include a C of C unique to that shipment.
3. The quantity of each Line Item shipped shall be identified on the C of C.
4. The COC shall identify the specific procurement requirements to be met by the purchased item or service. The procurement requirements identified shall include any approved

changes, waivers, or deviations applicable to the item or service.

5. For OCRWM-related items only, the COC shall also identify any procurement document requirements that have not been met together with an explanation and the means for resolving the nonconformances.
6. The COC shall be signed or otherwise authenticated by a supplier's representative. For Quality Level 1 & 2 and OCRWM-related items, the person signing the COC shall be the one who is responsible for this QA function and whose responsibilities and position are described in the supplier's QA program.

One copy of the documentation, unless otherwise specified, shall accompany the applicable item shipped. For subsequent shipments on this Purchase Order/Contract order, reference may be made to documentation provided with earlier shipments, instead of duplicating such documentation.

1.22 Packaging/Shipping Procedures

(B85) Rev. 1 08/16/2011

The Supplier shall prepare and submit for approval, prior to use, a procedure or plan for the packaging and shipping of items during the performance of this Purchase Order/Contract Order. The procedures shall include as appropriate cleanliness inspections prior to packaging, use of preservatives and coatings, descriptions of specially designed shipping containers, handling and rigging procedures, final inspections, and the type of transfer and shipping vehicles, as applicable to workscope. Examples of the packing and shipping inspection forms shall be included in the procedure or plan. Additional guidance may be found in ASME NQA-1-2008, *Quality Assurance Requirements for Nuclear Facility Applications*, Subpart 2.2, *Quality Assurance Requirements for Packaging, Shipping, Receiving, Storage, and Handling of Items for Nuclear Power Plants*.

2.0 Packaging and Marking

2.1 Biodegradable/Recyclable Packaging Materials

It is the preference of WRPS that the SUBCONTRACTOR packages the material/equipment in biodegradable or recyclable packaging materials. Cardboard and/or paper containers, in place of plastic, shall be used whenever possible and practical. Paper and/or popcorn may be used for internal container protection instead of plastics, foam or polyurethane chips. This preference is not intended to transfer any liability to WRPS for damage during shipping or prior to receipt by WRPS. The SUBCONTRACTOR shall be solely responsible for determining whether such substitution is practical, safe for its intended use, or in violation of any commercial or

manufacturer's warranty that WRPS may otherwise receive. Although this preference is not a prerequisite for award of this Subcontract, the SUBCONTRACTOR's packaging methods may become a consideration for future awards.

3.0 Transportation/Receiving Instructions

3.1 FOB Designation

Responses are invited on both a FOB Origin and FOB Destination basis. Offerors will be evaluated for award (either FOB Origin or FOB Destination) based on the lowest overall price to WRPS. Please complete the information below and include the total charges as applicable to meet the solicitation's requirements.

FOB Origin: Insert the exact shipping location, weights, and dimensions for each item or shipping lots. Include an explanation of any special factors that could affect loading, shipping or handling.

FOB Destination: Delivery to WRPS's address as specified with all transportation charges paid by the Offeror. The total price shown on the Offeror's proposal is an all-inclusive firm fixed price.

4.0 Contract Administration

4.1 Document Transmittals – Master Submittal Register (MSR)

The SUBCONTRACTOR shall utilize the BUYER's document transmittal system for the exchange of data and information during the performance of Work under this Subcontract. Master Submittal Register (MSR) Form A-6005-317 is included as an attachment to the Subcontract and identifies the required SUBCONTRACTOR submittals. SUBCONTRACTOR information shall be transmitted using TOC Incoming Letter of Transmittal (form A-6005-315) to the address indicated therein.

Submittals may be transmitted electronically to TOCVND@rl.gov or a BUYER designated File Transfer Protocol (FTP) site. For electronic transmittals, all transmittal subject headings shall contain, at a minimum, the subcontract number, submittal number, and submittal description.

4.2 Authorized Procurement Representatives

Only the following named WRPS individuals are authorized to make changes to this document:

Greg Moore, Procurement Specialist
Susan Howe, Procurement Specialist
J. M. Robinson, Manager, Procurement

5.0 List of Attachments

The following attachments are incorporated herein. The General Provisions and On-Site Work Provisions, if applicable, listed below are hereby incorporated into and made a part of this Subcontract. They shall have the same force and effect as if written into the body of the contract. Subcontractor is responsible for downloading and complying with the applicable revision as identified below.

The documents identified with an asterisk below can be downloaded from the following website: <http://www.hanford.gov/tocpmm/page.cfm?page=11>

| Title | Revision | Date |
|---|----------|------------|
| * General Provisions | 3 | 6/21/2011 |
| * Supplemental Provisions – Firm Fixed Price Contract Types | 2 | 10/31/2012 |
| Master Submittal Register | 0 | |
| TOC Incoming Letter of Transmittal | | |
| All documents identified in the Line Item Description | | |