

# REQUEST FOR QUOTATION

THIS IS NOT AN ORDER!


Return RFQ Response to:  
WASHINGTON RIVER PROTECTION  
SOLUTIONS, LLC  
PO BOX 850 MSIN H6-16  
RICHLAND WA 99352

RFQ Number : 00037467  
Issue Date : 10/29/2014  
Due Date : 11/03/2014  
Due Time : 16:00 PST  
Page : 1

Please Direct Inquiries to:  
ALICE R. HENDRICKSON

Vendor:

Title: PROC SPECIALIST  
Phone: 509-376-9225

Authorized Signature

Vendors Signature

RFQ Type: STANDARD RFQ	Quote Duration	10/29/2014	-	11/03/2014
	Payment Terms	%	Days	Net 30 Days

Line	Quantity	UP	Item Description	Unit Price
------	----------	----	------------------	------------

0001 4 EA Catalog ID : 0000670751 3

Need Date : 11/12/2014 Destination RICHLAND WA

Description: SEPARATOR, MOISTURE DUAL ASSEMBLY PER  
RPP-SPEC-57518, REV.0 & BUTTERFLY  
VALVES PER RPP-SPEC-57469, REV. 0 &  
SUPPORT ASSEMBLY RPP-SPEC-57518 Rev. 0,

## REQUEST FOR QUOTATION

THIS IS NOT AN ORDER!

Return RFQ Response to:  
 WASHINGTON RIVER PROTECTION  
 SOLUTIONS, LLC  
 PO BOX 850 MSIN H6-16  
 RICHLAND WA 99352

RFQ Number : 00037467  
 Issue Date : 10/29/2014  
 Due Date : 11/03/2014  
 Due Time : 16:00 PST  
 Page : 2

RPP-SPEC-57469 Rev. 0, DESIGN DRAWINGS:  
 H-14-109933 SHEET 1, H-14-109934  
 SHEETS 1-4, H-14-109935 SHEETS 1-4,  
 H-14-109936 SHEETS 1-2, H-14-109938  
 SHEETS 1-5 & H-14-109939 SHEETS  
 1-5. CONCRETE PADS ARE NOT REQUIRED IN  
 THIS MR. FOR HEAT TRACE INFORMATION  
 REFER TO H-14-109980 SHEET 1  
 NOTES 4 & 5. FOR INSULATION INFORMATION  
 REFER TO H-14-109924 SHEET 1 NOTE 13.  
 A BUYERS REPRESENTATIVE SHALL BE  
 PRESENT DURING TESTING & PREPARATION  
 FOR DELIVERY, AS WELL AS AT OTHER TIMES  
 AS DESIRED BY THE BUYER. IF THE VENDOR  
 WISHES TO DEVIATE FROM THIS GUIDANCE,  
 SUCH DEVIATION SHALL BE IDENTIFIED IN  
 THE VENDORS PROPOSAL. DEVIATIONS TO  
 DESIGN DRAWINGS ARE ALLOWED UPON  
 WRPS APPROVAL. IN ADDITION TO THE  
 MANDATORY CONTENT FOR THE CERTIFICATE  
 OF CONFORMANCE, ALSO STATE THE DEMISTER  
 PAD MOISTURE REMOVAL EFFICIENCY  
 IN TERMS OF PERCENT.

**Manufacturer** : NOT APPLICABLE  
**Model** :  
**Part** : \*N/A

Lead Time Days	Method of Shipment	FOB	FOB Point
----------------	--------------------	-----	-----------

Fac	Standard Name	Rev S/P Text	Line Terms and Conditions - Text at End
B013		001 P Y	FABRICATION/INSPECTION/TEST PLAN (TRAVELER)
B016		000 P Y	SOURCE INSPECTION

## REQUEST FOR QUOTATION

THIS IS NOT AN ORDER!

Return RFQ Response to:  
WASHINGTON RIVER PROTECTION  
SOLUTIONS, LLC  
PO BOX 850 MSIN H6-16  
RICHLAND WA 99352

RFQ Number : 00037467  
Issue Date : 10/29/2014  
Due Date : 11/03/2014  
Due Time : 16:00 PST  
Page : 3

B022	002	P	Y	NONCONFORMANCE DOCUMENTATION AND REPORTING
B025	000	P	Y	CERTIFIED WELD INSPECTOR (CWI)
B028	001	P	Y	WELDING PROCEDURES AND QUALIFICATIONS
B031	004	P	Y	NONDESTRUCTIVE EXAMINATION PROCESS
B043	000	P	Y	IDENTIFICATION OF AGE CONTROL ITEMS
B049	002	P	Y	CERTIFIED MATERIAL TEST REPORT
B052	000	P	Y	INSPECTION AND TEST REPORT
B058	000	P	Y	CALIBRATION REPORT
B061	000	P	Y	CERTIFICATION OF CALIBRATION
B076	004	P	Y	PRCMT OF POTENTIALLY SUSPECT OR COUNTERFEIT ITEMS
B079	005	P	Y	CERTIFICATE OF CONFORMANCE
B085	001	P	Y	PACKAGING/SHIPPING PROCEDURES

**End of Request for Quotation**

# REQUEST FOR QUOTATION

THIS IS NOT AN ORDER!

Return RFQ Response to:  
WASHINGTON RIVER PROTECTION  
SOLUTIONS, LLC  
PO BOX 850 MSIN H6-16  
RICHLAND WA 99352

RFQ Number : 00037467  
Issue Date : 10/29/2014  
Due Date : 11/03/2014  
Due Time : 16:00 PST  
Page : 2

RPP-SPEC-57469 Rev. 0, DESIGN DRAWINGS:  
H-14-109933 SHEET 1, H-14-109934  
SHEETS 1-4, H-14-109935 SHEETS 1-4,  
H-14-109936 SHEETS 1-2, H-14-109938  
SHEETS 1-5 & H-14-109939 SHEETS  
1-5. CONCRETE PADS ARE NOT REQUIRED IN  
THIS MR. FOR HEAT TRACE INFORMATION  
REFER TO H-14-109980 SHEET 1  
NOTES 4 & 5. FOR INSULATION INFORMATION  
REFER TO H-14-109924 SHEET 1 NOTE 13.

A BUYERS REPRESENTATIVE SHALL BE  
PRESENT DURING TESTING & PREPARATION  
FOR DELIVERY, AS WELL AS AT OTHER TIMES  
AS DESIRED BY THE BUYER. IF THE VENDOR  
WISHES TO DEVIATE FROM THIS GUIDANCE,  
SUCH DEVIATION SHALL BE IDENTIFIED IN  
THE VENDORS PROPOSAL. DEVIATIONS TO  
DESIGN DRAWINGS ARE ALLOWED UPON  
WRPS APPROVAL. IN ADDITION TO THE  
MANDATORY CONTENT FOR THE CERTIFICATE  
OF CONFORMANCE, ALSO STATE THE DEMISTER  
PAD MOISTURE REMOVAL EFFICIENCY  
IN TERMS OF PERCENT.

Manufacturer : NOT APPLICABLE  
Model :  
Part : \*N/A

Lead Time Days      Method of Shipment      FOB      FOB Point

---

Fac	Standard Name	Rev S/P Text	Line Terms and Conditions	- Text at End
	B013	001 P Y	FABRICATION/INSPECTION/TEST PLAN	(TRAVELER)
	B016	000 P Y	SOURCE INSPECTION	

## REQUEST FOR QUOTATION

THIS IS NOT AN ORDER!

Return RFQ Response to:  
WASHINGTON RIVER PROTECTION  
SOLUTIONS, LLC  
PO BOX 850 MSIN H6-16  
RICHLAND WA 99352

RFQ Number : 00037467  
Issue Date : 10/29/2014  
Due Date : 11/03/2014  
Due Time : 16:00 PST  
Page : 3

B022	002	P	Y	NONCONFORMANCE DOCUMENTATION AND REPORTING
B025	000	P	Y	CERTIFIED WELD INSPECTOR (CWI)
B028	001	P	Y	WELDING PROCEDURES AND QUALIFICATIONS
B031	004	P	Y	NONDESTRUCTIVE EXAMINATION PROCESS
B043	000	P	Y	IDENTIFICATION OF AGE CONTROL ITEMS
B049	002	P	Y	CERTIFIED MATERIAL TEST REPORT
B052	000	P	Y	INSPECTION AND TEST REPORT
B058	000	P	Y	CALIBRATION REPORT
B061	000	P	Y	CERTIFICATION OF CALIBRATION
B076	004	P	Y	PRCMT OF POTENTIALLY SUSPECT OR COUNTERFEIT ITEMS
B079	005	P	Y	CERTIFICATE OF CONFORMANCE
B085	001	P	Y	PACKAGING/SHIPPING PROCEDURES

**End of Request for Quotation**

## REQUEST FOR QUOTATION

THIS IS NOT AN ORDER!

Return RFQ Response to:  
WASHINGTON RIVER PROTECTION  
SOLUTIONS, LLC  
PO BOX 850 MSIN H6-16  
RICHLAND WA 99352

RFQ Number : 00037467  
Issue Date : 10/29/2014  
Due Date : 11/03/2014  
Due Time : 16:00 PST  
Page : 2

RPP-SPEC-57469 Rev. 0, DESIGN DRAWINGS:  
H-14-109933 SHEET 1, H-14-109934  
SHEETS 1-4, H-14-109935 SHEETS 1-4,  
H-14-109936 SHEETS 1-2, H-14-109938  
SHEETS 1-5 & H-14-109939 SHEETS  
1-5. CONCRETE PADS ARE NOT REQUIRED IN  
THIS MR. FOR HEAT TRACE INFORMATION  
REFER TO H-14-109980 SHEET 1  
NOTES 4 & 5. FOR INSULATION INFORMATION  
REFER TO H-14-109924 SHEET 1 NOTE 13.

A BUYERS REPRESENTATIVE SHALL BE  
PRESENT DURING TESTING & PREPARATION  
FOR DELIVERY, AS WELL AS AT OTHER TIMES  
AS DESIRED BY THE BUYER. IF THE VENDOR  
WISHES TO DEVIATE FROM THIS GUIDANCE,  
SUCH DEVIATION SHALL BE IDENTIFIED IN  
THE VENDORS PROPOSAL. DEVIATIONS TO  
DESIGN DRAWINGS ARE ALLOWED UPON  
WRPS APPROVAL. IN ADDITION TO THE  
MANDATORY CONTENT FOR THE CERTIFICATE  
OF CONFORMANCE, ALSO STATE THE DEMISTER  
PAD MOISTURE REMOVAL EFFICIENCY  
IN TERMS OF PERCENT.

Manufacturer : NOT APPLICABLE  
Model :  
Part : \*N/A

Lead Time Days      Method of Shipment      FOB      FOB Point

---

Fac	Standard Name	Rev	S/P	Text	Line Terms and Conditions	-	Text at End
	B013	001	P	Y	FABRICATION/INSPECTION/TEST PLAN (TRAVELER)		
	B016	000	P	Y	SOURCE INSPECTION		

## REQUEST FOR QUOTATION

THIS IS NOT AN ORDER!

Return RFQ Response to:  
WASHINGTON RIVER PROTECTION  
SOLUTIONS, LLC  
PO BOX 850 MSIN H6-16  
RICHLAND WA 99352

RFQ Number : 00037467  
Issue Date : 10/29/2014  
Due Date : 11/03/2014  
Due Time : 16:00 PST  
Page : 3

B022	002	P	Y	NONCONFORMANCE DOCUMENTATION AND REPORTING
B025	000	P	Y	CERTIFIED WELD INSPECTOR (CWI)
B028	001	P	Y	WELDING PROCEDURES AND QUALIFICATIONS
B031	004	P	Y	NONDESTRUCTIVE EXAMINATION PROCESS
B043	000	P	Y	IDENTIFICATION OF AGE CONTROL ITEMS
B049	002	P	Y	CERTIFIED MATERIAL TEST REPORT
B052	000	P	Y	INSPECTION AND TEST REPORT
B058	000	P	Y	CALIBRATION REPORT
B061	000	P	Y	CERTIFICATION OF CALIBRATION
B076	004	P	Y	PRCMT OF POTENTIALLY SUSPECT OR COUNTERFEIT ITEMS
B079	005	P	Y	CERTIFICATE OF CONFORMANCE
B085	001	P	Y	PACKAGING/SHIPPING PROCEDURES

**End of Request for Quotation**