



THE HANFORD SITE

Hanford Advisory Board Health, Safety & Environmental Protection Committee Virtual Meeting

Industrial Safety and Health Update


Mark Hughey

CH2M HILL Plateau Remediation Company

May 19, 2020

CH2M HILL Plateau Remediation Company COVID-19 Guidance Planning

- Centers for Disease Control and Prevention
- Occupational Safety Health Administration





All employees

- Follow local, state, and federal safety guidance with respect to social distancing and temperature monitoring
- Wash hands frequently; alcohol-based rubs containing at least 60% alcohol may also be used
- Recommended to wear face coverings (mouth/nose) in accordance with local, state, and federal guidance
- Periodically wipe down or clean commonly-touched surfaces to minimize risk of transference

Management



- Limit crew size and adjust work shifts to minimize personnel density
- Plan large scopes of work into smaller activities to minimize number of personnel
- Limit face-to-face meetings and use telecommunications when possible
- Adjust work locations, office spaces and lunchroom/breakroom configuration to maintain social distancing
- Stagger lunch periods to minimize group gatherings
- When feasible, use temporary barriers to provide separation between workers, when social distancing is not possible, to perform work

THE HANFORD SITE | Teleworking



Face Coverings





Practicing Social Distancing



Adjusting Work Spaces



Before



After

Installing Guards and Shields



Enhance Janitorial Training and Protocols



Cleaning stations, hand-sanitizing stations



COVID-19

Coronavirus Disease 2019

MONITOR YOUR HEALTH

Be alert for a new or worse cough, fever, or shortness of breath. Watch for other symptoms such as fatigue, muscle aches, headache, sore throat, and loss of taste or smell. If you experience any of these symptoms, stay home and avoid contact with others. If you have a fever, cough, or shortness of breath, you should wear a mask.

FEVER **COUGH** **SHORTNESS OF BREATH**

WHEN TO SEEK MEDICAL ATTENTION

1. If you develop symptoms and have been in close contact with someone who has COVID-19, or you have been in a high-risk setting, contact your healthcare provider for advice.

2. If you develop any of these emergency warning signs, call 911 or go to the hospital immediately:

TROUBLE BREATHING **PERSISTENT PAIN OR PRESSURE IN CHEST** **CONFUSION OR INABILITY TO WAKE UP** **BLUISH LIPS OR FACE**

COVID-19

Coronavirus Disease 2019

RESPECT OTHER PERSPECTIVES

Be respectful of others' perspectives. We all have different perspectives on how to best protect ourselves and our communities. It is important to listen to all perspectives and work together to find solutions that work for everyone.

BE A PUBLIC HEALTH HERO

Help Fight the Spread of Illness

WASH HANDS OFTEN
Wash hands often and soap for at least 20 seconds. Hand sanitizer works if you don't have soap and water.

CLEAN AND DISINFECT
Frequently used surfaces such as counters, light switches, and door handles.

COVER COUGHS
and sneezes with the tissue, then throw away and wash your hands.

KEEP HANDS AWAY
From mouth, nose, or eyes to avoid transferring germs.

IF YOU FEEL SICK, stay home from work and avoid close contact with others.

Help fight the spread of illness

Do the 6

Wash hands
for 20 seconds

Avoid face

don't touch
Use elbow

protect your cough

Stay apart
social distance

Cover face

wear a face cover

Stay home
avoid the spread

COVID-19

Coronavirus Disease 2019

PRACTICE SOCIAL DISTANCING

To reduce the spread of COVID-19, the U.S. Centers for Disease Control and Prevention (CDC) has issued guidance on how to practice social distancing. This includes the following:

- Stay at least 6 feet away from others.
- Avoid crowded places.
- Avoid public transportation.
- Avoid group gatherings.

6 Feet Social Distancing
Or closer for less than 15 minutes.

FOCUS ON SAFETY

HELPFUL GUIDELINES TO STOP THE SPREAD OF ILLNESS

- **ALARA** – Implement a graded approach in your work. Maintain social distancing guidelines to the extent feasible and practical for each situation.
- If you become ill while at work, notify your supervisor.
- Wash hands frequently using soap and water for at least 20 seconds. Alcohol-based rubs containing at least 60% alcohol may also be used.
- Wipe down "high touch" surfaces frequently using approved disinfectants. Follow the manufacturer's instructions for use of all cleaning and disinfection products (e.g., concentration, application, contact time, PPE, etc.).
- Cover coughs and sneezes with a tissue, throw tissue away and wash hands.
- Spread out – Try not to congregate in work rooms, copy rooms or other areas. Keep six feet apart when possible.

Care. for your health

CH2M HILL
Process Remediation Company

We all have a responsibility to protect and keep ourselves and our coworkers healthy.

- Respect each other
- Practice social distancing
- Watch for these symptoms:

chills **headache** **sore throat** **fever**
shortness of breath **muscle pain** **persistent cough** **new loss of taste/smell**

<https://www.cdc.gov/coronavirus/2019-ncov/>